954

COTTAGERS' SELF-HELP PROGRAM

ENRICHMENT STATUS OF LAKES
IN THE
SOUTHEASTERN REGION
OF ONTARIO
1988

MARCH 1990





COTTAGERS' SELF-HELP PROGRAM
ENRICHMENT STATUS OF LAKES
IN THE SOUTHEASTERN REGION
OF ONTARIO
1988

Report prepared by: Water Resources Assessment Unit Technical Support Section Southeastern Region

MARCH 1990



Copyright: Queen's Printer for Ontario, 1990
This publication may be reproduced for non-commercial purposes with appropriate attribution.



TABLE OF CONTENTS

Introduction 1	
Acknowledgements 2	
Causes and Effects of Nutrient Enrichment 3	
Lake Monitoring 6	
Lake Classification 7	
Evaluation of Results 9	
Appendix 1	4



INTRODUCTION

This report is the fifteenth of a continuing series of reports on the Cottager's Self-Help program for the Southeastern Region of Ontario. The Self-Help program relies on the volunteer assistance of cottagers and other waterfront property owners to monitor the water quality of our inland recreational lakes. The monitoring consists of regular observations on the water clarity of the lakes together with determinations of their algae content. Although water clarity and the prevalence of algae are only two measures of water quality, they allow a very good assessment of the condition of a lake in terms of its suitability for recreational use.

This report presents results for 94 bodies of water enrolled in the Self-Help program in the Southeastern Region of Ontario during 1988. The Southeastern Region includes Prince Edward and Hastings Counties and extends eastward to the Ottawa River and the Ontario-Quebec border. As found during previous years, most lakes in the region have very good water quality. There were, however, a few exceptions where high algae levels may have from time to time limited the use and enjoyment of the lake.

ACKNOWLEDGMENTS

The Self-Help program would not be possible without the corps of dedicated volunteers who undertake lake clarity measurements and water sample collections. The information that they help to provide contributes to the management and protection of our recreational lakes. We especially appreciate the contribution of the following organizations and individuals that have ensured a 10 year or longer record of water quality monitoring on their lake.

Bass Lake Cottage Association Baptiste Lake Association Battersea-Loughborough Association Bon Echo Provincial Park Buck Lake Protective Association Charleston Lake Provincial Park Charleston Lake Ratepayers Association Christie Lake Association Dalhousie Lake Association Desert Lake Property Owners Association Diamond Lake Cottagers Association West Devil Lake Property Owners Association Gananoque Lake Property Owners Association Mrs. R. Biddle (Eagle Lake) Mr. R. Langlais (Eagle Lake) North Shore Grippen Lake Cottage Association Mr. R. F. Sanderson (Hay Bay) Limerick Waterways Ratepayers Association Little Silver Lake Property Owners Association Lower Beverly Lake Protective Association Mink Lake Betterment Association Moira Cottagers for Clean Water Muskrat Lake Improvement Association Norway Lake Property Owners Association Mr. J. O'Dette (Mosque Lake) Mr. B. Briscoe (Olmstead Lake) Dr. A. W. Kahn (Otter Lake) Otty Lake Association Pike Lake Property Owners Association Salmon Trout Lake Cottage Association Sharbot Lake Provincial Park Mr. J. Arnold (Trov Lake) Silver Lake Protective Association White Lake Water Quality Committee

CAUSES AND EFFECTS OF NUTRIENT ENRICHMENT

Lakes are one of Ontario's most valuable assets. We are fortunate to have many hundreds of lakes. Increasing amounts of leisure time and growing affluence combined with easy accessibility of lakes from urban centres of population have culminated in the development of the shorelines of many of our lakes with summer cottages, permanent homes, campgrounds and vacation resorts.

There is a concern that increasing development and recreational activity can threaten the water quality of our lakes. One of the greatest threats to lake water quality is the over production of aquatic weeds and microscopic floating green plants collectively referred to as algae.

A certain amount of algae is essential to the proper functioning of a healthy lake ecosystem. Algae form a food resource for all the rest of the life in a lake and through the process of photosynthesis replenish the supply of oxygen in the water. However, increasing levels of algae cause a lake to become progressively more turbid and water clarity is diminished as a result. In some situations, pea-soup surface scums called algal blooms may occur. Under "bloom" conditions the lake is unsuitable for swimming and other water oriented recreational activities. Algal blooms affect more than just the surface of the water. As the algae die they sink and decompose using up the limited supply of oxygen

at the bottom of a lake. Deep water fish such as lake trout and other aquatic life that inhabit these depths are deprived of the oxygen that they need in order to survive. (In shallow lakes, less than 10 metres deep, oxygen depletion does not occur because winds keep the lake well mixed all the way to the bottom.)

To grow, algae like all green plants, need nutrients such as nitrogen and phosphorus. In the days before European settlement the inputs and levels of nutrients in lake waters are believed to have been much lower than they are today. Low concentrations of nutrients naturally limited the production of aquatic weeds and algae. The rate of supply has been influenced by human activities. Any disturbance of the ground or vegetative cover that exposes soil to erosion can increase the runoff of sediment bound nutrients from the land to a lake. For example, the clearing of forests and cultivation of land has created a substantial increase in the supply of nutrients in surface runoff. In addition, the use of fertilizers can also increase the concentration of nitrogen and phosphorus.

Shoreline development can also increase the supply of plant nutrients to a lake. As development occurs much of the natural ground cover is replaced with roads, lawns, tile fields, roofs and gardens. Runoff that was once filtered through forest soils and vegetative undergrowth flows

directly to the lake. This "urban" runoff is contaminated with high levels of phosphorus and nitrogen from sediment particles, fertilizer residues and animal wastes. Even swimming in a lake can raise its nutrient concentrations by disturbing areas of rich lake bottom sediments and redistributing nutrients back into the water.

The disposal of domestic sewage may be the most significant potential source of phosphorus arising from shoreline development. Septic tanks and tile fields are the most common form of sewage disposal in rural areas. Human and household wastes are rich in phosphorus and nitrogen. Although conventional septic tank -tile field systems are extremely effective at removing bacteria from sewage, they are limited in their ability to prevent the escape of nutrients. Nitrogen and phosphorus can travel in ground water to reach an adjacent lake or watercourse. The degree of movement depends upon the type of soil between the tile bed and the lake, the slope of the lot, the depth to the water table and the distance from the lake.

Some lakes are naturally productive of weeds and algae. Even the best land use planning and shoreline development controls cannot ameliorate water quality problems associated with such water bodies. In other lakes the production of weeds and algae can be held within acceptable limits by ensuring that phosphorus and nitrogen and other wastes entering a lake are

maintained below critical levels. For the largely forested PreCambrian shield area of the province that makes up most of our cottage country, the more obvious controllable sources of nutrient enrichment are those associated with shoreline development. On certain sensitive lakes, restrictions and controls on shoreline development may be necessary to preserve their water quality.

LAKE MONITORING

In 1970 the province initiated a comprehensive lake water quality survey program to inventory the water quality status of our lakes and to identify lakes that might be sensitive to water quality deterioration by nutrient enrichment. 1970 over 300 lakes have been surveyed in the Southeastern region of the province alone. While most of our lakes were found to have water quality suitable for a variety of recreational pursuits, continual monitoring is necessary to maintain a current record of their conditions and to define and understand any changes or trends that might be developing. The provincial government does not have the staff nor the resources to visit more than a few lakes in any given year. Therefore a "self-help" program was set up to obtain the assistance of lake associations, individual cottagers and other waterfront property owners with this undertaking. The participants in the self-help program

volunteer a half hour or so of their time each week or two during the summer to measure the water clarity of their lake with a Secchi disc and to collect a sample of water and arrange for its delivery to a Ministry of the Environment laboratory. The Ministry of the Environment analyses the samples and interprets the results.

A Secchi disc is a circular plate 20 cm in diameter that is painted with black and white opposing quadrants. The depth at which it disappears from view when slowly lowered into a lake is a standard measure of water clarity. The water samples are analyzed for chlorophyll content. Chlorophyll is a pigment that is present in all green plants including algae. The concentration of chlorophyll in a sample of water is a chemical measure of the amount of algae in a lake at the time of sampling.

LAKE CLASSIFICATION

While Secchi disc water clarity readings and chlorophyll concentrations are only two measures of water quality they allow an extremely good assessment of how pristine or nutrient enriched a lake is. Table 1 below is a lake classification scheme based on Secchi disc visibility depths and chlorophyll concentrations.

Table 1

Enrichment status	Average Secchi disc visibility depth (metres)	Average chlorophyll <u>a</u> concentration (micrograms per litre)
enriched	< 3 m	> 6 ug/l
moderately enriched	3 - 5 m	3 - 6 ug/l
unenriched	> 5 m	< 3 ug/l

note < less than; > greater than

Enriched lakes have high concentrations of nutrients as manifested by excessive growths of aquatic weeds and algae. As a result of large amounts of algae suspended in the water Secchi disc visibility depths are generally less than 3 metres and chlorophyll concentrations are greater than 6 ug/1.

Unenriched lakes have very low concentrations of nutrients as evidenced by only a very sparse population of aquatic weeds and very low levels of algae. They are usually very clear lakes with Secchi disc visibility depths over 5 metres and chlorophyll concentrations less than 3 ug/l. If they are deep lakes (>30 metres) they may support a cold water fishery such as lake trout.

Moderately enriched lakes are intermediary between the above two lake types and are characterized by moderate growths of aquatic weeds and algae. They are suitable for a wide range of water oriented recreational activities and are capable of supporting a more productive fishery than the unenriched lakes but generally for warm water species such as walleye or bass. Secchi disc visibility depths range from 3 to 5 metres and chlorophyll concentrations from 3 to 6 ug/l.

EVALUATION OF RESULTS

Table 2 and the individual lake data printouts present the Secchi disc depth visibility and chlorophyll concentration results for 94 bodies of water enrolled in the self-help program in the Southeastern Region of Ontario during 1988.

A total of 1156 pairs of observations were made on these 94 bodies of water averaging over 12 observations per lake. The Southeastern region includes Prince Edward and Hastings Counties and extends eastward to the Ottawa River and the Ontario-Quebec border.

The Secchi disc visibilities and chlorophyll concentrations can be used to evaluate the present condition of a lake based on the nutrient enrichment classification scheme presented in table 1 above. The data indicate that most of the lakes in this region have water quality which is well suited for a diversity of recreational pursuits including those that involve body contact with the water such as swimming and bathing. There were, however, some exceptions; most notably Hay Bay, South, Moira, and Stoco Lakes. Poor water clarity and high chlorophyll concentrations indicated that

Table 2: Mean Chlorophyll Concentrations (ug/1) and Mean Secchi Disc Visibility Depths (m) 1988

LAKE	CHLORO	SECCHI	NOTE
BAGOT LONG	1.2	4.4	
BAPTISTE BASS	1.5 1.0		
BASS	0.8		
BEAVER - SOUTH BASIN	3.3		
BIG GULL (CLARENDON)	1.8	4.4	
BIG RIDEAU	1.9		
BIG RIDEAU - BRITON BAY	2.3	4.2	
BLACK	3.9	5.1	
BLACK BAY	1.4	3.3	
BLACK DONALD	0.8	5.8	
BOBS - LONG BAY	1.7	5.4	1
BOBS - MUD BAY	6.2	2.5	
BOIS DUR, LAC DU	1.2	3.9	1
BRULE (WENSLEY)	0.8		
BUCK - NORTH BAY - NORTH END	2.6	5.1	
BUCK - NORTH BAY - SOUTH END BUCK - SOUTH BAY	2.1	4.9	
BURRIDGE	2.0	5.4 4.6	
CASHEL	0.8	4.6	
CHARLESTON - GOOSE ISLAND	2.4	3.8	
CHARLESTON - WEBSTERS BAY	2.3	3.9	
CHARLESTON - WESTERN WATER	2.3	3.9	
CHIPPEGO	1.9	3.6	
CHRISTIE	2.8	5.2	
CROSBY (BIG CROSBY)	1.8	4.7	
CROWE	2.1	2.9	
DAVERN	1.8	5.4	
DEMPSEY (VIRGIN)	3.0	5.2	
DESERT	1.6	4.5	
DEVIL DIAMOND	1.6 1.0	5.4 5.6	
DICKEY - NORTH BASIN	2.2	4.1	
DICKEY - SOUTH BASIN	1.2	4.8	
DOG - NORTH BASIN	5.4	2.5	
EAGLE	2.4	5.2	
EAST	6.3	1.7	
FARREN (FARRELL)	1.2	4.8	
GANANOQUE	4.8	2.7	
GREEN (BROUGHHAM TOWNSHIP)	1.7	8.6	
GREEN (RADCLIFFE TOWNSHIP)	1.2	5.4	
GRINDSTONE	1.8	5.0	
GUNTER	0.8	4.5	
HAY BAY HURDS	20.2	1.5 3.9	
HUTSON	1.3	5.2	1
INDIAN	2.1	4.0	-
JEFFREY	0.9	6.9	1
JEFFREYS (OLMSTEAD)	1.1	6.5	
JOEPERRY	1.7	3.0	

	CHLORO	SECCHI	NOTE
KASHWAKAMAK	1.0	2.7	
KENNEBEC - EAST BASIN	3.2	2.9	
KENNEBEC - WEST BASIN	2.9	3.1	
KILLENBECK	5.5	2.9	
LIMERICK	1.5		
LITTLE FRANKLIN	3.9	3.6	
LITTLE SILVER	2.6	4.3	
LOUGHBOROUGH - EAST BASIN	2.6 3.8 2.8 4.2	2.9	
LOUGHBOROUGH - WEST BASIN	2.8	5.5	1
LOWER BEVERLEY - MAIN BASIN	4.2	2.7	
LOWER BEVERLEY - OAK BAY	6.1	1.9	
MAZINAW	4.2 6.1 0.9	3.8	
PILIVE	1.9	3.9	
MOIDA - MECE DACIN	6.2	2.0	
MOIRA - WEST BASIN MOSQUE - NORTH & SOUTH BASINS	1 1	1.4	
MOSQUE - WEST BASIN	1.1	3.9	
MUSKRAT	8.7		
NORWAY	2.6	5.2	
OPINICON	3.4		
OTTER	1.8	3 4	
OTTY	2.0	4.7	
PAUGH	0.7	6.3	1
PIKE	2.0	5.5	
RED HORSE - EAST BASIN	2.0	3.9	
RED HORSE - WEST BASIN	3.2		
SAINT ANDREW	4.8	2.7	
SAINT PETER	1.7		1
SALMON TROUT	4.7	4.3	
SAND	3.6	4.0	
SHABOMEKA	2.0		
SILVER SKOOTAMATTA - WEST BASIN	1.0	3.9	
SOUTH	23.7		
STEENBURG	0.3	4.0	1
STOCO - NORTH BASIN	16.9		-
SYDENHAM	4.7	5.0	
TAIT	1.2	4.4	
THIRTEEN ISLAND	2.8	4.1	
TROY	4.8	3.3	
TWIN SISTER - EAST BASIN	3.7	3.6	
TWIN SISTER - WEST BASIN	1.8	3.5	
WEST	12.1	0.7	
WOLLASTON	1.3	4.6	

¹ The mean may not accurately reflect seasonal conditions in these lakes as less than 6 sets of measurements were collected.

algal densities may have from time to time limited the recreational use and enjoyment of these lakes during the summer months.

A record of seasonal mean Secchi disc visibility and chlorophyll concentrations for previous years that a lake was enrolled in the self-help program is provided on the individual lake report printout sheets beside the table with the current year's data. These data will provide a valuable record of water quality that can be compared over the years to identify and understand changes that may occur in our lakes.

In our last report it was noted that most lakes enrolled in the self-help program experienced a noticeable improvement in water quality during 1987 as evidenced by higher Secchi disc visibility readings and lower chlorophyll concentrations compared to the values for these measurements in previous years. Improved water quality conditions were sustained in 1988. The summers of both 1987 and 1988 were periods of extremely dry weather compared to the long term norm for rainfall. It is believed that reduced amounts of surface runoff limited the supply of algae producing nutrients available to these lakes over the course of the growing season during the past two years. The reduction in the nutrient supply was large enough to limit the production of algae in these lakes.

Over the longer term it can be seen that some lakes have an annual average Secchi disc visibility depth and chlorophyll concentration that have remained relatively constant from year to year. It is apparent that their water quality enrichment status is not changing. For other lakes, year to year fluctuations in these measurements have been subject to quite wide swings. For these lakes, a thorough analysis of the data will be required to discriminate between natural variations about a steady state average condition and the emergence of any continuing improvement or deterioration in water quality. As the data base develops for these lakes, the results will be periodically analyzed statistically and interpretations provided that will include the conclusions of any trend through time examination.



APPENDIX

The following pages are individual lake reports for lakes enrolled in the 1988 Self-Help program. The reports are arranged alphabetically by lake name. The reports provide the Secchi disc visibility depth and chlorophyll concentration measurements for each date that sampling was conducted during 1988.

In addition, seasonal year end average Secchi disc visibility and chlorophyll values are presented for previous years that theselakes were enrolled in the Self-Help program or for which the Ministry of the Environment collected this data by a lake water quality survey.

The reports also includes information on the physical characteristics of each lake (surface area, maximum depth, volume, shoreline length, watershed area) and shoreline development (cottages, homes, resorts, and per-cent crown land).



LAKE : BAGOT LONG

TWP : BAGOT

COUNTY : RENFREW

WATERSHED AREA: 4.41 sq.km SHORELINE: 9.00 km.

SURFACE AREA : 56.0 ha. COTTAGES : 28
MAX DEPTH : 12.20 m. RESORTS : 0
VOLUME : 2.62 mill cu. m. % CROWN LAND : 70

CENTER

HISTORICAL RECORD

:	SAMPLE DATE (MM/DD/YY)		SECCHI DEPTH (METERS)	1 1 1	CHLOROPHYLL A (UG/L)	1	1		SAMPLE DATE (YEAR)	1 1 1 1	SECCHI DEPTH (METERS)		CHLOROPHYLL (U6/L)	A :
!	05/20/88	-	5.6	1		1	:	_	1981 +	!	4.9	1		:
f	07/03/88	ŀ	3.7	ł	1.8	1	1		1963 #	1	3.0	1	3.3	- 1
;	07/19/88	i	4.€	ł	0.5	1	1		1986 +	1	2.7	1	11.€	1
1	08/02/88	1	4.€	i	0.5	1	- 1		1987 #	i	4.5	l t	1.8	- 1
į.	08/29/88	í	3.5	į	3.0	1	1		1988	1	4.4	J i	1.2	1
1	09/02/88	1	4.5	1	0.1	t I	+			- 4		+		+
+-		+-		+		+			MEAN	ŀ	3.9	1	4.5	- [
	MEAN	ŀ	4.4	1	1.2	1			HAX	į	4.9	î	11.6	I I
	HAX	1	5.6	i	3.0	1 2			HIN	ŀ	2.7	1	1.2	- 1
	HIN	1	3.5	ŧ	0.1	1 1			N	ŧ	5	1	4	1
	N	1	6	į	5	1			SD	I	0.98	1	4.83	5 3
	SD	1	0.75	1	1.20	1				+		-+-		+

NOTE: # Based on less then 6 readings. ** Recreational lakes included.

ID NUMBER : 18-3490-041-01

LAKE : BAPTISTE ID NUMBER: 18-3490-002-01

TWP : HERSCHEL COUNTY : HASTINGS

WATERSHED AREA: 717.00 sq.km SHORELINE : 62.00 km.
SURFACE AREA: 2125.0 ha. COTTAGES: 506
MAX DEPTH: 31.40 m. RESORTS: 15 (113)

 SURFACE AREA
 : 2125.0
 ha.
 COTTAGES
 : 506

 MAX DEPTH
 : 31.40
 m.
 RESORTS
 : 15

 VOLUME
 : 112.73
 mill cu. m.
 % CROWN LAND
 : 50

80	BAY	PADDY	COX	BAY

+		- ÷ ·				-+	+-					-+-		+
		1 1	SECONI DEPTH (METERS)	-	CHEOROPHYEE A	1	1	_	AMPLE DATE (MM/DD/YY)		SECCHI DEPTH (METERS)		CHLOROFHYLL (UG/L)	A :
į	06/12/88	1	4.3	1	0.9	1	1		07/03/88	!	5.8	!	0.5	1
Į	08/19/88	1	4.€	1	1.4	1	1		07/17/88	ŀ	4.9	ŀ	1.9	3 3
1	05/26/88	1	4.3	1	1.7	1	1		08/07/88	f	4.3	1	1.6	1
1	07/03/88	ě	4.3	1	1.1	1	1		09/22/88	l l	4.9	t 1	0.6	1
1	07/10/88	1	4.3	į	1.7	1			09/29/88	ę į	4.9	1	1.3	1
i	07/17/88	1	4.3	1	1.8	i				+-		+-		+
1	07/24/88	į	4.3	1	2.4				MEAN	t 1	5.0	1 .	1.2	1
i	08/07/88	ř	4.6	1	2.3	1 4			HAX	1	5.8	ŀ	1.9	- 1
ŀ	09/29/88	1	4.9	ī	0.7	1			MIK	1	4.3	!	0.5	:
+		- + -		+		-+			N	ŀ	5	1	5	- {
	MEAN	1	4.4	1	1.6	i			SD	1	0.54	1	0.61	1
	HAX	ţ į	4.9	1	2.4	1				+-		+-		+
	MIN	1	4.3	1	0.7	t I								
	N	î	9	1	9	į.		¥۱	ORK RIVER					

SD | 0.22 | 0.59 |

I AVAL		

+		
SAMPLE DATE : (Mh/DD/YY)	SECCHI DEPTH (METERS)	CHLOROPHYLL A : (UG/L)
06/13/88 06/20/88 07/05/88 07/18/88 09/29/88	3.2 4.1 3.4 3.7 4.9	1.0 1.6 1.6 1.6 2.2 1.0 7 1.0 1.
MEAN MAX MIN N SD	3.9 4.9 3.2 5 0.67	1.4 2.2 0.7 5 0.59

				CHLOROPHYLL A : (U6/L)
	07/10/88 07/17/68 07/24/88 08/07/88 08/22/88 09/29/88		4.6 5.2 4.9 4.3 4.6 4.9	1.2 1.9 2.7 1 3.8 1 1.0 0.4
_	MEAN MAX MIN N SD	+	4.8 5.2 4.3 6 0.32	1.9 3.8 0.4 6 1.25

LAKE : BAPTISTE TWP : HERSCHEL

COUNTY : HASTINGS

ID NUMBER : 18-3490-002-01

WATERSHED AREA: 717.00 sq.km SHORELINE: 62.00 km.
SURFACE AREA: 2125.0 ha. CGTTAGES: 506
MAX DEPTH: 31.40 m. RESORTS: 15 (113)
VOLUME: 112.73 mill cu. m. % CROWN LAND: 50

HISTORICAL RECORD - COMBINED

4.		_ 4.				
!	SAMPLE DATE	1	SECONI DEPTH	1	CHEOROPHYLL A	1
ž	(YEAR)	1	(METERS)	1	(U6/L)	;
+-	1973 ±	-+· :	3.6	1	2.9	+
1	1974 #	1	3.4	1	0.8	1
,	1975	1	3.2	1	3.2	1
	1976 +	1	3.2	1	3.2	1
ı	1977 ++	1		1		i.
i		į	4.3	i	2.9	i
i	1978	i	4.3	į	2.4	i
i	1979	i	4.5	i	2.7	- (
ì	1980	i	3.5	ŀ	3.6	i
į	1981	1	4.0	1	3.9	1
1	1982 +	- {	3.6	1	2.4	1
i	1983	1	4.2	1	1.7	Ť
i	1984	1	3.8	i i	2.4	1
!	1985 *	1	3.4	1	1.7	1
ŀ	1988	ŧ	4.5	t	1.5	1
+	MEAN	-+-	3.8	1	2.5	-+
	HAY	1	4.5	1	3.9	1
	MIN	1	3.2	1	0.6	1
	N	1	14	1	14	-
	SD	1	0.47	100	0.90	
		+		+		-+

NOTE: * Based on less then 6 readings.
** Recreational lakes included.

LAKE : BASS

TWP : REAR OF LEEDS & LANSDOWNE

COUNTY : LEEDS

WATERSHED AREA: 14.89 sq.km SHORELINE: 8.2 km.

SURFACE AREA : 76.89

ha. m.

COTTAGES : 67 RESORTS : 0

: 67 (1975)

ID NUMBER : 12-0017-001-01

MAX DEPTH : 25.9 VOLUME : 8.67

mill cu. m. % CROWN LAND : 0

OUTLET

HISTORICAL RECORD

	LE DATE /DD/YY)	1 1	SECCHI DEPTH (METERS)	1 1 1	CHLOROPHYLL A (UG/L)	1
07	/03/88	1	7.0	1	0.3	1
07	/17/88	t t	5.9	ł	0.9	1
07	/26/88	1	5.2	1	1.7	1
08	/04/88	1	6.1	ł	0.7	1
08	/14/88	1	5.3	1	1.3	l l
08	/21/88	1	4.3	ł	0.9	1
09	/09/88	ì	5.2	ŀ	0.9	1
09	/25/88	1	5.8	1	1.3	Į Į
		-+-		+-		÷
	MEAN	-	5.6	1	1.0	1
	HAX	1	7.0	1	1.7	P.
	MIN	1	4.3	1	0.3	1
	N	1	8	1	8	ŧ ē
	SD	į	0.80	1	0.43	1
		+-		+-		ŧ

NOTE: * Based on less then 6 readings. ** Recreational lakes included.

LAKE : BAY

TWP : FARADAY

COUNTY : HASTINGS

ID NUMBER : 18-3490-008-01

WATERSHED AREA: 7.1 sq.km SHORELINE: 6.8 km. SURFACE AREA: 87.0 ha. COTTAGES: 48

 SURFACE AREA
 : 87.0
 ha.
 COTTAGES
 : 48

 MAX DEPTH
 : 24.0
 m.
 RESORTS
 : 1(10)

 VOLUME
 : 9.00
 mill cu. m.
 % CROWN LAND : 3

OFF LEDFSKY'S POINT

SD

HISTORICAL RECORD

		-+		-+		-+		 			4
	SAMPLE DATE (MM/DD/YY)		SECCHI DEPTH (METERS)	1	CHLOROPHYLL A (UG/L)	1	SAMPLE DATE (YEAR)	SECCHI DEPTH (METERS)	1 1 1	CHLOROPHYLL A	1
	07/10/88 07/24/88 08/02/89 08/14/82 08/21/88 08/28/88 09/05/88 09/11/88 09/11/88		6.4 6.4 7.0 5.8 5.2 5.2 5.2 4.9 6.1		0.5 0.4 0.4 0.8 0.7 1.5 1.1 0.7 0.6		: 1977 ++ : 1979 + : 1985 ++ : 1980 MEAN MAI MIN	8.0 4.7 8.5 7.1 5.8 6.8 8.5		1.1 1.4 1.0 0.9 0.8	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
+	MEAN MAX MIN	+ :: ::	5.8 7.0 4.9	+	0.8 1.5 0.4	+	SD NOTE :	1.57 + Based on le	55	0.23	105

0.68 0.34

NOTE: + Based on less then 6 readings.
++ Recreational lakes included.

LAKE : BEAVER

TWP : SHEFFIELD

COUNTY : LENNOX & ADDINGTON

WATERSHED AREA: 534 sq.km SHORELINE: 15.6 km.

SURFACE AREA : 280 ha. COTTAGES : 143 MAX DEPTH : 6.10 m. RESURTS : 1 (10)

VOLUME : 9.2 mill cu. m. % CROWN LAND : 0

SOUTH END

HISTORICAL RECORD

SAMPLE			SECCHI DEPTH	1	CHLOROPHYLL	A :	1	SAMPLE DATE	2		1	CHLOROPHYLL A
(MM/DD	/YY) 	¦ .+-	(METERS)	-i	(U6/L)	: +	1	(YEAR)	-+-	(METERS)	;	(UG/L)
07/12	/88	i	2.4	i	1.6	ŀ	-	1975 **	ŧ	2.8	ì	6.5
07/19	/88	ŀ	2.3	1	0.8	1	ŧ	1976 ±	1	3.0	ł	7.5
07/25	/88	1	1.9	į	1.1	1	1	1981 **	1	3.3	ł	3.3
08/04	/88	ŀ	3.4	ţ	1.9	- 1	i	1982 #	3	3.1	1	4.3
08/10	/88	ŀ	1.9	1	2.7	2	1	1983 **	1	2.9	ŀ	2.4
08/18	/88	ŀ	2.9	1	6.1	- 1	3	1985 ##	1	2.7	1	4.6
08/30	/88	ŀ	1.9	1	8.7	1	8	1986	1	2.2	1	6.1
09/08	/88	Į.	2.7	1	3.2	- 1	I	1987	1	2.3	1	2.7
		+-		-+		+	-1	1988	î	2.4	ł	3.3
ME	AN	1	2.4	1	3.3	1	+-		-+-		+-	
HA	X	i	3.4	ł	8.7	1		MEAN	-	2.7	ł	4.5
HI	N	1	1.9	1	0.8	1		MAX	1	3.3	ł	7.5
N		ŧ	8	1	8	1		HIN	1	2.2	;	2.4
SD		1	0.55	į	2.76	:		N	1	9	1	9
		+-		-+		+		SD	1	0.38	ŀ	1.81

NOTE: * Based on less then 6 readings.

ID NUMBER : 17-0031-001-01

** Recreational lakes included.

LAKE : BIG GULL (CLARENDON)

ID NUMBER : 18-3430-003-01

TWP : KENNEBEC, OLDEN, BARRIE, CLARENDON

COUNTY: FRONTENAC

sq.km SHORELINE : 89.00 km. ha. CDTTAGES : 280 (1974) m. RESORTS : 10 (156) WATERSHED AREA: 137.00 SURFACE AREA : 236.0 MAX DEPTH : 26.00 m. RESORTS : 10

VOLUME : 919.70 mill cu. m. % CROWN LAND : 25

PINNACLE POINT

HISTORICAL RECORD

	+		+-		-+	+		+		. + -		
(MM/DD/YY) ;	SECCHI DEPTH (METERS)	1	CHLOROPHYLL A (UG/L)		1	SAMPLE DAT	!	SECCHI DEPTH (METERS)	1	CHLOROPHYLL (U6/L)	A
06/12/88			-	1.2		1	1972 **	- 1	5.3	į	2.4	
07/03/88	i	4.6	ł	0.8	1	- 1	1975 **	- 1	3.4	ŀ	5.0	
07/14/88	1	4.3	1		1	1	1976	- 1	4.6	ŀ	3.2	
08/01/88	1	4.3	ŀ	1.5	1	1	1977	1	4.6	ŀ	3.0	
08/07/88	- 1	4.0	ŀ	2.6	1	1	1978	1	4.6	ŀ	3.0	
08/14/88	i	4.0	ŀ	2.9	1	1	1979 *	- 1	4.1	1	2.0	
08/21/88	1	4.3	ŀ	1.5	1		1980 +	1	3.7	ŀ	4.1	
09/05/88	1	4.3	1	2.2	1	- 1	1982	8	3.9	ŀ	2.5	
	+		+-		-+	E å	1983	1	3.7	ŀ	3.2	
MEAN	I.	4.4	1	1.8	!	1	1984	- 1	4.0	1	2.9	
MAX	- 1	5.2	1	2.9	1	1	1985	- 1	4.2	ŀ	2.4	
HIN	- 1	4.0	ŀ	0.8	1	1	1986	8 9	4.1	1	2.6	
N	ŀ	8	1	7	1	1	1987	8	4.3	ŀ	1.8	
SD	!	0.39	}	0.77	1	1	1988	;	4.4	1	1.8	
	,		+-		-+	*	MEAN		4.2	ì	2.9	
							MAX	1	5.3	1	5.0	
							MIN	1	3.4	1	1.8	
							N	1	14	1	14	
							SD	8	0.48	1	0.84	
										+-		_

NDTE : # Based on less then & readings. ** Recreational lakes included.

LAKE : BIG RIDEAU ID NUMBER : 18-0033-006-01

TWP : NORTH & SOUTH BURGESS & ELMSLEY, BASTARD

COUNTY : LANARK, LEEDS

WATERSHED AREA: 478.90 sq.km

SHORELINE : 172.00km.
COTTAGES : 1063+12 HOUSES
RESORTS : 12 (621) ha. m. SURFACE AREA : 4700

MAX DEPTH : 95.00 m.

: 799.97 mill cu. m. % CROWN LAND : 5 VOLUME

BRITON BAY	HUDSON	PAY

+-	SAMPLE DATE (MM/DD/YY)		SECOHI DEPTH (METERS)	-+	CHLOROPHYLL A (UG/L)		+ 11 -1	SAMPLE DATE (MM/DD/YY)		SECCHI DEPTH (METERS)	-+	CHLOROPHYLL /	4 :
į.	07/06/88	!	4.4	-+	1.2	:	+.	05/27/88	+-	4.0	-+	1.8	+
ŀ	07/19/88	1	4.0	1	2.2	1	ŀ	06/21/88	1	3.4	1	0.8	1
į	07/27/88	1	4.0	1	2.2	1	ŀ	06/27/88	1	3.4	1	2.7	1
1	08/03/88	ŧ	3.8	3	0.9	- 1	į	07/05/88	ł	2.7	2	2.1	- 1
1	08/10/88	1	4.2	1	2.7	1	į	07/22/88	i	3.4	i	1.8	1
į	08/16/88	1	4.1	ł	2.8	1	į	08/08/88	i	3.0	1	1.8	1
į	08/25/88	1	3.8	1	2.5	:	1	08/27/88	į	3.4	1	2.1	- 1
i	08/30/88		4.9	ă ŝ	4.2	1	i	09/13/88	i	3.0	1	2.0	1
ŀ	09/06/88	1	4.6	1	2.2	1	·		-+		-+		+
ı 1	09/15/68	1	4.1	1	3.3	1		MEAN	1	3.4	1	1.9	1
ŀ	09/22/88	1	4.4	1	1.2	1		HAX		4.0	1	2.7	
+-		-+-		-+		-+		HIN	:	3.0	i	0.8	- 1
	MEAN	1	4.2	!	2.3	1		N	į	8	i	8	- 1
	HAX	1	4.9	1	4.2	1		SD	1	0.33	1	0.53	-
	MIN	1	3.8	1	0.9	1		35	+		-+		+
	N	1	11	1	11	1							
	Sn	1	0.34		0.97	!		DETUEEN CAN	n	TOT AND AND NO	57	: CUDDE	

SD : 0.34 : 0.97 : BETWEEN SAND ISLAND AND NORTH SHORE

| SAMPLE DATE | SECONI DEPTH | CHLOROPHYLL A |

NEAR ROCKY NARROWS

_		. 4						(HH/DD/YY)	1	(METERS)	1	(UG/L)	1
					CHLOROPHYLL A	-	-	06/12/88	!	3.4	!	1.3	
ì	(HH/DD/YY)	i		1	(UG/L)	1		06/26/88	i	3.4	- 1	2.2	i
+		-+		+		† 1		07/10/88	1	5.8	- 1	1.5	ì
ì		i	3.0	ì		1		08/01/88	1	5.2	- }	0.9	- 1
ì	08/19/88	ţ	2.7	1	0.4	1		08/21/88	1	4.6	- }	2.1	1
+		-+		+		+ 1		88/81/60	T S	4.3	1	3.3	1
	MEAN	1	2.9	ì	0.4	+-	-		+		+		+
	HAX	1	3.0	1	0.4	1		MEAN	1	4.5	1	1.9	1
	HIN	1	2.7	ì	0.4	l .		HAX	9	5.8	:	3.3	1
	N	1	2	Î	1	1		HIN	-	3.4	- 1	0.9	1
	SD	1	0.22	1		1		N	1	6	7	6	1
		+		+		+		SD	1	0.95	-	0.85	

LAKE : BIG RIDEAU ID NUMBER : 18-0033-006-01

TWP : NORTH & SOUTH BURGESS & ELMSLEY, BASTARD

COUNTY : LANARK, LEEDS

WATERSHED AREA: 478.90

 sq.km
 SHORELINE
 : 172.00km.

 ha.
 COTTAGES
 : 1063+12 HOUSES

 m.
 RESORTS
 : 12 (621)

 SURFACE AREA : 4700

m. MAX DEFTH : 95.00

: 799.97 mill cu. m. % CROWN LAND : 5 VOLUME

HISTORICAL RECORD-BRITON BAY

HISTORICAL RECORD - COMBINED

SAMPLE DATE	1 1	SECCHI DEPTH	1	CHLOROPHYLL A	1	1	SAMPLE	DATE	1	SECCH! DEPTH	i	CHLOROPHYLL	A
(YEAR)	1	(METERS)	1	(UG/L)	-	1	(YEA	F)	-	(METERS)	1	(U6/L)	
1975 **	-	4.8	1	3.0	1	1	1971	++	H	3.8	;	2.9	
1977 +	1	3.3	ł	2.0	2 2	1	1975	+	1	4.6	Į į	2.9	
1378	1	4.5	l	3.0	i i	E	1976		ŧ	4. 1	!	3,4	
1979 +	1	4.2	1	3.3	1	:	1977		1	4.2	1	2.2	
1987	1	4.0	1	2.8	ŀ	1	1978		1	4.5	į	3.0	
1988	1	4.2	1	2.3	1	3 4	1979		:	4.4	1	3.4	
	-+-		+-		-+	1	1980	ŧ	1	3.7		4.7	
MEAN	1	4.2	ľ	2.7	1	1	1981	++	1	3.3	1	3.8	
MAX	1	4.9	1	3.3	!		1963		1	2.9	į	4.7	
MIR	f 1	3.3	l.	2.0	1	- 1	1984		ļ	2.7	3	3.6	
N	î	6	ŀ	6	ž L	i	1985		ŀ	3.7	i	3.1	
SD	1	0.51	t t	0.49		1	1936		ì	4.4	1	3.7	
	+-		+-		-+	1	1987		1	3.5		3.5	
						1	1988		i	3.4	8.	1.9	
NOTE :	+	Based on les	5	then & readin	gs.	+-			-+-				
	+ ž	Recreational	. 1	lakes included	*		Ħ	EAN	1	3.9	ļ	3.4	
							H	AI	- 1	4.6	1	4.7	
							M	IN	å	2.9	9	1.5	
							K			14	1	14	
							S)		0.51	1	0.79	

NOTE: + Based or less then & readings. ** Recreational lakes included.

LAKE : BLACK

TWP : NORTH BURGESS

ID NUMBER: 18-0033-026-01

COUNTY : LANARK

sq.km WATERSHED AREA: 67.1 SHORELINE : 20.1 km. ha. SURFACE AREA : 3.42

COTTAGES : 188 RESORTS : 1 MAX DEPTH : 23.0 m. : 24.84 VOLUME mill cu. m. % CROWN LAND : 0

SOUTHWEST END

HISTORICAL RECORD

+-		-+				-+	+		·
	SAMPLE DATE	į	SECCHI DEPTH	ì	CHLOROPHYLL A	1	: SAMPLE DATE :	SECCHI DEPTH	CHLOROPHYLL
	(MM/DD/YY)	1	(METERS)	1	(U6/L)	1	(YEAR) !	(METERS)	(U6/L)
	06/13/88	1	6.1	1	0.4	-+	1975 ** 1	3.7	6.0
	06/27/88	1	6.4	ŀ	0.8	1 0	: 1980 ± :	3.3	5.7
	07/05/88	ł	3.5	1	0.4	;	1 1983 ** 1	5.8	2.4
	07/18/88	1	6.4	ł	1.1	t i	1985	4.8	3.3
	07/25/88	1	6.6	1	1.8	;	1986 1	3.9	3.9
	08/02/88	1	6.2	ł	2.9	1	1987 1	4.2	4.3
	08/09/88	5	5.2	1	14.0	g 1	1988 1	5.1	3.9
	08/20/88	t t	4.4	1	6.4	i	+		·
	08/22/88	ı	4.0	1	5.1	1	MEAN :	4.4	4.2
	08/29/88	l s	4.9	1	2.9	1	HAX !	5.8	6.0
	10/13/88	ŀ	2.9	ŀ	6.7	1	MIN :	3.3	2.4
		-+-		-+-		+	N i	7	7
	MEAN	1	5.1	ł	3.9	1	SD :	0.88	1.27
	MAX	1	6.6	ŀ	14.0	1	+		
	MIN	1	2.9	ł	0.4	1			
	N	1	11	ŀ	11	1	NOTE :	* Based on less	then 6 read
	SD	1	1.30	1	4.07		+	* Recreational	lakes includ

+----+

^{**} Recreational lakes included.

LAKE : BLACK BAY - PETAWAWA RIVER ID NUMBER : 18-4930-001-01

TWP : PETAWAWA

COUNTY : RENFREW

SURFACE AREA :
MAX DEPTH :
VOLUME :

152 M. OFF NORTH SHORE

1	SAMPLE DATE	1	SECCHI DEPTH	-	CHLOROPHYLL A	
1	(MM/DD/YY)	Ī	(METERS)	1	(UG/L)	
+		+		+-		-+
1	06/19/88	8	3.0	1	1.3	
ŀ	06/26/88	ì	2.6	1	0.7	1
ŀ	07/03/88	1	4.1	ì	0.6	1
ŧ	07/10/88	1	3.5	1	1.4	1
1	07/17/88	1 2	3.7	ì	0.9	1
î	07/26/88	1	2.9	1	1.1	1
ŧ	08/03/88	1	3.2	ł	0.9	
1	08/07/88	1	3.2	ŀ	1.9	-
ŧ	08/16/88	ì	3.2	ě	2.6	
í	08/23/88	į	2.6	1	1.2	1
1	08/28/88	ł	3.2	1	1.5	1
1	09/11/88	ŀ	3.5	1	1.6	1
1	09/25/88	ł	4.1	1	1.7	i
1	10/03/68	-	3.5	1	1.6	
+	HEAN	1	3.3	1	1.4	
	MAX	1	4.1	1	2.6	
	MIN	1	2.6	1	0.6	
	N	f	14	1	14	
	SD	1	0.47	1	0.53	

HISTORICAL RECORD

		SECCHI DEPTH (METERS)		CHLOROPHYLL A (UG/L)
1986	ì	3.3	į	2.6
1988	1	3.3	1	1.4
HEAN	1	3.3	+	2.0
HAX	ŀ	3.3	1	2.€
HIN	ł	3.3	ì	1.4
N	1	2	1	2
SD	1	0.00	1	0.85



LAKE : BLACK DONALD

TWP : BROUGHAM COUNTY : RENFREW ID NUMBER : 18-3490-043-01

WATERSHED AREA : 7393.00 sq.km SHORELINE : SURFACE AREA : 1550.0 ha. COTTAGES : 103 MAX DEPTH : 44.00 m. RESURTS : 2(10 VOLUME : mill cu. m. % CROWN LAND : 20 SHORELINE : km.
COTTAGES : 103
RESORTS : 2(102)

EAST BAY

HISTORICAL RECORD

+-				- +					_		+		- 4 -		+
1 1 1	SAMPLE DATE (MM/DD/YY)		SECCHI DEPTH (METERS)	1 1	CHLOROPHYLL (UG/L)	A		1		SAMPLE DATA (YEAP)	E :	SECCHI DEPTH (METERS)		CHEOROPHYLL (US/L)	A :
;	05/01/88	1	5.8	;	0.2		† 	i i	_	1978 **	4	4.2		3.3	
1	05/15/88	!	4.€	ŀ	0.7		i i	- 1		1982 +	1	4.9	1	3.0	
Į	05/22/88	1	4.3	1	1.0		1	;		1983	1	5.6	1	1.7	
1	06/18/88	8	5.8	1	0.1		1	1 8		1984	- 1	5.3	ŀ	2.9	- 1
ŀ	07/03/88	1	6.4	ŀ	0.6		4	1		1985	- 1	5.7	l.	1.7	- 1
ļ	07/10/88	1	6.1	1	1.0		1	1		1986	1	4.9	2 2	2.2	1 6
ŀ	07/30/88	1	6.4	1	0.3		1	1		1987	- 1	5.7	1 2	1.6	5 6
1	08/05/88	8	6.4	1	0.7		1	1		1988	- 1	5.8	8	0.6	- 1
1	08/14/88	î	6.4	1	1.0		1	+	-		+		- + -		+
1	08/28/88	1	5.5	1	1.8		1			MEAN	- 1	5.3	1	2.2	8 3
1	09/18/88	ŧ	5.8	ł	1.9		ž			MAX	5 2	5.8	1	3.3	- 8
+-		4.		-+			+			MIN	- 1	4.2	1	0.8	2 9
	MEAN	1	5.8	1	0.8		ê S			N	1	8	1	8	- 1
	MAX	1	6.4	i	1.9		1			SD	- }	0.56	1	0.84	8 8
	MIN	1	4.3	1	0.1		1				+		-+-		+
	N	I	11	ě	11		1								
	SD	1	0.73	1	0.59		1			NOTE		Based on le	55	then 6 read:	nçs
		+-		-+			+				-	· Recreationa	1 1	axes include	d.

LAKE : BOB'S : LONG BAY

TWP : BEDFORD

COUNTY : FRONTENAC

WATERSHED AREA: Sq.km SHORELINE: km.
SURFACE AREA: ha. COTTAGES:
MAX DEPTH: m. RESORTS:
VOLUME: mill cu. m. % CROWN LAND: 0

LONG BAY

HISTORICAL RECORD

+	+		. +		+		+-		+-		+-		
SAMPLE DAT	_	SECCHI DEPTH (METERS)			A :		:		1	SECCHI DEPTH (METERS)	:	CHLORDPHYLL (UG/L)	A
07/25/88	3 :	5.9	;	1.5	1		1	1975 +	i	5.3	ì	3.6	
: 08/05/88	3 :	5.9	1	1.1	- 1		1	1981	ŀ	3.9	1	4.7	
: 08/12/88	3 :	4.3	ŀ	2.6	- 1		i	1982	ł	2.6	1	4.3	
+	+		+		+		ì	1983	1	2.2	1	4.2	
MEAN	1	5.4	1	1.7	- 1		!	1984	1	3.0	ž	3.2	
MAX	1	5.9	ł	2.6	- 1		1	1985 +	ŀ	2.8	1	5.1	
HIN	1	4.3	i	1.1	- 1		1	1986 *	ŀ	3.5	1	3.8	
N	1	3	1	3	- 1		1	1987 #	ŀ	4.4	ŀ	2.4	
SD	1	0.92	1	0.78	ŧ			1988 +	ł	5.4	1	1.7	
	+		+		+	•	+-	MEAN	+	3.7	·+-	3.7	
								MAX	1	5.4	1	5.1	
								HIN	ŀ	2.2	ł	1.7	
								N	į.	9	1	9	
								SD	ŀ	1.16	1	1.09	
									4.		4-		

NDTE: * Based on less then 6 readings.
** Recreational lakes included.

ID NUMBER : 18-0033-010-01

LAKE : BOB'S : MUD BAY

TWP : BEDFORD

COUNTY : FRONTENAC

WATERSHED AREA: 6.11

SHORELINE : 0.00 km.
COTTAGES : 150+15 HOUSES
RESORTS : 4 (62) sq.km ha. m. SURFACE AREA : 202.0 MAX DEPTH : 7.30 VOLUME : 6.40

mill cu. m. % CROWN LAND : 20

MUD BAY

HISTORICAL RECORD

+-		+		+		+	+-		-+-		+-		
ŀ	SAMPLE DATE	į	SECCHI DEPTH	ŀ	CHLOROPHYLL	A I	1	SAMPLE DATE	1	SECCHI DEPTH	1	CHLOROPHYLL	A 1
1	(MM/DD/YY)	1	(METERS)	1	(U6/L)	1	1	(YEAR)	1	(METERS)	1	(U6/L)	
† –	05/25/88	1	3.4	1	0.7	1	+-	1975 ++	-+-	4.0	1	7.6	1
1	06/24/88	ł	4.3	ł	0.9	- 1	ı	1976	ł	3.5	ě	6.0	- 1
1	07/21/88	į	2.7	ł	0.9	- 1	1	1977	1	3.8	1	3.8	7
ı	08/18/88	ł	2.0	ŀ	9.6	1	ŝ	1980	ł	3.5	1	7.4	,
ŀ	08/30/88	ŀ	1.7	ì	15.0	- 1	1	1981	t	2.9	1	6.0	
1	09/15/88	i	2.0	ŀ	10.0	4	l	1982	1	3.2	1	6.0	- 1
i i	09/25/88	ì	1.5	ŀ	6.4	- 1	1	1983	1	2.8	2 8	4.1	,
+ -		+		+		+	2	1984	î	2.5	1	5.2	
	MEAN	1	2.5	i	6.2	-	1	1985	1	3.1	1	5.5	- 1
	HAX	1	4.3	i	15.0	- 1	ŀ	1986	1	2.3	1	9.2	,
	HEN	;	1.5	1	0.7	- 1	1	1987	1	2.7	1	3.6	
	N	ŀ	7	1	7	- 1	į.	1988	ŀ	2.5	1	6.2	
	SD	ì	1.02	ł	5.63	1	+-		- +		+		
		+		+		ý		MEAN	1	3.1	ĵ	5.9	- 1
								MAX	1	4.0	ł	9.2	- 1
								HIN	1	2.3	1	3.6	
								N	1	12	1	12	-
								SD	1	0.55	1	1.64	-

NOTE: + Based on less then 6 readings. ** Recreational lakes included.

ID NUMBER : 18-0033-008-01

LAKE : BOIS DUR, LAC DU - PETAWAWA RIVER ID NUMBER : 18-4930-002-01

TWP : PETAWAWA COUNTY : RENFREW

SHORELINE : 24.15 km. WATERSHED AREA : sq.km

SURFACE AREA : 2.42 COTTAGES : 22 ha. MAX DEPTH : 58.0 m. RESORTS VOLUME : 10.85 mill cu. m. % CROWN LAND :

MID - LAKE

HISTORICAL RECORD

** Recreational lakes included.

AMPLE (MM/DI	(YY\	1	SECCHI DEPTH (METERS)	1	CHLOROPHYLL (UG/L)	A
07/13	/88	·+-	3.8	+-	1.2	
08/03	88\8	ř	4.2	1	1.2	
08/11	/88	ŀ	3.4	1	2.0	
08/23	3/88	í	3.8	1	0.7	
08/31	/88	I	4.1	1	0.9	
		+-		-+		
ME	AN	1	3.9	1	1.2	
H/	X	1	4.2	1	2.0	
81	IN	1	3.4	1	0.7	
N		i	5	1	5	
SI)	1	0.32	!	0.49	

LAKE : BRULE (WENSLEY) ID NUMBER: 18-3490-010-01

TWP : MILLER COUNTY : FRONTENAC

sq.km WATERSHED AREA: 52.79

SHORELINE : 26.60 km.
COTTAGES : 85
RESORTS : 2(3) SURFACE AREA : 571.0 ha. MAX DEPTH : 56.40 m. : 126.65 mill cu. m. % CROWN LAND : 35 VOLUME

VARIOUS LOCATIONS

HISTORICAL RECORD

SAMPLE DATE (MM/DD/YY)	•		CHLOROPHYLL A	1	:	SAMPLE DATE (YEAR)	1	SECCHI DEPTH (METERS)		CHLOROPHYLL (UG/L)	A
07/23/88	-+ 	7.6	0.5	-+	!	1976 +#	1	7.7		2.9	-
08/01/88	7 2	7.3	0.6	1	\$ 1	1979	1	6.5	1	1.8	
08/01/88	- 6	7.6	: 0.€	1	1	1980	1	6.8	-	2.1	
08/14/88	1	7.6	1.3	1	- 1	1981	-	7.3	1	1.8	
08/14/88	1	7.9	0.8	1	1	1982	1	7.5	1	1.4	
09/02/88	1	7.3	0.7	1	1	1983	1	8.3	1	1.1	
09/02/88	1	7.5	0.8	1	1	1984	ŀ	6.6	1	2.2	
09/16/88	ł	7.2	0.8	1	- 1	1985	I	7.2	1	1.8	
09/16/88	1	7.3	0.8	1 2	1	1986	ŀ	7.7	1	1.6	
	-+-		+	-+		1987	1	7.6	à	1.1	
MEAN	ŧ	7.5	0.8	1	1	1988	1	7.5	1	0.8	
MAX	1	7.9	1.3	1	+		-+-		+-		
HIN	1	7.2	0.5	1		HEAN	ŀ	7.3	1	1.7	
N	1	9	; 9	1		HAX	1	8.3	1	2.9	
SD	1	0.22	0.23	1		HIN	į	6.5	1	0.8	
	+		+	-+		N	l l	11	1	11	
						SD	1	0.54	1	0.59	

NOTE: + Based on less then 6 readings. ** Recreational lakes included.

LAKE : BUCK : NORTH BAY

ID NUMBER: 12-0004-002-01 TWP: LOUGHBOROUGH, BEDFORD, STORRINGTON

COUNTY : FRONTENAC

WATERSHED AREA: 19.16 sq.km SHORELINE: 15.00 km.
SURFACE AREA: 276.0 ha. COTTAGES: 77 (1976)
MAX DEPTH: 32.00 m. RESORTS: 1 (25) MAX DEPTH : 32.00 VOLUME : 27.78

mill cu. m. % CROWN LAND : 10

NORTH BAY - NORTH END

NORTH BAY - SOUTH END

		-+-		-+-		+		+-		-+		+-	
SA	MPLE DATE	: :	SECCHI DEPTH	1	CHLOROPHYLL A	1		- 1	SAMPLE DATE			1	
((YY\@d\HH)	-	(METERS)	1	(U6/L)	1		+-	(MM/DD/YY)	: -+	(METERS)	; +-	(UG/L)
	05/22/88	-+-	3.8	-+-	1.6	1		1	05/23/88	1	3.8	ŀ	2.7
	06/12/88	1	5.2	1	1.3	1		1	06/26/88	1	5.2	ŀ	1.3
	06/19/88	1	5.8	1	0.9	1		- 1	07/03/88	1	6.2	ŀ	0.6
	06/24/88	1	6.1	1	0.6	1		- [07/10/88	1	5.3	1	0.9
	07/07/88	1	7.3	1	0.5	1		- 1	07/17/88	1	5.8	1	2.0
	07/09/B8	1	6.6	1	0.5	1		- 1	07/24/88	8	4.6	i i	2.9
	07/16/88	1	6.1	1	1.5	i		1	08/01/88	8	4.3	1	1.4
	07/18/88	1	5.8	1	2.5	1		1 4	10/08/88	1	3.8	3	4.6
	07/22/88	1	6.1	1	1.4	1		+-		-+		+-	
	08/10/88	1	5.2	1	2.3	1			MEAN	ł	4.9	!	2.1
	08/17/88	1	4.3	1	3.4	1			MAX	1	6.2	1	4.6
	08/21/88	1	4.6	1	2.9	;			HIN	- 1	3.8	1	0.6
	08/30/88	1	4.0	1	7.B	1			N	į	В	1	8
	09/03/88	1	3.7	t	4.1	1			SD	1	0.90	!	1.31
	09/18/88	-	3.4	ŀ	5.7	1				+		+-	
	10/08/88	1	4.0	1	3.8	1							
	K	EAN	15.1	-+-	12.6	-+	1						
	MAX	1	7.3	8	7.8	1							
	HIN	1	3.4	1	0.5	}							
	N	-	16	1	16	}							
	SD	1	1.18	1	2.04	1							

LAKE : BUCK : NORTH BAY

ID NUMBER: 12-0004-002-01 TWP: LOUGHBOROUGH, BEDFORD, STORRINGTON

COUNTY: FRONTENAC

WATERSHED AREA: 19.16 sq.km SHORELINE: 15.00 km. SURFACE AREA : 276.0 : 77 (1976) ha. COTTAGES MAX DEPTH : 32.00 RESORTS : 1 (25) m. VO:LUME : 27.78 mill cu. m. % CROWN LAND : 10

HISTORICAL RECOPD - NAS ENDS

1	SAMPLE DATE	ŀ	SECCHI DEPTH	i	CHLOROPHYLL	A
_	(YEAR)	;	(METERS)	:	(86/L)	
	1975 **	!	4.3	1	3.9	_
	1976 ±	í	3.2	i	5.3	
	1977	î	3.5	i	3.5	
	1978	9	3.9	1	5.0	
	1979 **	i	3.2	ı	5.9	
	1980	1	3.6	1	4.7	
	1981	!	4.1	:	3.8	
	1982	!	3.9	1	3.2	
	1983	į	4.7	i	2.4	
	1984	1	3.9	ŧ	4.8	
	1985	ŀ	3.5	į	4.9	
	1986	ŀ	3.8	ł	5.0	
	1987	1	4.3	i	2.8	
	1988	!	5.0	1	2.4	
	MEAN	; :	3.9	1	4.1	-
	MAX	ŀ	5.0	1	5.9	
	MIN	1	3.2	1	2.4	
	N	9	14	1	14	
	SD	1	0.52	1	1.13	

NOTE: # Based on less then 6 readings. ** Recreational lakes included.

LAKE : BUCK : SOUTH BAY

ID NUMBER: 12-0004-004-01

TWP: LOUGHBOROUGH, BEDFORD, STORRINGTON

COUNTY : FRONTENAC

MAX DEPTH : 39 m. RESORTS : 10 VOLUME : 61.0 mill cu. m. % CROWN LAND : 0

SOUTH 8AY - OFF PORCUPINE ISLAND

HISTORICAL RECORD

	SAMPLE DATE	1	SECCHI DEPTH	1	CHLOROPHYLL	A	
	(YY/DD/YY)	1	(METERS)	į	(96/L)		
	04/17/88	!	4.9	+	2.0		-
	05/01/88	1	4.9	1	3.8		
	05/23/88	ŀ	4.4	ŀ	2.5		
	05/29/88	1	4.6	1	2.2		
	06/05/88	1	5.0	1	1.7		
	06/12/88	1	5.0	i	1.6		
	06/18/88	ŀ	5.1	!	1.3		
	06/25/88	1	5.5	í	1.6		
	07/03/88	ŀ	5.5	1	1.1		ì
	07/10/88	ł	6.2	i	0.9		
	07/18/88	1	€.1	í	1.2		
	07/23/88	1	5.3	Ī	1.3		
	07/25/88	1	5.2	ŀ	3.0		
	07/28/88	ş	5.3	1	2.6		
	08/02/88	1	5.2	1	1.5		
	08/07/88	ţ	5.9	1	1.9		
	08/14/88	1	5.€	1	1.3		-
	08/21/88	į	6.2	ŀ	1.8		
	08/29/88	i	6.1	1	1.4		
	09/05/88	ŀ	5.3	ì	4.1		1
	09/11/88	Ī	5.0	1	1.2		
	09/18/88	ŀ	5.8	1	2.1		1
	10/01/88	I	5.5	1	1.4		1
	10/10/88	1	5.9	ŧ	2.2		1
	10/15/88	ł	5.5	1	2.4		į
	10/30/88	1	6.6	1	2.9		
	11/07/88	1	5.5	ŀ	1.4		į
	11/20/88	1	6.1	1	3.5		-
	11/27/88	1	6.1	î	3.7		1
-		+-					4
	MEAN	1	5.5	1	2.1		1
	MAX	1	6.6	1	4.1		1
	MIN	1	4.4	1	0.9		1
	N	1	29	1	29		1
	SD	1	0.53	1	0.89		1

+----+

+ +		SECCHI DEPTH (METERS)	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1975 *** 1976 1979 *** 1986 1987	5.2 5.8 4.3 4.5 5.2 5.5	2.9 3.5 3.5 3.5 3.0 4 2.5 4 2.1 4
+	MEAN HAX MIN N SD	5.1 5.8 4.3 6 0.58	2.9 1 3.5 1 2.1 1 6 1 0.55 1

NOTE: * Based on less then 6 readings. ** Recreational Takes included. LAKE : BURRIDGE ID NUMBER : 18-0033-014-01

TWP : BEDFORD

COUNTY: FRONTENAC

WATERSHED AREA: 4.53 sq.km SHORELINE: 6.90 km. SURFACE AREA: 81.0 ha. COTTAGES: 47 (1974)

MAX DEPTH : 16.20 m. RESORTS : VOLUME : 5.89 mill cu. m. % CROWN LAND : 0

VARIOUS LOCATIONS

HISTORICAL RECORD

+				+-		-+				4-		٠.		
1	SAMPLE DATE (MM/DD/YY)		SECCHI DEPTH (METERS)	1	CHLOROPHYLL A (UG/L)	-			SAMPLE DATE (YEAR)	!	SECCHI DEPTH (METERS)	1	CHLOROPHYLL (UG/L)	A !
!	05/05/88	;	6.1	ŀ	0.2	7 5			1980	!	4.5	1	3. &	
;	05/12/88	î	6.1	ŀ	0.1	1			1981	1	4.4	ŀ	2.5	1
1	06/05/88	ŀ	5.2	ŀ	0.1	3	1		1982	2 2	4.7	l l	1.1	1
1	07/04/88	ŀ	4.0	1	0.8	1	1		1983 ++	ŀ	5.6	1	1.8	1
1	07/11/88	į	3.4	ŀ	0.2	į	1		1984	1	4.1	ŀ	3.0	1
ŀ	07/16/88	ŀ	3.4	ŀ	0.8	î			1985	1	4.9	ŀ	2.1	1
- 1	07/24/88	ļ	4.0	I	0.9	:	1		1986	8	4.6	1	2.6	- 1
1	08/07/88	1	4.3	l l	1.5	1	;		1987	1	4.5	1	2.2	- 1
1	08/22/88	ŀ	3.4	ŀ	1.2	1	1		1988	1	4.6	1 5	0.8	- 1
- 1	08/24/88	1	3.7	1	2.0	1	4	١-		+-		+-		+
- {	09/05/88	Į	4.6	ŀ	2.0	1			MEAN	1	4.7	ŀ	2.2	1
- {	09/11/88	1	4.9	ŀ	1.3	ī			MAX	ŀ	5.6	1	3.6	- 1
1	09/17/88	1	4.9	ŀ	0.9	ŀ			MIN	1	4.1	1	0.8	- 1
- 1	09/23/88	1	4.3	į	1.7	ŀ			N	ŀ	9	1	9	1
÷		+		+-		-+			SD	ì	0.42	ì	0.88	- }
	MEAN	ŀ	4.4	ŀ	1.0	1				+-		+-		+
	MAX	ł	6.1	ŀ	2.0	1								
	HIN	1	3.4	ŀ	0.1	1			NOTE :	ł	Based on les	s	then 6 readi	ngs.
	И	;	14	1	14	ì				ŧŧ	Recreational)	lakes include	d.
	SD	1	0.91	ŀ	0.67	1								

+-----

LAKE : CASHEL

TWP : CASHEL

COUNTY : HASTINGS

WATERSHED AREA: 28.59 sq.km SHORELINE: 10.2 km.

SURFACE AREA : 168 ha. COTTAGES : 39
MAX DEPTH : 27.4 m. RESORTS : 0
VOLUME : 13.10 mill cu. m. % CROWN LAND : 82

SOUTH END

1	SAMPLE DATE	1	SECOHI DEPTH	ł	CHLOROPHYLL	A
	(HM/DD/YY)	1	(METERS)	1	(UG/L)	
	05/14/88	-+-	3.8	+	0.9	
	05/23/88	1	4.6	į	1.1	
į	06/05/88	ŀ	4.0	1	1.3	
1	06/11/88	1	4.6	į	0.3	
1	05/06/88	2	4.3	1	1.6	
1	06/27/88	1	3.7	1	0.6	
į	07/02/88	9	5.2	ŀ	0.4	
1	07/09/88	\$ \$	5.2	į	0.5	
1	07/22/88	- [5.8	ì	0.2	
2	07/30/88	1	4.6	į	0.2	
	08/06/88	1	4.3	1	0.9	
1	08/28/88	1	4.3	ŀ	1.4	
	09/19/88	1	4.6	ŀ	0.3	- 1
	09/23/88	1	4.9	1	0.6	
	MEAN	-+·	4.6	†*	0.7	
	MAX	1	5.8	1	1.6	
	HIN	1	3.7	ŀ	0.2	
	N	1	14	1	14	
	SD	1	0.58	ŀ	0.47	

HISTORICAL RECORD

*		+
: SAMPLE DATE	SECCHI DEPTH	: CHLOROPHYLL A :
(YEAR)	(METERS)	(U6/L)
+		++
1 1977 **	5.2	1.5 :
1 1980	5.8	2.1
1981	5.7	2.1
1985 **	4.4	1.6
1987	4.9	1.3
1988	4.6	: 0.B :
+		+
MEAN	5.1	1.6
HAX	5.8	1 2.1 1
HIN	4.4	0.8
N	6	6 1
SD	0.57	1 0.50
+		++

ID NUMBER : 17-0021-002-01

NOTE: * Based on less then 6 readings. ** Recreational lakes included.

ID NUMBER: 12-0017-002-01 LAKE : CHARLESTON

TWP : REAR OF LEEDS & LANSDOWNE, FRONT & REAR OF YONGE

COUNTY : LEEDS

WATERSHED AREA: 300.00 SHORELINE : 152.00km. sq.km

COTTAGES SURFACE AREA : 2517.0 : 627 +63 HOUSES ha. MAX DEPTH : 91.00 : 3(40)+(227) PR RESORTS m.

: 437.00 mill cu. m. % CROWN LAND : 20 VOLUME

600SE ISLAND

1	(MH/DD/YY)	1	(METERS)	1	(UG/L)	- 1
-	05/01/88	-+-	3.7	:	2.0	+
- [05/08/88	1	3.7	1	4.2	2
1	05/15/88	ł	3.0	1	1.5	t i
1	05/23/88	ì	4.6	1	1.3	- }
1	05/29/88	1	4.3	1	1.6	- 1
- !	06/05/88	}	3.0	;	2.8	- 1
- [06/12/88	ŀ	3.0	1	2.€	- 1
i	06/19/88	l	3.7	- 1	2.6	1
1	06/26/88	1	3.4	1	3.0	- 1
1	07/03/88	1	4.0	1	1.0	- 1
1	07/10/88	1	3.7	1	2.6	1
- }	07/17/88	1	4.3	ŧ	1.6	- 1
- }	07/24/88	-	4.3	1	2.5	1
- [08/01/88	Ī	3.0	1	0.5	1
- }	08/07/88	1	2.4	5	1.3	- 1
1	08/14/88	1	3.4	1	2.7	1
1	08/21/88	1	4.3	1	1.9	- 1
- [08/28/88	ł	3.7	1	5.7	- 1
1	09/05/88	ł	4.0	- 1	2.6	1
-1	09/11/88	1	3.4	1	3.0	- 1
1	09/18/88	1	4.6	- 1	3.5	i
1	09/25/88	1	4.9	- 1	1.9	1

: 10/02/88 : 4.6 : 1.6

MAX

MIN

SD :

MEAN : 3.8 : 2.4

2.4

23

1 4.9 1 5.7

0.6

23 0.65 : 1.12

: SAMPLE DATE : SECCHI DEPTH : CHLOROPHYLL A :

HISTORICAL RECORD

9	SAMPLE DATE	į	SECCHI DEPTH	!	CHLOROPHYLL	A
	(YEAR)	1	(METERS)	1	(U6/L)	
	1978	-+·	3,9	+	2.9	
	1979	t E	4.2	į	3.2	
	1980	1	4.2	Į.	3.4	
	1981	1	3.6	1	5.0	
	1982	1	4.1	î	3.4	
	1983	1	4.4	ŀ	2.5	
	1984	1	3.4	ŀ	3.8	
	1985	1	4.2	ŀ	2.3	
	1986	1	3.5	1	3.9	
	1987	1	3.9	ŀ	2.7	
	1988	1	3.8	!	2.4	
	HEAN	-+-	3.9	!	3.2	
	MAX	1	4.4	į	5.0	
	HIN	1	3.4	9	2.3	
	N	1	11	1 6	11	
	SD	1	0.33	ì	0.80	

LAKE : CHARLESTON ID NUMBER : 12-0017-002-01

TWP: REAR OF LEEDS & LANSDOWNE, FRONT & REAR OF YONGE

COUNTY : LEEDS

WEBSTER'S BAY

HISTORICAL RECORD

AMPLE DATE (MM/DD/YY)		CHLOROPHYLL A			SECCHI DEPTH	CHLOROPHYLL A
05/01/88	1 3.7	1.7	1	1976	3.6	3.3
05/08/88	3.4	4.4		1978	3.9	3.4
05/15/88	3.0	1.5	1	1979	4.4	3.2
05/23/88	4.9	1.6	1	1980	4.4	3.9
05/29/88	1 4.3	1.8	1	1981	3.7	5.2
05/05/88	3.4	2.9		1982	4.4	3.8
06/12/88	3.0	1 2.7		1983	4.5	2.2
06/19/88	4.0	2.4	1	1984	3.5	2.9
06/26/88	3.7	3.0	1	1985	4.5	2.2
07/03/88	4.3	0.7	1	1986	3.4	3.6
07/10/88	3.7	1.8	1	1987	3.6	3.2
07/17/88	4.9	2.4	1	1988	3.9	2.3
07/24/88	4.9	1 3.0	4		·	
08/01/88	3.0	0.5		MEAN	4.0	3.3
08/07/88	2.7	1 2.5		MAX	4.5	5.2
08/14/88	3.0	3.1		MIN	3.4	2.2
08/21/88	4.0	1.6		N	12	12
08/28/88	3.7	3.8		SD	0.43	0.85
09/05/88	4.0	2.7			·	
09/11/88	3.7	3.0				
09/18/88	1 4.6	3.3				
09/25/88	5.2	2.1				
10/02/88	4.6	1.4				
MEAN	3.9	2.3				
MAX	5.2	4.4				
HIN	2.7	0.5				
N	: 23	23				
SD	0.72	0.94				

LAKE : CHARLESTON ID NUMBER : 12-0017-002-01

TWP : REAR OF LEEDS & LANSDOWNE, FRONT & REAR OF YONGE

COUNTY : LEEDS

sq.km SHORELINE : 152.00km. WATERSHED AREA: 300.00

 SURFACE AREA
 : 2517.0
 ha.
 COTTAGES
 : 627

 MAX DEPTH
 : 91.00
 m.
 RESORTS
 : 3(4

 VOLUME
 : 437.00
 mill cu. m.
 % CROWN LAND
 : 20

 COTTAGES : 627 +63 HOUSES RESORTS : 3(40)+(227) PR

WESTERN WATER

HISTORICAL RECORD

	SAMPLE DATE		SECCHI DEPTH	ŀ	CHLOROPHYLL	A	
	(MM/DD/YY)	!	(METERS)	1	(U6/L)		
	05/01/88	;	3.0	1	1.4		•
	05/08/88	î	3.0	ŀ	3.9		
	05/15/88	i	3.0	i	1.2		
	05/23/88	ļ	4.3	ì	1.8		
	05/29/88	į	4.3	ì	1.9		
	06/05/88	1	3.0	3	2.6		
	06/12/88	:	2.7	1	2.9		
	06/19/88	į	4.0	1	2.5		
	06/26/88	i	3.7	î	2.8		
	07/03/88	1	4.6	Ē	0.8		
	07/10/88	1	4.0	\$	2.4		
	07/17/88	2	4.6	ì	3.2		
	07/24/88	1	4.9	1	3.4		
	08/01/88	1	3.3	į	0.5		
	08/07/88	1	3.0	1	2.3		
	08/14/89	ŧ	3.7	1	1.2		
	08/21/88	ĺ	4.0	ŧ	1.6		
	08/28/88	i	4.0	į	2.8		
	09/05/88	į	4.6	i	3.2		
	09/11/88	ļ	3.7	i	2.8		
	09/18/88	1	4.0	i	3.0		
	09/25/88	6	4.9	i	2.1		
	10/02/88	1	4.6	1	1.5		
•	MEAN	;	3.9	Ţ.	2.3		-
	MAX	ŀ	4.9	1	3.9		
	HIN	1	2.7	1	0.5		
	N	1	23	1	23		
	SD	ŀ	0.68	ŀ	0.89		

+		+-		+		-+
ł	SAMPLE DATE	1	SECCHI DEPTH	į	CHLOROPHYLL A	1
1	(YEAR)	Í	(METERS)	ł	(U6/L)	3
+		+-		+		-+
ì	1971 ++	i	3.2	ì	3.9	i
i	1978	ï	4.0	ł	3.0	1
1	1979	1	4.5	1	4.7	1
ì	1980	1	4.3	ì	4.2	-1
1	1981	ł	3.8	ļ	5.6	-1
į	1982	1 2	4.5	į	3.9	1
1	1983	ŀ	4.8	ŀ	2.9	ŀ
ŀ	1984	1	3.3	1	2.7	1
1	1985	1	4.6	ŀ	2.1	1 2
1	1986	I	3.5	i	4.0	i.
1	1987	i	3.7	ł	3.0	ž å
I	1988	ì	3.9	1	2.3	į
+-		+-		+-		-+
	MEAN	ł	4.0	i	3.5	1
	HAX	ì	4.8	î	5.6	1
	MIN	ì	3.2	1	2.1	1
	N	1	12	1	12	1
	SD	ŀ	0.53	1	1.04	1
		+-		+		-+

NOTE: # Based on less then 6 readings. ** Recreational lakes included.

LAKE : CHIPPEGO

TWP : HINCHINBROOKE COUNTY : FRONTENAC

ID NUMBER: 17-0035-002-01

SHORELINE : 7.90 km.
COTTAGES : 57 (1983)
RESORTS : 1 WATERSHED AREA: 11.90 sq.km SURFACE AREA : 103.0 ha.

MAX DEPTH : 8.30 m. VOLUME : 6.85 mill cu. m. % CROWN LAND : 0

SOUTH END

HISTORICAL RECORD

+		-+		+						+		+		-+
ŀ	SAMPLE DATE	ł	SECCHI DEPTH	1	CHLOROPHYLL	Α	;	5	AMPLE DATE	1	SECCHI DEPTH	1 (CHLOROPHYLL A	1
:	(MM/DD/YY)	1	(METERS)	1	(U6/L)		:		(YEAR)	!	(METERS)	1	(U6/L)	1 .
ŧ	06/02/88	;	3.1	1	3.1		' 1		1979	!	3.1	†	6.0	1
1	06/09/88	1	3.4	ì	2.9				1980	1	3.1	ì	7.8	1
1	06/18/88	1	3.7	ţ	2.6		1		1981	1	3.2	ŀ	5.6	ŀ
ŧ	06/27/88	1	3.7	i	1.1				1982	1	3.1	1	4.1	P P
ŀ	07/03/88	1	3.8	ļ	0.7				1983 **	ì	3.2	9	3.9	ŧ
ŀ	07/17/88	1	3.5	i	0.3		1 1		1984	ŀ	3.3	1	5.2	1
1	07/27/88	1	4.0	1	2.7		1		1985	1	3.6	1	6.1	1
ł	08/02/88	1	4.0	1	1.0				1986	1	3.2	1	5.9	1
ì	08/12/88	Î	3.8	ì	1.5		1		1987	1	3.4	ŀ	3.6	1
ŧ	08/25/88	3	3.5	ì	1.8		1		1988	1	3.6	1	1.9	1
į	08/30/88	ì	3.8	ŧ	1.5		4			+-		+		-+
1	09/09/88	3	3.5	ŀ	1.2				MEAN	}	3.3	1	5.0	1
ł	09/22/88	i	3.7	ł	3.5				HAX	Ī	3.6	ŀ	7.8	1
1	09/29/88	î	4.0	ŧ	3.3				HIN	1	3.1	1	1.9	1
į	10/11/88	ł	3.5	1	4.6				N	;	10	ł	10	1
÷		+		+			+		SD	1	0.19	i	1.66	1
	MEAN	1	3.7	i	2.1					+-		+-		-+
	HAX	1	4.0	i	4.6									
	HIN	1	3.1	į	0.3				NOTE:	ŧ	Based on les	5	tnen 6 readin	gs.
	N	ī	15	1	15					**	Recreational	1	akes included	

SD | 0.25 | 1.22 |

LAKE : CHRISTIE

TWP : SHERBROOKE, BATHURST

COUNTY : LANARK

WATERSHED AREA: 416 sq.km SHORELINE: 27.4 km.

 SURFACE AREA
 : 646
 ha.
 COTTAGES
 : 265

 MAX DEPTH
 : 18.3
 m.
 RESORTS
 : 5 (20)

 VOLUME
 : 55.17
 mill cu. m.
 % CROWN LAND
 : 0

CENTER

HISTORICAL RECORD

ID NUMBER: 18-0033-015-01

	SAMPLE DATE (MM/DD/YY)		SECCHI DEPTH (METERS)	1 1	CHLOROPHYLL (UG/L)	A :	1	SAMPLE DATE (YEAR)	1	SECCHI DEPTH (METERS)		CHLOROPHYLL A	
-	05/07/88	+	4.9	+	1.7	+	+	1971	-+-	7.6	+-	0.8	
1	05/14/88	!	6.4	1	0.5	-	ı,	1975 ##	1	4.5	î	4.7	1
	05/21/88	ļ	6.1	1	1.0	2	1	1976	1	4.8	1	4.2	1
	05/29/88	ŀ	6.1	1	2.0	- [1	1977	1	4.4	î	5.8	1
	06/04/88	1	5.5	ŧ	1.9	1	- {	1978	1	4.8	i i	4.2	1
	06/12/88	ŀ	5.8	1	0.5	1 5	1	1979	-	4.4	ŀ	6.1	1
	06/18/88	ŀ	5.8	ŀ	0.9	1	- 1	1980	- [4.7	1	5.0	1
	06/25/88	ļ	5.2	1	1.7	1	1	1981	1	3.4	1	4.8	-
	07/02/88	i	5.2	í	0.9	1	- [1982	-1	4.2	1	2.9	1
	07/17/88	1	5.8	į	0.7	1	1	1985	1	4.6	ì	5.5	1
	07/24/88	!	5.8	1	2.0	-	8	1986	1	4.6	1	4.2	1
	08/07/88	1	5.8	į	3.2	-	1	1987	1	4.4	ŀ	4.5	-
	09/11/88	1	3.0	1	8.5	1	- 1	1988	1	5.2	ŀ	2.6	-
	09/18/88	1	3.0	i	8.6	1	+		-+-		+-		
	10/09/88	į	3.4	į	7.4	1		MEAN	2 2	4.7	ŀ	4.3	1
_		+-		+		+		HAX	1	7.6	1	8.1	
	HEAN	í	5.2	1	2.8	1		HIN	1	3.4	Į.	0.8	-
	MAX	!	6.4	1	8.6	1		N	1	13	1	13	
	HIN	8	3.0	:	0.5	1		SD	1	0.96	1	1.42	
	N	1	15	1	15	1			+-		+-		
	SD		1.13	!	2.90	- 1							

NOTE: * 8ased on less then 6 readings. ** Recreational lakes included. LAKE : CROSBY (BIG CROSBY)

TWP : NORTH CROSBY COUNTY : LEEDS

ID NUMBER : 18-0033-016-01

MAX DEPTH : 19.00 m. RESORTS : 0
VDLUME : 21.68 mill cu. m. % CROWN LAND : 0

CENTER

HISTORICAL RECORD

SAMPLE DATE (MM/DD/YY)		SECCHI DEPTH (METERS)	1	CHLOROPHYLL (UG/L)	A	1	;		E DATE (AR)	1 :	SECCHI DEPTH (METERS)		CHLOROPHYLL A (UG/L)
05/15/88	-+	3.4	1	3.8		1	1	197	4 ##	†	3.7	†	5.0
05/23/88	1	3.7	1	2.0		ŧ	1	197	5 ##	į	4.1	ŀ	5.4
05/28/88	1	5.2	1	0.4		1	- 1	197	9 #	1	3.4	1	7.1
06/12/88	- 1	5.8	ŧ	0.7		1	1	198	0	ŧ	4.0	1	3.9
06/19/88	1	4.0	Ī	2.6		1	1	198	1	1 2	4.4	1	3.8
07/03/88	i	4.0	1	0.8		:	t i	198	2	ŀ	4.2	1	3.2
07/10/88	1	5.2	1	1.3		1	ł	198	3	i	4.0	E E	2.2
08/02/88	1	6.4	i	0.7		1	1	198	4	ļ	4.5	1	2.7
08/14/88	- 1	4.0	į	1.5		i	:	198		ŧ	4.3	l	3.9
09/05/88	1	4.6	1	3.6		1	;		6 **	1	3.5		7.2
09/25/88	ŧ.	5.2	í	2.7		1	1	198		1	4.2	1	2.8
MEAN	-+- :	4.7	+	1.8		+	+-	198	8	: +	4.7	; +	1.8
MAX	1	6.4	1	3.8		1			MEAN	1	4.1		4.1
HIN	1	3.4	ŀ	0.4		1			MAX		4.7	1	7.2
N	1	11	ŀ	11		1			MIN	t :	3.4	1	1.8
SD	1	0.95	1	1.20		1			N	ı	12	1	12
	+		+-			+			SD .	t I	0.39	1	1.77

NOTE: * Based on less then 6 readings. ** Recreational lakes included. LAKE : CROWE

TWP : MARMORA

COUNTY : HASTINGS

ID NUMBER: 17-0021-003-01

WATERSHED AREA: 1444.00 sq.km SHORELINE : 21.00 km.

SURFACE AREA : 876.0 COTTAGES : 328 ha. MAX DEPTH : 15.80 m. : 6 (548) RESORTS

: 49.38 mill cu. m. % CROWN LAND : 0 VOLUME

REGULAR LOCATION

HISTORICAL RECORD

	MPLE DATE MM/DD/YY)		SECCHI DEPTH (METERS)	:	CHLOROPHYLL (UG/L)	A	1	SAMPLE DATE (YEAR)	1 1	SECCHI DEPTH (METERS)	H :	CHLOROPHYS (UG/L)	
-	07/03/88	-+-	2.6	+	1.1		Ī	1972 **	-+	3.8	+	2.5	
	07/17/88	t t	3.4	1	1.7		1	1974	ł	4.7	1	1.8	
	08/01/88	1	3.3	1	1.7		1	1975 #	į	4.7	- !	4.1	
	08/07/88	1	3.0	ľ	2.5		ŀ	1976	1	4.7	1	5.0	
	08/14/88	1	2.4	1	2.4		ŀ	1977 ±	1	3.9	1	4.5	
	08/22/88	ŀ	2.7	i	2.0		ŧ	1978	;	2.4	- 1	3.2	
	08/29/88	i	2.7	İ	3.5		1	1979	1	2.5	1	5.0	
		-+-		+			î	1980	1	3.0	1	5.0	
	MEAN	ł	2.9	1	2.1		ŀ	1981	-1	2.9	1	3.0	
	HAX	ţ	3.4	ł	3.5		1	1982	1	3.2	1	2.4	
	HIN	ł	2.4	ł	1.1		ł	1983	8	2.9	1	2.4	
	N	;	7	ł	7		ŀ	1984 +	1	2.7	- 1	4.8	
	SD	ł	0.37	ľ	0.77		$_{l}^{l}$	1985	- !	2.5	1	4.1	
		÷		+			1	1986	- 1	2.4	1	3.5	
							į	1987	1	2.6	- 1	1.9	
							8	1988	1	2.9	-	2.1	
							+ •	HEAN	-+	3.2	+	3.5	
								MAX	1	4.7	1	5.0	
								HIN	1	2.4	1	1.8	
								N	1	16	1	16	
								SD	1	0.85		1.19	

NOTE: * Based on less then 6 readings. ** Recreational lakes included.

LAKE : DAVERN

TWP : SOUTH SHERBROOKE

COUNTY : LANARK

VARIOUS LOCATIONS

HISTORICAL RECORD

SAMPLE DATE (MM/DD/YY)		SECCHI DEPTH (METERS)	1 1 1	CHLOROPHYLL (UG/L)	A :	;	5	SAMPLE DATE (YEAR)	1	SECCHI DEPTH (METERS)	1	CHLOROPHYLL A (UG/L)
06/22/88		5.5	:	1.9		!		1980 **	1	5.1	!	1.7
07/01/88 07/24/88	1	5.8 £.4	1	2.5 3.3	!	; !		1981 ** 1982	1	5.0 5.0	1	2.9 1.7
08/15/88	1	5.2	1	1.8	- 1	1		1983	ŧ	5.7	ŀ	2.0
08/18/88	1	5.5	1	0.9	!	1		1984	1	5.2	!	2.5
09/07/88 09/25/88	i	4.6	i	1.1	i	;		1985 1986	i	5.7 5.4	i	1.6 2.0
	-+-		-+		+	1		1987	1	5.4	!	2.0
MEAN	ì	5.4	1	1.8	1	!		1988	1	5.4	ŀ	1.8
HAX	1	6.4	1	3.3	:	+		METH	-+-		+-	
MIN N	i	4.6 7	;	0.9 7	i			MEAN Max	1	5.3 5.7	i i	2.0
SD	1	0.59	1 1	0.84	1			MIN	1	5.0	1	1.6
	+		-+		+			N	1	9	†	9
								SD	1	0.27	1	0.42

NOTE: * Based on less then 6 readings.

ID NUMBER: 18-0033-033-01

^{**} Recreational lakes included.

LAKE : DEMPSEYS (VIRGIN)

TWP : BAGOT, BLYTHFIELD

COUNTY : RENFREW

km.

WATERSHED AREA: 13.80 sq.km SHORELINE: SURFACE AREA: 46.0 ha. COTTAGES: MAX DEPTH: m. RESORTS: VOLUME: mill cu. m. % CROWN LAND: 35

MIDWAY BETWEEN POINT AND ISLAND

HISTORICAL RECORD

ID NUMBER : 18-3490-014-01

SAMPLE DATE (MM/DD/YY)		SECCHI DEPTH (METERS)	1	CHLOROPHYLL ((UG/L)	A :	SAMPLE DATE :		: CHLORDPHYLU
06/14/88 07/05/88 07/20/88 08/07/88 09/07/88 09/25/88 10/16/88	:	5.0 6.0 5.5 5.5 5.5 3.7 5.5		0.9 1.2 1.3 3.4 5.3 4.9 3.8		1980 : 1982 : 1983 : 1984 : 1985 : 1986 : 1987 : 1987	4.2 5.5 5.7 5.0 5.3 5.5 4.8	3.6 1.8 2.0 3.6 2.5 2.5 2.5
MEAN MAX MIN N SD	-+-	5.2 6.0 3.7 7 0.74		3.0 5.3 0.9 7 1.84	:	1988 : MEAN : MAX : MIN : N : SD :	5.2 5.7 4.2 8 0.48	2.6 3.6 1.8 8

LAKE : DESERT

TWP : BEDFORD. LOUGHBOROUGH COUNTY : FRONTENAC

WATERSHED AREA: 97.00 sq.km SURFACE AREA: 382.0 ha.

MAX DEPTH : 68.00

: 85.50 VOLUME

mill cu. m.

COTTAGES : 71 (1976)
RESORTS : 3 (95) % CROWN LAND : 0

ID NUMBER: 12-0004-009-01

SHORELINE : 28.00 km.

1.4 1.4

1.8

9 .

DEYD'S BAY

: SAMPLE DATE : SECCHI DEPTH : CHLOROPHYLL A : ! (MM/DD/YY) ! (METERS) ! (UG/L) !

÷-----1 05/15/88 1 3.4 1 4.3 1

07/10/68 | 5.2 | 0.7 | 07/24/68 | 4.9 | 1.7 | 08/07/58 | 5.2 | 2.3 | 09/15/68 | 4.3 | 2.4 | 09/05/68 | 4.5 | 1.5 | 09/05/68 | 4.6 | 1.5 | 09/05/68 | 4.6 | 1.5 | 09/05/68 | 4.6 | 1.5 | 09/05/68 | 4.6 | 1.5 | 09/05/68 | 4.6 | 1.5 | 09/05/68 | 4.6 | 1.5 | 09/05/68 | 4.6 | 1.5 | 09/05/68 | 4.6 | 1.5 | 09/05/68 | 4.6 | 1.5 | 09/05/68 | 4.6 | 1.5 | 09/05/68 | 4.6 | 1.5 | 09/05/68 | 4.6 | 1.5 | 09/05/68 | 4.6 | 1.5 | 09/05/68 | 4.6 | 1.5 | 09/05/68 | 4.6 | 1.5 | 09/05/68 | 4.6 | 1.5 | 09/05/68 | 4.6 | 1.5 | 09/05/68 | 4.6 | 1.5 | 09/05/68 | 4.6 | 1.5 | 09/05/68 | 4.6 | 1.5 | 09/05/68 | 4.6 | 1.5 | 09/05/68 | 4.6 | 1.5 | 09/05/68 | 4.6 | 1.5 | 09/05/68 | 4.6 | 1.5 | 09/05/68 | 4.6 | 1.5 | 09/05/68 | 4.6 | 1.5 | 09/05/68 | 4.6 | 1.5 | 09/05/68 | 4.6 | 1.5 | 09/05/68 | 4.6 | 1.5 | 09/05/68 | 4.6 | 1.5 | 09/05/68 | 4.6 | 1.5 | 09/05/68 | 4.6 | 1.5 | 09/05/68 | 4.6 | 1.5 | 09/05/68 | 4.6 | 1.5 | 09/05/68 | 4.6 | 1.5 | 09/05/68 | 4.6 | 1.5 | 09/05/68 | 4.6 | 1.5 | 09/05/68 | 4.6 | 1.5 | 09/05/68 | 4.6 | 1.5 | 09/05/68 | 4.6 | 1.5 | 09/05/68 | 4.6 | 1.5 | 09/05/68 | 4.6 | 1.5 | 09/05/68 | 4.6 | 1.5 | 09/05/68 | 4.6 | 1.5 | 09/05/68 | 4.6 | 1.5 | 09/05/68 | 4.6 | 1.5 | 09/05/68 | 4.6 | 1.5 | 09/05/68 | 4.6 | 1.5 | 09/05/68 | 4.6 | 09/05/68 | 4.6 | 09/05/68 | 4.6 | 09/05/68 | 4.6 | 09/05/68 | 4.6 | 09/05/68 | 4.6 | 09/05/68 | 4.6 | 09/05/68 | 4.6 | 09/05/68 | 4.6 | 09/05/68 | 4.6 | 09/05/68 | 4.6 | 09/05/68 | 4.6 | 09/05/68 | 4.6 | 09/05/68 | 4.6 | 09/05/68 | 4.6 | 09/05/68 | 4.6 | 09/05/68 | 4.6 | 09/05/68 | 4.6 | 09/05/68 | 4.6 | 09/05/68 | 4.6 | 09/05/68 | 4.6 | 09/05/68 | 4.6 | 09/05/68 | 4.6 | 09/05/68 | 4.6 | 09/05/68 | 4.6 | 09/05/68 | 4.6 | 09/05/68 | 4.6 | 09/05/68 | 4.6 | 09/05/68 | 4.6 | 09/05/68 | 4.6 | 09/05/68 | 4.6 | 09/05/68 | 4.6 | 09/05/68 | 4.6 | 09/05/68 | 4.6 | 09/05/68 | 4.6 | 09/05/68 | 4.6 | 09/05/68 | 4.6 | 09/05/68 | 4.6 | 09/05/68 | 4.6 | 09/05/68 | 4.6 | 09/05/68 | 4.6 | 09/05/68 | 4.6 | 09/05/68 | 4.6 | 09/05/68 | 4.6 | 09/05/68 | 4.6 | 09/05/68 | 4.6 | 09/05/68 | 4.6 | 09/05/68 | 4.6 | 09/05/68 | 1 07/10/88 1 5.2 1 08/07/88 1 5.2

09/18/88 | 4.6 | 1.4 | -------

MEAN 1 4.5 1 1.9 1 MAX 1 5.2 1 4.3 1 3.4 0.5 KIN ! 12 ! 12 ! ! 0.53 ! 0.99 ! N : 12

SD

SOUTH BAY

: SAMPLE DATE : SECONI BEPTH : CHLOROPHYLL A ! (MM/DD/YY) ! (METERS) : ! (UG/L)

1 05/14/98 1 3.5 1 1.5 1 06/24/38 1 4.4 1 1.8 1 06/30/68 1 4.6 1 1.2 1 07/05/88 1 4.6 1 1.2 1 07/22/88 1 5.2 1 1.3

+-----

1 05/02/88 | 4.9 | 1.0 : 08/10/88 : 4.3 : : 09/18/88 : 4.0 : 10/01/88 4.6 0.9

·----MEAN 1 4.5 1 1.3 MAX : 5.2 M1N 1 3.5 1 0.9 N : SD : 0.50 ; 0.27

HISTORICAL RECORD

: SAMPLE DATE : SECCHI DEPTH : CHLOROPHYLL A

+-----1 1975 ** : 5.9 ! 1 1977 ! 4.9 ! 1 1978 ! 5.5 ! 2.5 1979 1 4.5 1 3.0 1980 1 4.5 3.4 1981 4.5 1 3.4 1982 4.9 2.0 1 1983 1 5.2 1 7.1 1984 5.0 1 1985 1 4.4 3.0 1986 4.5 2.9 1987 | 4.5 2.6 1 1988 | 4.5 | 1.5

! (YEAR) ! (METERS) ! (UG/L) !

9

MEAN : 4.8 : 2.8 MAX : 5.9 3.9 MIN 1 4.4 1.6 N 13 1 13

1 0.45 1 0.65 SD NOTE: * Based on less then & readings.

Recreational lakes included.

LAKE : DEVIL

TWP : BEDFORD

COUNTY : FRONTENAC

WATERSHED AREA: 174.00 sq.km SHORELINE: 36.20 km.
SURFACE AREA: 1061.0 ha. COTTAGES: 220 + 3 HOUSE
MAX DEPTH: 45.00 m. RESORTS: 4 (51)
VOLUME: 152.39 mill cu. m. % CROWN LAND: 20

ID NUMBER : 12-0004-010-01

HAYS BAY

BUCE BAY

9	AMPLE DATE (MM/DD/YY)		SECCHI DEPTH (METERS)	: CHLOROPHYLL : (UG/L)	A :	:	SAMPLE DATE (MM/DD/YY)			1	and no	Δ
	05/23/88	1	4.9	1 2.5		+	05/23/88	1	4,7		i.7	
	06/06/96	1	5.8	1.9	1	ŧ,	BB/B0/30	1	5.8	1	1.6	
	08/28/88	1	5.8	1.7	f I	1	06/25/88	-	5.6		1.6	
	07/10/99	1	5.8	8.0	1 1	1	07/10/38	1	5.6	ŗ	0.4	
	07/24/88	1	5.5	1.5	Į,	1	07/24/88	1	5.3	1	1.4	
	08/11/88	L	5.3	1.7	1	- 1	08/11/89	1	5,3	i	1.5	
	09/11/88	,	5.2	1.1	1	1 6	09/11/99	1	5.2	i	1.2	
	10/10/88	0	5.0	1.7	1	1	10/10/88	t I	5.0	1	1.8	
	MEAN	1	5.4	1.6	1	*	MASK	-+-	5.3		1.5	
	#AX	ľ	5.8	1.5	1		MAX	9 2	5.8	ŧ	2.7	
	HIN	1	4.9	0.8	t i		MIN	1	4.7	1	0.4	
	N	1	9	: 8	[N	8	3	1	9	
	SB	1	0.34	0.51	1		90	1	0.36	1	0.64	

HISTORICAL RECORD

1	SAMPLE DATE	î.	SECCHI DEPTH	1	CHLOROPHYLL
1 1	(YEAR)	1	(METERS)	Ē	(US/L)
-	1974 ++	1	5.6	1	2.4
1	1975 **		5.1	1	3.2
	1975	1	5.2	ŧ	2 2
	1977		4.9	1	3.5
ř	1979	1	5.3	1	2.9
1	1979	1	4.5	ï	2.7
ľ	1980 +	ŀ	4.5	ı	2.7
1	1981 ++	1	5.3	1	3.4
1	1992	1	5.7	1	2.7
1	1983	ł	5.7	1	7 7
	1984	1	5.2	1	3.3
ŀ	1985 **	5	5.4	ŀ	2.1
ŀ	1996	8	5.2	1	2.3
1	1987	8	4.9	3.	2.3
1	1989	-	5.4	:	1.6
	HEAN	2	5.3		2.6
	MAX	1	6.1	1	3.4
	*IA	3	4.5	1	1.6
	N	1	15	1	15
	SQ	1	0.43	1	0.49

NATE - A Brand of Live Aven A con-



LAKE : DIAMOND

TWP : HERSHEL

ID NUMBER: 18-3490-015-01

COUNTY : HASTINGS

sq.km SHORELINE : 10.00 km. ha. COTTAGES : 65 + 16 H WATERSHED AREA: 32.70

SURFACE AREA : 150.0 : 65 + 16 HOUSES

RESORTS MAX DEPTH : 23.80 m. : 1 (6) VOLUME : 12.48 mill cu. m. % CROWN LAND : 60

ACROSS FROM CLIFFS

HISTORICAL RECORD

+		-+		-+		+		- -		-+		+-		
ŀ	SAMPLE DATE	1	SECCHI DEPTH	1	CHLOROPHYLL	A i	1	1	SAMPLE DATE	1	SECCHI DEPTH	!	CHLOROPHYLL	1
1	(MM/DD/YY)	1	(METERS)	1	(NE\F)	- 1			(YEAR)	1	(METERS)	1	(U6/L)	
1	06/19/88	+-	5.8	+	1.7	1	1		1977 **	-+	5.4	1	1.7	•
1	07/03/88	1	6.1	I	1.0	1	1	1	1978	1	5.1	1	1.5	
1	07/15/88	1	€.1	1	0.8	- 1	1	1	1979 #	1	4.9	1	2.0	
ŀ	07/18/88	1	5.8	f	1.1	1	1	ŀ	1980	f	4.3	ŀ	2.0	
į	08/01/88	1	5.8	1	0.8	1	1		1981	1	5.3	1 5	1.5	
ļ	08/28/88	1	4.9	1	0.7	1	1		1982 #	-	5.2	į	1.8	
ł	09/18/88	1	5.2	1	0.8	1	1		1983 **	f	5.9	1	1.5	
į	10/01/88	1	5.2	ł	0.9	3	1		1984 **	1	5.1	ì	2.1	
ŀ		-+		-+		+			1985 **	1	5.5	1	2.5	
	MEAN	1	5.6	1	1.0	1	1		1986	- [5.1	ŀ	2.4	
	HAX	ł	6.1	;	1.7	1	t I		1987	1	4.9	ł	1.6	
	HIN	ŀ	4.9	ł	0.7	1	- 1		1988	- [5.6	ľ	1.0	
	N	1	8	ŀ	8	1 1	. 4	-		-+		+-		
	SD	1	0.45	1	0.32	1			MEAN	ŀ	5.2	ŀ	1.8	
		÷		+-		+			MAX	ļ.	5.9	ì	2.5	
									HIN	-1	4.3	1	1.0	
									N	1	12	ŀ	12	
									SD	1	0.41	ì	0.42	

NOTE: + Based on less then 6 readings. ** Recreational lakes included.

+-----

LAKE : DICKEY : NORTH BASIN

TWP : LAKE

COUNTY : HASTINGS

WATERSHED AREA: 49.00 sq.km SHDRELINE: 4.59 km.

SURFACE AREA : 54.0 ha. COTTAGES : 73
MAX DEPTH : 12.20 m. RESORTS : 0
VOLUME : 9.69 mill cu. m. % CROWN LAND : 0

NORTH BASIN

HISTORICAL RECORD

ID NUMBER: 17-0021-004-01

		†	+	+	+		+	+
SAMPLE 1	DATE	SECCHI DEPTH	: CHLOROPHYLL	A :	;	SAMPLE DATE	: SECCHI DEPTH	: CHLOROPHYLL
(MH/DD	/YY)	(METERS)	(U6/L)	1	:	(YEAR)	(METERS)	(U6/L)
05/08/	/88	t 3.2	1.0	+	1	1971 *	4.4	1.5
05/23	/88	3.6	1.4	1	1	1972	4.3	1 2.1
06/05	/88	4.5	1.4	1	:	1973	4.3	2.2
07/04	/88	1 3.6	0.7	1	:	1976 **	5.0	1.7
07/11	/88	1 3.9	1.3	1	!	1980 **	4.5	1 2.0
07/18	/88	4.3	1.3	1	1	1981	5.2	2.0
07/26	/88	1 4.3	9.6	1	1	1982	4.6	1.8
08/04	/88	4.5	1.1	1	į.	1983	4.2	1.7
08/09/	/88	4.6	4.0	1	;	1984 ±	4.8	1 2.9
08/16/	/88	1 5.0	2.4	1	1	1985	4.1	1 2.0
08/23/	/88	4.4	1.2	1	1	1986	3.6	2.2
08/30	/88	4.0	1.6	1	1	1987	1 3.9	2.0
09/06	/88	4.0	1.6	1		1988	4.1	2.2
ME	AN.	4.1	2.2	+	*	HEAN	4.4	1 2.0
HA	X	1 5.0	9.6	1		MAX	5.2	1 2.9
HII	N	3.2	0.7	1		HIN	1 3.6	1.5
N		13	13	1		N	13	13
SD		0.49	2.37	- 1		SD	0.44	0.34
		+	+	+			+	-+

NOTE: * Based on less then 6 readings. ** Recreational lakes included. LAKE : DICKEY : SOUTH BASIN ID NUMBER: 17-0021-005-01

TWP : LAKE

COUNTY : HASTINGS

WATERSHED AREA : 5.46 : 12.55 km.

sq.km SHORELINE SURFACE AREA : 149.0 : 24 : 46.30 MAX DEPTH RESORTS m. : 0 : 26.74 mill cu. m. % CROWN LAND : 0 VOLUME

SOUTH BASIN

HISTORICAL RECORD

	PLE DATE		SECCHI DEPTH (METERS)	1	CHLOROPHYLL (UG/L)	A		1	S	AMPLE DATE (YEAR)	1	SECCHI DEPTH (METERS)	1	CHLOROPHYLL (UG/L)	A
	10/00/11/	1 -+-	(11212837	ι -+-	(00/L)			+			+-		-+-		
(5/08/88	ï	4.4	;	0.6	1		1		1971 #	1	4.1	1	2.2	
(5/23/88	î	4.9	ì	1.1	1		- 1		1972	1	4.5	1	2.0	
(6/05/88	1	5.2	ł	1.3	- 1		- 1		1973	1	4.8	1	1.7	
(7/04/88	1	4.6	1	1.2	1				1976 **	ľ	5.2	ŀ	1.5	
(7/11/88	;	4.2	ŀ	1.2	1		1		1980	1	5.1	1	2.0	
(7/18/88	1	4.5	ŀ	1.2	1		1		1981	1	5.4	ł	1.8	
0	7/26/88	1	5.1	1	1.2	1		ŧ		1982	1	5.2	ł	1.8	
(8/04/88	1	5.1	1	0.7	1		1		1983	ŧ	4.5	B d	1.2	
(8/09/88	ŀ	5.3	ŀ	1.4			1		1984	ł	5.0	1	2.9	
(8/16/88	1	5.3	ŀ	1.6	1		- 1		1985	ł	4.6	1	1.9	
0	8/23/88	1	4.9	ŀ	1.3	1		- 1		1986	1	4.2	1	2.1	
0	8/30/88	1	4.5	ŀ	1.5	1		1		1987	1	4.3	ŀ	1.8	
(9/06/88	1	4.5	1	1.6			1		1988	1	4.8	1	1.2	
	MEAN	1	4.8	1	1.2		•	*		MEAN	1	4.7	1	1.9	
	HAX	1	5.3	1	1.6	1				MAX	1	5.4	ł	2.9	
	MIN	1	4.2	1	0.6	- 1				MIN	3	4.1	1	1.2	
	N	1	13	1	13					N	8	13	1	13	
	SD	1	0.38	!	0.30					SD	1	0.42	1	0.44	

NOTE: + Based on less then 6 readings. ** Recreational lakes included.



LAKE : DOG : NORTH BASIN

TWP : STORRINGTON COUNTY: FRONTENAC

WATERSHED AREA: 62.00 sq.km SHORELINE : 23.00 km. ha. COTTAGES : 105

ha. SURFACE AREA : 471.0 MAX DEPTH : 49.70 MAX DEPTH RESORTS : 2 (78)

VOLUME : 39.90 mill cu. m. % CROWN LAND : 0

SOUTHEAST OF ST. HELENA ISLAND

	SAMPLE DATE	1	SECCHI DEPTH	CHLOROPHYLL	Â
	(MM/DD/YY)	1	(METERS)	(U6/L)	
_	04/20/88	1		11.0	
	04/25/88	į	2.8	4.2	
	05/24/88	1	2.3	1.2	
	05/29/88	1	1.8	5.8	
	06/08/88	1	2.9	5.6	
	06/13/88	1	2.7	2.1	
	08/02/88	1	2.4	8.2	
-	MEAN	!	2.5	5.4	
	XAK	1	2.9	11.0	
	HIN	1	1.8	1.2	
	N	ľ	6	7	
	SD	:	0.41	3.40	

HISTORICAL RECORD

9	SAMPLE DATE	İ	SECCHI DEPTH	1	CHLOROPHYLL A	
	(YEAR)	1	(METERS)	1	(UG/L)	
	1975 **	-+-	2.8	+	13.0	-
	1979	1	1.9	ŀ	14.1	
	1980	1	1.2	ŀ	34.2	
	1983	1	2.4	ł	8.6	
	1984 **	i	2.1	ł	17.9	
	1987 ±	1	2.6	1	8.5	
	1988	i	2.5	1	5.4	
	MEAN	-+-	2.2	+	14.5	•
	HAX	1	2.8	i	34.2	
	HIN	1	1.2	:	5.4	
	N	ł	7	ŀ	7	
	SD	ł	0.54	1	9.62	

ID NUMBER: 12-0004-011-01

NOTE: # Based on less then 6 readings. ** Recreational lakes included.

LAKE : EAGLE

TWP : OLDEN, HINCHINBROOKE

COUNTY: FRONTENAC

NORTH END

NORTHWEST - NORTH SIDE OPEONGO PT.

ID NUMBER : 18-0033-019-01

SAMPLE DATE	- 1	SECCHI DEPTH	j	CHLOROPHYLL	A :		SAI	MPLE DATE	ł	SECCHI DEPTH	ŀ	CHLOROPHYLL A
(MM/DD/YY)	1	(METERS)	1	(U6/L)	:	1	()	MH/DD/YY)	1	(METERS)	1	(U6/L)
05/06/88	-+-	3.3	-+-	4.8	+	+		05/24/88	1	4.1	+	1,1
05/14/88		3.4	1	3.4	1			05/30/88	1	5.0	1	1.7
05/21/88	1	3.8	1	4.0	1	1	. (06/05/88	į	5.0	1	2.8
05/30/88	1	5.2	1	2.2	- 1	1		06/13/88	1	5.6	1	2.6
06/19/88	-	4.3	1	1.2	1	:	. (06/20/88	į	5.3	1	2.0
06/19/88	ŀ	4.7	1	1.1	1		. (07/04/88	ł	5.6	1	1.3
06/24/88	1	6.1	1	2.5	1	:	. (08/02/88	1	5.6	į	1.8
07/03/88	1	5.8	1	1.4	!	1		08/08/88	ŀ	5.9	!	2.4
07/13/88	1	6.1	1	2.1	- [1	08/22/88	ł	5.3	1	2.4
07/17/88	1	5.2	1	0.8	1	1	1	09/06/88	1	6.2	1	3.7
07/28/88	1	5.8	ł	2.9	1	!		09/19/88	ŀ	6.2	f	2.4
08/07/88	1	4.9	1	1.5	- [4			+-		-+	
08/22/88	1	4.9	į	1.8	- 1			MEAN	1	5.4	ł	2.2
09/18/88	- {	6.1	i i	3.3	1			MAX	1	6.2	1	3.7
09/25/88	ł	6.1	1 8	4.0	1			MIN	î	4.1	1	1.1
	-+		-+		+			N	ł	11	ł	11
MEAN	1	5.0	1	2.5	- 1			SD	ì	0.61	į	0.73
MAX	- 1	6.1	1	4.8	- 1				+		-+	
MIN	;	3.3	1	0.8	1							
N	1	15	1	15	- }							
SD	1	0.99	1	1.22	1							

LAKE : EAGLE

TWP : OLDEN, HINCHINBROOKE

COUNTY : FRONTENAC

WATERSHED AREA: 40.10 sq.km SHURELINE: 41.40 km.

SURFACE AREA : 665.0 ha. COTTAGES : 135 + 1 HOUSE

ID NUMBER: 18-0033-019-01

MAX DEPTH : 31.10 m. RESORTS : 2
VOLUME : 67.20 mill cu. m. % CROWN LAND : 5

HISTORICAL RECORD

	SAMPLE DATE		SECCHI DEPTH		CHLOROPHYLL	A
	(YEAR)	1	(METERS)	1	(U6/L)	
·-·	1975 **	-+- !	5.1	+-	3.6	
	1977	i	4.3	i	2.0	
	1979	1	4.7	1	3.3	
	1980	1	4.8	Į į	4.3	
	1981 **	1	4.5	\$	3.0	
	1982	1	4.9	1	2.7	
	1983	1	5.3	1	2.5	
	1984	- [5.9	i	3.4	
	1985	1	5.4	í	2.4	
	1986	1	5.4	Ī	2.9	
	1987	-	5.3	1	2.9	
	1988	1	5.2	į	2.4	
	MEAN	-+-	5.1	!	2,9	
	MAX	;	5.9	!	4.3	
	HIN	1	4.3	1	2.0	
	N	5	12	1	12	
	SD	1	0.45	1	0.63	

NOTE: * Based on less then ϵ readings.

** Recreational lakes included.

LAKE : EAST ID NUMBER : 06-0172-001-01

TWP : ATHOL

COUNTY : PRINCE EDWARD

WATERSHED AREA: 71

sq.km SHORELINE : km. ha. COTTAGES : m. RESORTS : SURFACE AREA : 1255 MAX DEPTH : 7.6 mill cu. m. % CROWN LAND : 1 VOLUME :

CENTRE

HISTORICAL RECORD

1	SAMPLE DATE (MM/DD/YY)		SECCHI DEPTH (METERS)	1	CHLDROPHYLL (UG/L)	A :
+	08/22/88 08/25/88 08/30/88	+	2.7 2.0 1.4	:	4.1 6.3 6.7	+ : :
1	08/30/88 09/05/88 09/07/88	1	1.5 2.0 1.5	1	9.1 5.1 4.9	1
1 1 1	09/12/88 09/14/88 09/19/88	1	1.7 1.4 1.8	1	5.2 6.0 6.0	:
1 1 1	09/21/88 09/26/88 09/28/88	1	1.7 1.4 1.8	1 11	6.3 8.2 7.9	1
+-	MEAN	+	1.7	+	6.3	+ !
	MAX MIN N	1 1	2.7 1.4 12	1	9.1 4.1 12	;
	SD	!	0.38	1	1.47	1

LAKE : FARREN (FARRELL)
TWP : SOUTH SHERBROOKE

IWP : SUUTH SHERBRUU

ID NUMBER : 18-0033-020-01

COUNTY : LANARK

WATERSHED AREA: 12.25 sq.km SHORELINE: 9.50 km.
SURFACE AREA: 173.0 ha. COTTAGES: 101 (1974)

MAX DEPTH : 21.30 m. RESORTS : 1 (6)
VOLUME : 14.32 mill cu. m. % CROWN LAND : 0

EAST END

HISTORICAL RECORD

SAMPLE (MM/DD			SECCHI DEPTH (METERS)	1	CHLOROPHYLL (UG/L)	A I	:	SAMPLI (YE/		E ;		1 1	CHLOROPHYLL (UG/L)	A
05/23	/88	1	5.2	1	0.9			1975	**	1	4.7	;	3.0	
06/22	/88	;	5.2	1	1.0	1	:	1980	++	- 1	5.2	1	3.3	
07/04	/88	i i	6.1	į	0.9	1	1	1981		- 1	5.7	- 1	2.4	
07/20	/88	1	5.5	ŀ	1.3	:	t t	1982		1	5.0	1	2.0	
08/01	/88	1	4.9	1	1.0	1	1	1983	3	1	4.9	- 1	1.8	
08/11.	/88	į	5.2	1	1.9	1	1	1984		- 1	4.8	1	2.9	
08/19	/88	į.	4.1	ŧ	0.7	1	1	1985	i	H	5.0	- [1.8	
09/12	/88	\$	4.0	1	1.1	1	- 1	1986	1	1	4.1	1	2.7	
10/17	/88	1	3.4	ŀ	2.0	- }	1	1987	,	1	5.0	- 1	2.5	
		+- ·		+-	~~	+	:	1988	1	ì	4.8	1	1.2	
ME	AN .	ŀ	4.8	ŀ	1.2	1	+-			-+		-+		
HA:	(ŀ	6.1	ŀ	2,0	1		1	EAN	8	4.9	1	2.4	
MI	ł	1	3.4	ŀ	0.7	8		1	AX	1	5.7	1	3.3	
N		1	9	1	9	1		1	IN	1	4.1	1	1.2	
SD		ì	0.85	ì	0.46	1				- 1	10	1	10	
		+		+-		+		9	D	1	0.40	8	0.65	

NOTE: # Based on less then 6 readings. ## Recreational lakes included.



LAKE : GANANOQUE ID NUMBER : 12-0017-008-01

TWP : REAR & FRONT OF LEEDS LANSDOWNE

COUNTY : LEEDS

WATERSHED AREA: 424.40 sq.km SHORELINE: 33.17 km.

 SURFACE AREA
 : 617.0
 ha.
 CDTTAGES
 : 111

 MAX DEPTH
 : 23.77
 m.
 RESORTS
 : 2 (19)

VOLUME : 42.82 mill cu. m. % CROWN LAND : 3

NEAR TURTLE ISLAND

HISTORICAL RECORD

+-		-+		+				+				-+		-+		-+
1	SAMPLE DATE (MM/DD/YY)		SECCHI DEPTH (METERS)	1 1	CHLOROPHYLL (UG/L)	A		:	SAMP ()	LE EA		1	SECCHI DEPTH (METERS)	1	CHLOROPHYLL A (UG/L)	1
+-	04/07/88	-+ !	2.9	+	1,4		.	+	19	77		-+	2.2	-+	4.7	+
	05/29/88	i	2.6	į	2.0			:	19	78		1	3.0	1	7.1	1
ŀ	07/12/88	1	2.7	i	7.2			1	19	79		ě	3.2	8.5	4.7	5 2
ļ	08/02/88	1	2.8	ı	2.7		1	1	19	180		1	1.8	1	8.0	E è
ŀ	08/24/88	1	2.7	ł	3.4			1	19	81	**	1	3.1	1	8.9	ì
ļ	08/30/88	1	2.9	ł	14.0			1	19	82	++	å	2.6	j	5.2	ě
ŀ	09/06/88	1	2.7	ŀ	7.0		l	1	19	93	11	- 1	3.2	1	4.5	II ii
ŀ	09/26/88	ŀ	2.6	i	3.9				19	84	++	i	4.1	i	7.4	ł
ŀ	10/05/88	1	2.8	ļ	1.8			1	19	85		-	2.6	1	7.6	ì
+•		-+		+			+	1	19	186		ŀ	2.8	i	5.7	ł
	MEAN	ľ	2.7	ŀ	4.8			- 1	19	87		3	2.7	ł	5.7	ł
	HAX	1	2.9	ŧ	14.0		l	;	19	88		1	2.7	è	4.8	ł
	HIN	1	2.6	i	1.4			+				-+-		-+		+
	N	i	9	ì	9					H	EAN	1	2.8	1	6.0	10
	SD	1	0.12	ŀ	4.04					Ħ	AX	î	4.1	1	6.0	ì
		+		+			+			H	IN	ł	1.8	1	4.5	1
										N		i	12	1	12	ì
										S	D	1	0.57	1	1.29	3

NOTE: # Based on less then & readings.

** Recreational lakes included.

+-----

LAKE : GREEN ID NUMBER: 18-3490-021-01

TWP : BROUGHAM COUNTY: RENFREW

WATERSHED AREA: 4.13 sq.km

SHORELINE : 6.4 km.
COTTAGES : 39
RESORTS : 0 SURFACE AREA : 74.9 ha. MAX DEPTH : 42.7 m. : 12.58 VOLUME mill cu. m. % CROWN LAND : 70

CENTER

HISTORICAL RECORD

٠.				-+-				+-		+		-+-		
1	SAMPLE DATE	i	SECCHI DEPTH	i	CHLOROPHYLL	Α		1	SAMPLE DATE	ŀ	SECCHI DEPTH	1	CHLOROPHYLL	A
1	(MM/DD/YY)	1	(METERS)	1	(UG/L)		1	ł	(YEAR)	ł	(METERS)	ł	(U8/L)	
ŀ		+		+			÷	+-		+		+-		
1	05/22/88	1	7.9	1	1.7		1	1	1976	ł	8.5	ţ	2.4	
	05/29/88	ŀ	7.2	1	2.4		1	1	1977 **	ł	9.1	1	1.2	
	06/05/88	1	€.1	Ī	1.3		£	8	1978	ł	8.0	ŧ	1.2	
	06/12/88	ì	7.5	I	1.1		ŧ 1	ŝ	1979	1	7.9	í	2.5	
	06/19/88	ł	7.7	1	0.8		1	í	1980	1	8.9	1	1.7	
	06/27/88	î	9.6	I	3.3		1	1	1981	1	9.8	į	2.2	
	07/03/88	1	9.€	1	2.2		1	5	1982	1	7.9	ı	1.2	
	07/10/88	1	9.6	Ī	1.3		!	ì	1988	1	8.6	1	1.7	
	07/17/88	1	9.6	1	1.1		1	+-		+		+		
	07/24/88	i	10.5	1	2.9		1		MEAN	t	8.6	ļ	1.8	
	08/01/88	1	9.0	1	0.6		1		MAX	1	9.8	1	2.5	
	08/07/88	i	9.3	ł	1.9		į		HIN	1	7.9	1	1.2	
		+		+			+		N	-	8	1	8	
	MEAN	1	2.6	i	1.7		1		SD	ŧ	0.67	1	0.55	
	MAX	1	10.5	ł	3.3		1			+		+-		
	MIN	1	6.1	ł	0.6		1							
	N	1	12	1	12		!		NOTE :		 Based on les 	5 5	then 6 read:	in

SD : 1.31 : 0.84 :

^{**} Recreational lakes included.

LAKE : GREEN

TWP : RADCLIFFE COUNTY : RENFREW ID NUMBER: 18-3490-048-01

WATERSHED AREA: 15.61 sq.km SHORELINE: 2.9 km. SURFACE AREA: 29.1 ha. COTTAGES: 3

SURFACE AREA

MAX DEPTH : 22.5

: 2.12 RESORTS : 0 m. mill cu. m. % CROWN LAND : 0

CENTER

HISTORICAL RECORD

+			SECCHI DEPTH	-+		Α .
	(YY\GD\YY)	i	(METERS)	;	(UG/L)	
1	05/14/88	1	4.9		1.5	
1	05/29/88	ŀ	5.2	1	1.8	1
t	06/14/88	ŧ	4.9	1	0.€	
l	06/21/88	1	5.5	ì	0.6	1
ì	07/04/88	1	4.6	i	0.5	
	07/12/88	1	4.6	ł	0.8	1
	07/18/88	1	4.6	i	0.7	
	07/25/88	1	5.5	ł	1.4	
	08/02/88	1	5.8	i	0.9	
1	08/03/88	ľ	5.8	1	1.7	
	08/15/88	ł	5.5	ł	1.8	
	08/23/88	1	5.8	1	0.6	
1	08/29/88	ł	5.8	ļ	1.3	-
1	09/07/88	ł	5.8	1	1.7	-
	09/13/88	ľ	5.2	1	1.1	-
1	09/25/88	1	6.1	1	1.6	- 1

MEAN : 5.4 : 1.2 : MAX : 6.1 : 1.8 : MIN : 4.6 : 0.5 : N : 16 : 16 : 1

SD :

0.50 | 0.49 |

LAKE : GRINDSTONE

TWP : MILLER, CLARENDON

COUNTY : FRONTENAC

ID NUMBER: 18-3430-037-01

WATERSHED AREA : 6.51

SURFACE AREA : 174.82

sq.km SHORELINE : 17.07 km.
ha. COTTAGES :
m. RESORTS :

MAX DEPTH : 18.29 m. RESORTS : VOLUME : mill cu. m. % CROWN LAND :

SOUTHEAST

	•		
SD	1	0.82	1.00
N	t 1	12	12
HIN	1	3.7	0.3
MAX	1	6.2	3.9
MEAN	į	5.0	1.8
09/26/88	1	4.0	1.6
09/19/88	1	3.7	1.3
09/05/88	1	4.1	1.4
08/27/88	i	4.7	1.7
08/22/88	1	4.6	1.8
08/15/88	ł	4.4	1.9
08/08/88	1	5.2	3.9
08/01/88	1	5.6	2.6
07/25/88	1	5.6	3.0
07/18/88	1	5.5	0.3
07/11/88	1	5.9	1.3
07/04/88	8	6.2	0.6
	+		
(MM/DD/YY)	ł	(METERS)	(UG/L)
SAMPLE DATE	!	SECCHI DEPTH	CHLOROPHYLL A

HISTORICAL RECORD

	SAMPLE DATE (YEAR)	-	SECCHI DEPTH (METERS)	CHLOROPHYLL A
_	1976 **	1	5.2	2.7
	1980 **	ļ	4.6	2.4
	1987	ŀ	4.4	1.8
	1988	1	5.0	1.8
	MEAN	1	4.8	2.2
	MAX	¦	5.2	2.7
	HIN	;	4.4	1.8
	N	ļ	4	4
	SD	ì	0.37	0.45

NOTE: * 8ased on less then 6 readings. ** Recreational lakes included. LAKE : GUNTER

TWP : CASHEL

COUNTY : HASTINGS

ID NUMBER : 17-0021-007-01

WATERSHED AREA: 20.60 sq.km SHORELINE: 5.50 km.
SURFACE AREA: 69.0 ha. COTTAGES: 46 +9 HOUSES

 SURFACE AREA
 : 69.0
 na.
 SURFACE AREA
 : 69.0
 na.
 RESORTS
 : 2

 MAX DEPTH
 : 18.30
 m.
 RESORTS
 : 2

 VOLUME
 : 12.63
 mill cu. m.
 % CROWN LAND
 : 18

HISTORICAL RECORD

SAMPLE DATE (MM/DD/YY)		SECCHI DEPTH (METERS)	1	CHLORDPHYLL /	1	SAMPLE DATE :	SECCHI DEPTH (METERS)		Α
07/03/88	1	3.7	!	0.7	i	1977 ++ 1	5.2	3.0	
07/17/88	1	5.2	ł	0.8	- 1	1980 1	3.6	3.0	
07/24/88	;	4.6	ŧ	1.1	- 1	1981 1	4.3	3.8	
08/01/88	1	5.2	ï	0.7	1	1982	3.9	2.5	
08/17/88	1	4.0	ŀ	0.4	1	1983	3.5	1.5	
08/28/88	!	4.3	ŀ	0.6	- 1	1984	3.6	2.7	
09/11/88	!	4.3	1	1.2	1	1987 + 1	4.1	1.7	
	+-		+		+	1988 1	4.5	0.8	
MEAN	1	4.5	1	0.8	;	++		·	
MAX	1	5.2	1	1.2	- 1	MEAN :	4.1	2.4	
MIN	!	3.7	1	0.4	t	HAX :	5.2	3.8	
N	1	7	1	7	1	MIN :	3.5	0.8	
SD	1	0.57	1	0.28	1	N :	В	8	
	+-		+		+	SD :	0.57	0.97	

NOTE: + Based on less then 6 readings. +* Recreational lakes included. LAKE : HAY BAY - BAY OF QUINTE

TWP : NORTH & SOUTH FREDERICKSBURG

COUNTY : LENNOX & ADDINGTON

WATERSHED AREA : SURFACE AREA : MAX DEPTH : VOLUME :

m.

sq.km SHORELINE : km. ha. COTTAGES :

RESORTS : 6 (211)

ID NUMBER : 17-0037-001-01

mill cu. m. % CROWN LAND : 0

SOUTH SHORE

HISTORICAL RECORD

SAMPLE DATE	1	SECCHI DEPTH	ì	CHLOROPHYLL A
(MM/DD/YY)	1	(METERS)	1	(U6/L)
 07/04/88	1	2.0	:	10.9
07/12/88	1	1.7	1	7.5
07/20/88	ł	2.0	1	13.0
07/27/88	ł	2.6	I	11.0
08/02/88	1	1.5	1	17.0
08/08/88	1	1.2	1	31.0
08/18/88	ŀ	0.9	1	27.0
08/22/88	1	0.9	t	35.0
09/22/88	1	1.1	ŀ	25.0
09/26/88	1	1.1	1	25.0
 MEAN	!	1.5	1	20.2
MAX	ŀ	2.6	1	35.0
MIN	1	0.9	1	7.5
N	1	10	1	10
SD	1	0.57	1	9.56

SAMPLE DATE	SECCHI DEPTH	: CHLOROPHYLL A	4
(YEAR)	(METERS)	(U6/L)	
1976 *	. 0.8	24.0	
1977	1.1	24.9	
1978	1.5	18.3	
1979	1.2	24.9	
1980	1.0	29.8	
1981	1.4	21.3	
1982	1.6	17.0	
1983	2.0	16.8	
1984 #	1.2	28.3	
1985 #	1.3	24.2	
1986	1.3	25.0	
1987	1.6	20.7	
1988	1.5	20.2	
MEAN	1.3	22.7	-
MAX	2.0	29.8	
HIN	0.8	16.8	
N	13	13	
SD	0.31	4.08	

NOTE: * Based on less then 6 readings. ** Recreational lakes included.

LAKE : HURDS TWP : BAGOT

COUNTY : RENFREW

ID NUMBER: 18-3690-005-01

WATERSHED AREA: 27.7 sq.km SHORELINE : 20.4 km. SURFACE AREA : 144 ha. : 111 COTTAGES

MAX DEPTH : 40.2 RESORTS : 2 (7)

VOLUME : 12.25 mill cu. m. % CROWN LAND :

EAST END

N

SD :

11 |

0.60 !

10

0.87

HISTORICAL RECORD

	SAMPLE DATE (MM/DD/YY)		SECCHI DEPTH (METERS)	+	CHLDROPHYLL A	+ \		1	SAMPLE DATE (YEAR)	1	SECCHI DEPTH	
+	06/12/88 06/21/88 07/03/88 07/12/88	+ 1 1 1 1 1 1 1	3.4 2.9 4.3 3.3 4.8	+ 1 1 1 1 1 1	1.2 1.6 1.8 2.2 2.2	-+			1975 1977 1978 ** 1979 1988		4.8 4.7 4.5 4.4 3.9	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	07/25/88 08/01/88	1 1 1 1	4.4 3.6 4.1 3.6 4.1		2.7 1.7 4.3 2.8 2.4		•	-	MEAN MAX MIN N SD		4.5 4.8 3.9 5 0.35	
+	MEAN MAX MIN	+-	3.9 4.8 2.9	1 1	2.3 4.3 1.2	-+			NOTE:			then 6 reading

qs. ** Recreational lakes included.

LAKE : HUTSON

TWP : GRIFFITH, MATAWATCHAN

COUNTY : RENFREW

WATERSHED AREA : SURFACE AREA : MAX DEPTH : sq.km ha. m. SHORELINE : COTTAGES : km.

ID NUMBER: 18-3490-050-01

RESORTS VOLUME : mill cu. m. % CROWN LAND :

CENTER OF LAKE

		CHLOROPHYLL A (UG/L)
07/03/88 07/03/88	5.1 5.2	1.0
MEAN MAX MES	5.2 - 5.2 - 5.1	1.3
N SD	2	1 2 1

LAKE : INDIAN

TWP : SOUTH CROSBY

COUNTY : LEEDS

WATERSHED AREA: 359.00

sq.km ha. SHORELINE: 16.58 km.
COTTAGES: 106
RESORTS: 2 (11) SURFACE AREA : 266.0 MAX DEPTH : 26.00

: 26.79 VOLUME % CROWN LAND : 0 mill cu. m.

MID - LAKE

HISTORICAL RECORD

+	SAMPLE DATE (MW/DD/YY)	SECCHI DEPTH	: CHLOROPHYLL A : (UG/L)	-+	SAMPLE DATE (YEAR)	SECCHI DEPTH (METERS)	CHLOROPHYLL A :
+		+	+	-+		+	1 (00/L)
1	05/07/88	4.3	1.4	1	1971 **	4.2	3.0
i	05/15/88	3.2	2.6	1	1975 ##	4.6	5.4
ł	05/22/88	3.4	1.6	1	1977	3.6	3.0
ł	05/28/88	3.7	1.0	1	1980	3.9	4.5
f	06/06/88	3.7	2.5	1	1982	4.3	1 3.3 1
ļ	06/11/88	3.4	1.7	1 1	1983 **	4.0	1 2.2 1
:	06/14/88	4.0	1.8	1	1984	3.7	3.6 :
1	06/20/88	3.7	1.3	1 1	1985	4.3	1 3.6 1
ŀ	06/27/88	1 4.6	2.4	1 :	1986	3.9	1 3.7 1
į	07/04/88	4.3	1.4	: :	1987	4.3	3.1
ļ	07/11/88	3.4	1.2	: :	1988	4.0	1 2.1 1
1	07/17/88	3.7	2.3	1 4		+	++
ł	07/24/88	3.7	2.0	1	HEAN	4.1	3.4
ŀ	08/01/88	4.0	2.8	1	MAX	4.6	5.4
ì	08/15/88	4.0	1 2.4	1	HIN	3.6	2.1
ŧ	08/21/88	4.3	2.6	1	N	11	11 1
ŧ	08/27/88	1 4.6	1.9	1	SD	0.30	0.95
i	09/05/88	3.7	3.2	1		+	++
į	09/12/88	4.0	2.1	1			
ŀ	09/16/88	1 4.9	1 3.9	1	NOTE :	# Based on less	s then 6 readings
!	09/24/88	1 4.6	2.2	1		++ Recreational	lakes included.
Τ.	MEAN	4.0	2.1	1			
	MAX	4.9	3.9	1			
	HIN	3.2	1.0	1			
	N	21	21	1			
	SD	0.47	0.71	1			
		******	•	- +			

ID NUMBER : 12-0004-013-01

LAKE : JEFFREY

TWP : FARADAY

ID NUMBER : 18-3490-047-01

COUNTY : HASTINGS

WATERSHED AREA: 19.20 SURFACE AREA : 113.0 MAX DEPTH : 24.4

sq.km ha. m. : 10.19

SHORELINE: 7.57 km.
COTTAGES: 89
RESORTS: 1 (15) mill cu. m. % CROWN LAND : 35

CENTER

VOLUME

FISTORICAL RECORD

SAMPLE DATE (MM/DD/YY)	1		(B6/L)	1	;	SAMPLE DATE (YEAR)	1		1	CHLOROPHYLL (UG/L)	A
07/03/88 07/17/88 08/07/88 08/28/83		7.3 6.4 6.9 6.9	 0.2 1.0 1.0 1.5	# # # # # # # # # # # # # # # # # # #	1	1977 ** 1985 1985 ** 1987		7.9 7.0 6.3 6.7 6.9		1.2 1.3 2.0 1.1	:
MEAN MAX MIN N SD	1	E.9 7.3 5.4 4 0.37	 0.9 1.5 0.2 4 0.54	-	+-	MEAN MAX MIN N SD	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	7.0 7.9 6.3 5 0.59	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1.4 2.0 0.9 5	

NOTE: * Based on less then & readings.

** Recreational lakes included.

LAKE : JEFFREY'S (OLMSTEAD)

TWP : ROSS

COUNTY: RENFREW

WATERSHED AREA: 26.80 sq.km SHORELINE: 10.60 km.

SURFACE AREA : 180.0 ha. COTTAGES : 98

MAX DEPTH : 29.30 m. RESORTS : 2 (305)

VOLUME : 11.6 mill cu. m. % CROWN LAND : 0

MID - LAKE

HISTORICAL RECORD

SAMPLE DATE (MM/DD/YY)		CHLOROPHYLL A	1		SECCHI DEPTH (METERS)	: CHLOROPHYLL A : (UG/L)
07/10/88	6.4	. 0.8		1977	6.3	2.1
07/25/88	7.0	1.2	1 :	1978 **	6.0	2.2
08/07/88	1 5.1	1.4	1 :	1979	6.3	1.8
08/31/88	6.1	0.8	1 :	1980	5.4	3.9
09/17/88	6.7	0.7	1 :	1981	5.7	3.0
10/16/88	6.4	1.5	1 :	1982	6.2	: 1.8
	+	+	+	1983	6.7	1.7
MEAN	6.5	1.1	1 :	1984	5.4	4.1
MAX	7.0	1.5	1 :	1985 *	5.4	5.6
HIN		0.7	;	1 98 6	5.3	1.9
N	i b	1 6	;		6.0	1.8
SD	0.35	0.35	4	1988	6.5	1.1
	•		,	HEAN	5.9	2.6
				MAX	6.7	5.8
				HIN	5.3	1.1
				N	12	12
				SD	0.48	1.36

NOTE: * Based on less then 6 readings.
** Recreational lakes included.

ID NUMBER : 18-4810-001-01

LAKE : JOEPERRY

TWP : EFFINGHAM

COUNTY : LENNOX & ADDINGTON

sq.km SHORELINE : 9.00 km. WATERSHED AREA: 15.40 COTTAGES ha.

SURFACE AREA : 169.0 MAX DEPTH : 23.00 m. RESORTS : 0
VOLUME : 12.35 mill cu. m. % CROWN LAND : 100

BON ECHO PROVINCIAL PARK

HISTORICAL RECORD

ID NUMBER : 17-0026-001-01

SAMPLE DATE (MM/DD/YY)	-	SECCHI DEPTH (METERS)	1	CHLOROPHYLL (UG/L)	!		SAMPLE DATE (YEAR)		SECCHI DEPTH (METERS)	1	CHLOROPHYLL A	4
06/16/88	-+	3.0	1	2.4		1	1976 ++		4.4	!	2.4	
06/23/88	1	2.€	1	1.6	Ī	1	1977	1	4.2	ŀ	3.8	
07/07/88	1	3.0	1	1.9	1	1	1978 +	1	3.8	1	3.9	
07/14/88	-1	2.7	1	1.2	8	2	1979 ±	1	3.6	i	3.2	
07/21/88	1		1	1.2	t	1	1980 ±	1	3.1	1	3.2	
07/28/88	1	3.7	1	3.1	1	12	1981 ±	1	5.6	ł	2.5	
08/05/88	8	2.7	1	0.8	- 1	1	1982	1	3.8	ļ	3.0	
08/11/88	1	2.7	ł	1.5	1	1 2	1983 **	ŧ	4.0	1	3.3	
08/18/88	1	3.0	i	2.6	1	ŧ	1984 **	1	3.0	į	1.8	
08/24/88	ŀ	3.1	i	1.0	- 1	1	1985 **	1	3.0	1	3.0	
09/01/88	1	3.7	1	1.2	- !	2 4	1986	ŀ	2.7	ţ	2.8	
	-+		-+		+	1	1987	1	3.0	ŀ	1.9	
MEAN	I.	3.0	1	1.7	- {	1	1988	3	3.0	t	1.7	
MAX	1	3.7	1 3	3.1	ţ	+-		-+		-+-		-
HIN	1	2.6	1	0.8	- 1		MEAN	3	3.6	1	2.8	
N	1	10	1	11	- 1		MAX	t	5.6	1	3.9	
SD	1	0.40	1	0.73	1		MIN	l l	2.7	3	1.7	
	+		-+		÷		N	1	13	1	13	
							SD	1	0.80	- 1	0.71	

LAKE : KASHWAKAMAK

TWP : CLARENDON, BARRIE, MILLER

COUNTY : FRONTENAC

WATERSHED AREA: 409.8 sq.km km.

SHORELINE : 66 COTTAGES : 445 RESORTS : 12 SURFACE AREA : 119.1 ha. MAX DEPTH : 21.9 m. RESORTS : VOLUME : 96.71 mill cu. m. % CROWN LAND : VOLUME

NORTH END

HISTORICAL RECORD

SAMPLE DAT (MH/DD/YY		SECCHI DEPTH (METERS)	1 1	CHLOROPHYLL (UG/L)	A :	S	AMPLE (YEAR		TE :	SECCHI DEPT (METERS)	H :	CHLOROPHYLL (UG/L)
08/02/88	+	2.9	1	1.1	+		1974	++		6.4		1.5
08/02/88	-	2.8	1	1.0	1	!	1976	++	1	5.4	- !	2.4
08/02/88	-	2.4	ŀ	0.8	- 1	1	1980	1,	5	3.1	1	3.2
08/02/88	1	3.0	1	0.9	- 1	1	1986	++	- 1	5.3	1	2.0
	+		-+-		+	l	1987	ŧ	1	3.0	1	1.8
MEAN	1	2.7	;	1.0	- 1	ł I	1988	ŧ	- 1	2.7	1	1.0
XAK	1	3.0	1	1.1	!						+	
MIN	1	2.4	1	0.8	1		ME	AN	1	4.3	- 1	2.0
N	1	4	1	4	1		Ħ.8	X	1	6.4	1	3.2
SD	1	0.28	1	0.14	1		H1	IN	-	2.7	1	1.0
	+		-+-		+		N		- 1	6	1	6
							51)	- 1	1.57	1 1	0.7€

NOTE: # Based on less then 6 readings. ** Recreational lakes included.

ID NUMBER: 18-3430-010-01

ID NUMBER : 17-0031-006-01

LAKE : KENNEBEC

TWP : KENNEBEC, OLDEN COUNTY : FRONTENAC

WATERSHED AREA: 286.3 sq.km : 30.6 km. SHORELINE

COTTAGES ha. : 99 SURFACE AREA : 5.47 MAX DEPTH : 30.5 m. RESORTS : 3(29) : 43.60 % CROWN LAND : 10 VOLUME mill cu. m.

EAST BASIN

HISTORICAL RECORD

				. +	+	+
* 12 25 1	SAMPLE DATE (MM/DD/YY)	SECCHI DEPTH	CHLOROPHYLL A	SAMPLE DATE	SECCHI DEPTH (METERS)	CHLOROPHYLL A
*	05/23/88 06/12/88 07/03/88 07/11/88 07/23/88 08/07/88 08/21/88 09/01/88	1.7 1.8 2.1 2.1 2.1 3.4 4.3 3.5 3.4	: 2.3 : 1.6 : 3.3 : 3.3 : 5.0 : 2.2 : 1.7 : 3.4 : 2.1	1976 ** 1977 1978 1979 1980 1981 1984 1987	1 3.6 1 3.7 1 3.5 1 3.2 1 2.6 1 3.3 1 2.6 1 2.9	5.1 2.9 3.2 3.4 9.6 2.9 4.8 3.1 3.2
	09/24/88 10/09/88 MEAN MAX MIN N	4.3 3.0 4	1 4.9 1 5.2 1 3.2 1 5.2 1 1.6	MEAN MAX MIN N SD	3.1 3.7 2.6 9 0.42	4.2 9.6 2.9 9
	SD	11 0.97	1 11	1		

NOTE: + Based on less then & readings. ** Recreational lakes included. .

WEST BASIN - MOUTH OF SALMON RIVER

+-----

HISTORICAL RECORD

SAMPLE DATE (MM/DD/YY)		SECCHI DEPTH (METERS)	1 1 1	CHLOROPHYLL (UG/L)	A ;	:	SAMPLE (YEA		1	SECCHI DEPTH (METERS)	1	CHLOROPHYLL (UG/L)	A
08/12/88	-+ !	3.4	+-	1.8	+	+	1976	**	-+-	3.2	-+-	4.1	
08/26/88	1	3.0	1	2.7	- 1	1	1977		1	3.7	ŀ	2.9	
09/09/88	1	2.7	;	2.8	- 1	- 1	1978		1	3.5	1	3.4	
09/16/88	1	3.4	1	3.3	- 1	1	1979		i	3.2	ł	3.6	
09/26/88	1	3.2	į	3.9	- 1		1980		1	2.4	1	7.6	
	-+		+		+	1	1981		1	3.1	1	3.6	
HEAN	1	3.1	1	2.9	- 1	- 1	1984	**	1	2.9	1	5.2	
HAX	1	3.4	ŀ	3.9	- 1		1987		1	2.9	l	3.3	
HIN	1	2.7	ł	1.8	- 1	1	1988	ŧ	1	3.1	1	2.9	
N	1	5	ł	5	- 1	+			-+-		+-		
SD	I	0.30	ŧ	0.78	- 1		H	EAN	1	3.1	1	4.1	
	÷		+		+		H	ΑX	1	3.7	1	7.6	
							H	IN	1	2.4	ŀ	2.9	
							N		1	9	1	9	
							S	D	1	0.37	1	1.50	

LAKE : KILLENBECK

TWP : REAR OF LEEDS & LANSDOWNE

COUNTY : LEEDS

WATERSHED AREA: 10.90 sq.km SHORELINE: 4.70 km.

SURFACE AREA : 44.0 ha. COTTAGES : 14 MAX DEPTH : 27.70 m. RESORTS : VOLUME : 4.3 mill cu. m. % CROWN LAND : 0

SOUTHWEST END

HISTORICAL RECORD

SAMPLE DATE	1	SECCHI DEPTH	1	CHLOROPHYLL A
(HM/DD/YY)	1	(METERS)	1	(UG/L)
05/31/88	1	3.0	;	3.6
06/09/88	1	4.0	1	3.5
08/17/88	1	3.0	1	1.6
06/23/88	1	4.0	i	3.1
08/29/88	ŀ	3.6	1	2.0
07/06/88	i	3.0	1	3.0
07/13/88	į	3.4	ł	3.5
07/20/88	3	2.4	1	1.6
07/27/88	į	2.3	ŧ	4.6
08/03/88	į	2.1	1	1.5
08/10/88	ŀ	2.4	ŀ	12.0
08/18/88	ŀ	2.6	i	12.0
08/24/88	ł	2.1	1	7.5
08/31/88	1	2.6	į	11.0
09/07/88	ł	3.0	ł	8.6
09/21/88	¦	2.7	ŀ	6.8
09/27/88	î		ì	5.8
10/06/88	ł	3.0	1	5.3
10/12/88	!	2.7	1	6.6
MEAN	!	2.9	1	5.5
HAX	8	4.0	1	12.0
HIN	2	2.1	1	1.5
N	1	18	1	19
SD	1	0.57	1	3.45

+-		+		+		+
1	SAMPLE DATE	1	SECCHI DEPTH	1	CHLOROPHYLL	A :
ŀ	(YEAR)	į	(METERS)	!	(U6/L)	- 1
+-		+		+		+
-	1978 +	i	3.1	1	6.5	- 1
ŀ	1984	ł	2.6	1	5.0	- 1
1	1985	ŀ	3.1	1	6.1	1
1	1986	į	2.0	1	13.9	- 1
1	1987	1	2.6	5	7.7	- 1
1	1988	1	2.9	\$	5.5	1
+-		+		+		+
	MEAN	i	2.7	\$	7.6	- 1
	MAX	į	3.1	ŧ	13.9	- 1
	HIN	1	2.0	1	5.5	4
	N	ł	3	1	6	- 1
	SD	1	0.42	1	3.17	- 1
		+		+		-+

ID NUMBER : 12-0017-011-01

LAKE : LIMERICK ID NUMBER : 17-0021-010-01

TWP : LIMERICK COUNTY : HASTINGS

WATERSHED AREA: 181.41 sq.km SHORELINE : 27.00 km.

COTTAGES : 130 + 3 RESORTS : 1 (14) SURFACE AREA : 744.0 ha. : 130 + 3 HOUSES

MAX DEPTH : 29.00 m. mill cu. m. VOLUME : 62.87 % CROWN LAND : 1

OFF WALTER COTTAGE

HISTORICAL RECORD

SAMPLE D (MM/DD/		SECCHI DEPTH (METERS)	1	CHEGROPHYLL (UG/L)	A :	:	SAMPLE (YEA		SECCHI DEPTH	: CHLOROPHYLL	-
06/12/	88	5.2		0.9	+	1	1075		5.0	1.7	
07/04/		5.5	i	1.4	1	† 5	1976		4.9	1.7	
07/18/		4.3	i	1.8	2	\$ 8	1977	Ŧ¥	5.0	1.8	
08/01/		4.3	i	1.0	1	t 1	1976		4.9	2.0	
08/08/	88	4.6	1	1.8	1	1	1979		4.5	2.1	
08/17/		4.6	i		*	1	1980		4.7	1 2.2	
09/02/	88	4.3	1	2.1	1	- 1	1981	ŧ	4.4	2.0	
09/08/	88	4.3	ļ	1.6	1		1982		4.4	1.8	
			-+		+	1	1983		4.4	1.4	
MEA	N I	4.6	!	1.5	1	1	1984		4.5	2.7	
MAX	1	5.5	1	2.1	1	1	1985	**	4.7	2.3	
HIN	1	4.3	1	0.9	!	1	1986		4.5	1.9	
N	1	8	1	7	1	1	1987		4.6	1.8	
SD	1	0.47	1	0.44	1	1	1988		4.6	1.5	
	•		-+-		+	*	H.	EAN	4.6	1.9	
							H.	ΑX	5.0	2.7	
							H	IN	4.4	1.4	
							N		14	14	
							S	D	0.23	0.34	

LAKE : LITTLE FRANKLIN

TWP : LOUGHBOROUGH COUNTY : FRONTENAC

WATERSHED AREA:

sq.km SHORELINE : km.

ID NUMBER: 12-0004-034-01

SURFACE AREA : ha. COTTAGES : MAX DEPTH : m. RESORTS : VOLUME : mill cu. m. % CROWN LAND :

NORTH

SAMPLE DATS (MM/DD/YY)	-	SECCHI DEPTH (MSTERS)	:	CHLOROPHYLL A	1	!		SAMPLE DATE (MM/DD/YY)		SECOHI DEPTH (METERS)		CHEOROPHYEE A
09/11/88	1	3.9		7.2	-	!		08/11/89	1	3.6		3.5
08/16/88	1	3.7	1	3.0	1	1		08/18/89	1	4.0	Į.	3.3
08/28/88	ŀ	3.3	ŀ	2.9	1	1		08/28/88	1	3.5	1	3.5
09/05/89	!	3.3	1	3.0	1	7		09/05/88	1 4	3.7	1	5.8
09/12/89	ŧ	3.5	1	2.8	1			09/12/88	1	3.2	1	2.5
10/10/88	1	3.7	1	4.5	1	t t		10/10/88	1	3.8	1	4.0
10/16/88	1	3.€	1	4.8	:	1		10/16/88	1	3.3	à	4.1
MEAN	1	3.6	!	4.0		•	_	MEAN	5	3.6	-+	3.8
MAX	1	3.8	ţ	7.2	ŀ			MAX	1 1	4.0	1	5.8
HIN	1	3.3	1 1	2.8	1			MIN	i i	3.2	1	2.5
N	1	7	1	7	1			N	1 1	7	1	7
50	1	0.20	1	1.62	1			SD	1 6	0.28	ŧ	1.02



LAKE : LITTLE SILVER TWP : SOUTH SHERBROOKE

SURFACE AREA : 83.0

MAX DEPTH : 12.20

COUNTY : LANARK

WATERSHED AREA: 8.10

: 3.82

sa.km ha.

m.

ID NUMBER: 18-0033-021-01

SHORELINE : 10.10 km.

COTTAGES : 31 RESORTS : 0 : 31 mill cu. m. % CROWN LAND : 0

BASIN B

VOLUME

TURTLE ROCK BAY

SAMPLE DAT (MM/DD/YY		SECCHI DEPTH (METERS)	: Cł	(UG/L)	1	1	SAMPLE DATE (MM/DD/YY)		SECCHI DEPTH (METERS)	1 1	CHLOROPH (US/L
05/29/88	+ !	5.0	·+	2.1	+	1	05/29/88	-+	5.2	-+	1.5
06/13/88	-	3.7	1	1.4	ł	1	06/12/88	i.	4.0	1	0.7
05/19/88	1	4.3	1	1.1	1	1 5	05/19/88	1	4.4	ŧ	1.1
06/26/88	1	4.1	1	2.7	1	1	06/26/88	1	3.8	ł	2.4
07/03/88	- 1	3.0	[1.7	ŧ	4	07/03/88	- [3.7	î	1.5
07/25/88	1	5.2	1	0.7	ľ	1	07/25/88	- !	5.3	i	1.2
08/01/88	1	4.7	ł	1.0	t I	- 1	08/01/88	1	4.7	1	0.6
08/13/88	ŀ	4.€	4	1.3	1	1	08/13/88	1	4.6	1	0.8
09/21/88	- }	3.7	I I	11.0	1	· ·	09/21/88	-1	4.3	1	9.7
10/08/88	1	3.4	!	4.9	1		10/08/88	1	3.5	1	3.4
MEAN	+	4.2	† !	2.8	-+	*	MEAN		4.4	1	2.3
MAX	1	5.2	1	11.0	-		MAX	1	5.3	1	9.7
HIN	į	3.0	1	0.7	1		HIN	1	3.5	ŀ	0.6
N	1	10	1	10	6		N	1	10	i	10
SD	1	0.72	1	3.13	1		SD	1	0.62	i	2.74

HISTORICAL RECORD

	: SECCHI DEPTH : (METERS)			
1976 *	3.7	-+-	2.5	-
1977 ++	4.0	1	6.6	
1978	5.3	1	3.9	
1979 **	3.6	E E	6.9	
1982	4.4	1	3.2	
1983	4.3	1	2.1	
1984	3.9	1	4.1	
1985	3.9	5	4.2	
1986	3.6	1	3.6	
1987	3.6	1	3.2	
1988	1 4.3	1	2.6	
MEAN	4.1	i i	3.9	
MAX	5.3	1	5.9	
HIN	3.6	1	2.1	
N	: 11	1 1	11	
SD	0.51	1	1.56	

LAKE : LOUGHBOROUGH : EAST BASIN

TWP : STORRINGTON, LOUGHBOROUGH

COUNTY : FRONTENAC

WATERSHED AREA: 120.00 sq.km SHORELINE: 72.40 km.

SURFACE AREA : 1065.0 ha. COTTAGES : 24
MAX DEPTH : 6.10 m. RESORTS : 2
VOLUME : 22.08 mill cu. m. % CROWN LAND : 0 COTTAGES : 240 + 1 RESORTS : 2 (74) : 240 + 10 HOUSE

EAST BASIN

HISTORICAL RECORD

ID NUMBER: 12-0004-014-01

SAMPLE DATE (MM/DD/YY)	-	SECCHI DEPTH (METERS)	1	CHLOROPHYLL / (UG/L)	1	:	SAMPLE DA' (YEAR)	TE :	SECCHI DEPTH (METERS)	: CH	(UG/L)
06/15/86	!	3.4	!	2.0	1	:	1973 +	1	3.3	1	5.0
06/27/88	1	3.5	ŀ	2.2	1	i	1974	1	2.7	1	3.9
07/09/88	1	3.5	1	2.7	1	1	1975 **	1	2.4	1	6.9
07/22/88	1	3.1	1	3.6	1	i	1976	1	3.4	1	3.2
08/04/88	ŀ	2.4	1	2.9	1	- 1	1977	- {	2.8	ŧ	5.6
08/16/88	1	2.0	1	8.3	1	1	1978	- {	3.0	1	5.4
08/30/88	1	2.4	1	6.3	!	1	1979	- !	3.3	1	5.4
09/14/88	1	2.4	1	2.9	1		1980	1	3.2	1	7.6
09/25/88	f	3.0	l	3.3	1	1	1981	1	2.9	1	7.4
	-+-		+-		+	1	1982	1	2.8	1	4.7
MEAN	1	2.9	ŀ	3.8	- 1	- 1	1983	ł	3.6	1	3.3
MAX	į	3.5	ŀ	8.3	ł	1	1984	1	2.9	1	5.2
HIN	f	2.0	ŀ	2.0	1	1	1985	ł	2.6	1	6.4
N	i	9	ł	9	1	1	1986	1	3.3	1	5.9
SD	ł	0.57	1	2.10	1	1	1987	- 1	3.0	1	6.0
	+-		+-		-+	1	1988	¦	2.9	; 	3.8
						,	MEAN	1	3.0	1	5.4
							MAX	1	3.6	1	7.6
							MIN	1	2.4	1	3.2
							N	1	16	1	16
							SD	- 1	0.32	1	1.35

LAKE : LDUGHBDROUGH : WEST BASIN

TWP : STORRINGTON. LOUGHBOROUGH

COUNTY: FRONTENAC

WATERSHED AREA: 58.00 sq.km SHORELINE: 28.70 km.

SURFACE AREA : 738.0 ha. COTTAGES : 138 + 13 HOUSE

MAX DEPTH : 38.40 m. RESORTS : 3 VDLUME : 107.13 mill cu. m. % CROWN LAND : 0 : 3 (187)

WEST BASIN

	SAMPLE DATE	1	SECCHI DEPTH	2	CHLOROPHYLL A
	(HM/DD/YY)		(METERS)	ŀ	(UG/L)
-	07/06/88	-+-	5.3	†·	1.6
	08/16/88	Ī	4.5	1	1.9
	09/16/88	ł	5.7	1	3.4
	09/29/88	ŀ	6.2	1	
	10/12/88	2	5.8	ŀ	4.1
	11/03/88	1	5.5	!	
_	MEAN	1	5.5	!	2.8
	MAX	1	6.2	į	4.1
	HIN	1	4.5	ŀ	1.6
	N	ŀ	6	1	4
	SD	1	0.58	1	1.20

HISTORICAL RECORD

•		+		+		
					CHLOROPHYLL A	Ą
	(YEAR)	1	(METERS)	1	(U6/L)	
r ·	1973 +	!	4.0	-	1.8	
ı	1974 #	1	3.8	1	3.0	
1	1975 **	1	4.2	ľ	3.0	
	1976	i	4.5	1	3.8	
1	1977	1	3.4	1	3.3	
1	1978	1	3.9	1	2.7	
	1979	ŀ	4.0	1	3.0	
	1980	ŀ	4.8	î î	3.8	
	1981 **	1	6.4	1	3.8	
	1982	1	6.0	ŀ	2.1	
	1993	1	5.5	8	2.4	
	1984 #	1	5.2	ŧ	4.2	
	1985 #	į	6.2	ŀ	2.8	
	1986	8	6.1	į	2.4	1
	1988 #	8	5.5	ì	2.8	
	MEAN	+ !	4.9	1	3.0	
	MAX		6.4	1	4.2	
	HIN		3.4	1	1.8	
	N		15	1	15	
	SD	i I	1.00	1	0.69	

ID NUMBER: 12-0004-015-01

LAKE : LOWER BEVERLEY

TWP : SOUTH CROSBY, BASTARD

COUNTY : LEEDS

SHORELINE : 44.00 km.
COTTAGES : 247 + 13 HOMES
RESORTS : 4 (272) WATERSHED AREA: 281.80 sq.km SHORELINE : 44
SURFACE AREA: 766.0 ha. COTTAGES: 24
MAX DEPTH: 25.90 m. RESORTS: 4
VOLUME: 70.2 mill cu. m. % CROWN LAND: 0

MAIN BASIN - DEE WHISTEY ISLAND. HAIN BASIN-WEST OF ENGLISH IS AND

ID NUMBER : 12-0017-012-01

(WK/DD/AA)	(METERS)	: CHLOROPHYLL A :	: (MM/DD/YY) :	(METERS)	(U8/L)
	1 2.4		: 08/07/88 :	2.4	5.6
06/27/88	1 3.7	5.0	: 08/14/88 :	2.2	5.2
07/04/98	1 1.3	1 5.8	08/11/98	2.3	2.3
07/13/98	1 2.7	1 0 0	: 08/28/88 :	2.5	4.3
07/20/85	1 2.7 1 2.4 2.7	1 3.8 1 5.3 1 5.6	: 08/28/88 : : 09/05/88 :	2.7	3.1
07/28/88	2.7	5.6			
08/02/88	2.7	1 3.5	MEAN !	2.4	4.1
	2.4		MAX	2.7	5.8
08/21/28	1 2.3	i 2.3 i	HIN	2.2	2.3
	1 2.7		N	5	5
09/95/88	3.0	3.2		0.19	1.39
09/12/88	1.7	3.8	•		
09/19/88	3.4	3.8			
MEAN	1 2.8	4.2	OA: BAY		
		1 5.8 1			
			: SAMPLE DATE :		
		13	1 (44/00/44)		
SI	1 0.50	1 1.33	7 05/25/29		1.0
•	·	,	05/23/38 05/29/88 06/19/65	21-	1.6
			1 03/23/86	2.0	2.5
			1 06/13/05	2.0	5.8
			: 00/20/00	6 t V	
			07/12/90	2.0	. 11
			07/13/88		2.2
			07/24/88	1.8	12.0
			07/24/88	1.8	12.0
			07/24/88 08/01/88 08/07/88	1.8 1.8 1.5	12.0 4.6 6.8
			07/24/88 08/01/88 08/07/88 09/05/68	1.8	12.0 4.6 6.8 17.0
			07/24/88 08/01/88 08/07/88 09/05/88	1.8 1.8 1.5 1.5	12.0 4.6 6.8 17.0
			07/24/88 08/01/88 08/07/88 09/05/68	1.8 1.8 1.5 1.5	12.0 4.6 6.9 17.0
			07/24/88 08/01/88 08/07/88 09/05/88 HEAN	1.8 1.5 1.5 1.5	12.0 14.6 15.8 17.0
			07/24/88 08/01/88 08/07/88 09/05/88 HEAN	1.8 1.5 1.5 1.5	12.0 4.6 6.9 17.0

LAKE : LOWER BEVERLEY

TWP : SOUTH CROSBY, BASTARD

COUNTY : LEEDS

WATERSHED AREA: 281.80 sq.km SHORELINE : 44.00 km.

SURFACE AREA : 765.0 COTTAGES : 247 + 1; RESORTS : 4 (272) % CROWN LAND : 0 ha. : 247 + 13 HOMES

MAX DEPTH : 25.90 m.

: 70.2 VOLUME mill cu. m.

HISTORICAL RECORD-MAIN BASIN

HISTORICAL PECOPO - CAK BAY

ID NUMBER : 12-0017-012-01

	SD	1	0.44		2.04			MATE		Easad on 'a			
	λ	i	9		9	- [+-				
	MIN	1	2.2	1	3.9	1		SD		0.29	1	3.12	
	KAN		3.5	1	9.9			4,		7	÷	7	
	MEAN	1		1		- !		MIN		1.7	1 1	€.1	
١		-+	L.,	1	T			MEAN HAX	Ì	1.9	,	10.1 14.E	
	1982		2.7	1	4.2	į,	•	4611		4.0	-+-	44 /	
	1987	1	2.7	,	9.9 5.1	1	ì	1988		1.9		1.1	
	1984 ++	1		i	4.5			1987	1	1.8	i	7.1	
á s	1983 **	1		1	3.9	i		1986		1.7	:		
-		i	2.4	1 .	5.4	;		1995		1.7	3	13.5	
1		1		!				1984	1	1.8		9.6	
1			3.5	1	5.2			1981	,	2.5		5.5	
		:			5.0	:		1971 ##			,		1
+-	(YEAR)		(METERS)			· · ·		(YEAR)	+-	(METERS)		(8512)	
,	SAMPLE DATE		SECONI DEFIN	:	CHLORGPHYLL	A !	. 3	SAMPLE DATE	!	BECOME DEPTH		CHIGROPHYLL	:
		-+		+-		+			+-		~		

NOTE: * Based on less then 6 readings. ** Recreational lakes included.

LAKE : MAZINAW

TWP : ABINGER, BARRIE

COUNTY: FRONTENAC, LENNOX & ADDINGTON

VOLUME : 655.00 mill cu. m. % CROWN LAND : 50

BON ECHD PROVINCIAL PARK

				_		
	SAMPLE DATE (MM/DD/YY)			1	CHLOROPHYLL A	
+		-+-		+		÷
- [06/16/88	i	3.0	1	0.5	ł
1	06/23/88	1	3.4	1	1.8	ł
1	07/07/88	ļ	3.0	1	0.3	1
i i	07/14/88	1	3.0	1	1.1	1
1	07/21/86	1	3.4	1	0.3	i
1	07/28/88	1	3.0	1	0.4	į
1	08/05/88	1	2.7	ļ	0.3	1
1	08/11/88	i	2.7	1	1.4	i
2	08/18/88	1	3.0	1	2.2	i
i	08/24/88	1	2.7	1	1.4	1
1	09/01/88	ł	3.0	ł	1.2	1
+	MEAN	-+-	2 ^	1	1 0	+
	MEAN	i	3.0	i	1.0	i
	MAX	í	3.4	í	2.2	i
	HIN	i	2.7	i	0.3	i
	N	1	11	1	11	
	SD	1	0.24	1	0.67	1

+----+

NDRTHEAST END-SOUTH OF HUNGRY BAY

ID NUMBER: 18-3430-011-01

ì	SAMPLE DATE	1	SECCHI DEPTH	ŧ	CHLOROPHYLL	A
	(HH/DD/YY)	1	(METERS)	1	(U6/L)	
	07/13/88	+	6.7	+	0.6	
	07/18/88	1	5.2	1	0.5	
	07/27/89	1	5.5	1	0.8	
	08/09/88	1	5.2	į	0.8	
	08/15/88	1	4.6	ļ	1.3	
	08/23/88	1	4.0	1	1.0	
-	HEAN	1	5.2	1	0.8	
	MAX	1	€.7	ŧ	1.2	
	MIN	1	4.0	1	0.5	
	N	1	3	ł	6	
	SD	1	0.91	1	0.29	

HISTORICAL RECORD

				7-		- 1
1 9	SAMPLE DATE	1	SECCHI DEPTH	1	CHLOROPHYLL A	
f 5	(YEAR)	1	(HETERS)	1	(U6/L)	
+		-+-		+-		
1	1971 **	1	5.2	1	1.5	
1	1975	ŀ	5.6	į	1.5	
Į.	1976	1	5.6	1	1.8	
1	1977	1	5.7	î	1.8	
1	1978	ľ	5.6	1	1.5	
į.	1979	1	5.2	l l	2.1	
1	1980	ŧ	4.9	ŀ	2.1	
1	1981	ł	4.7	ŀ	1.8	
1	1982	-	3.5	1	1.8	
1	1983 *	1	3.6	1	1.5	
1	1984	1	4.0	1	2.2	
1	1985	1	3.6	1	1.7	
1	1986	ŀ	3.7	1	1.7	
1	1987	1	3.6	1	1.3	
ì	1988	1	3.8	1	0.9	
+-	MEAN	-+-	4.6	+- !	1.7	
	MAX	1	5.7	1	2.2	
	MIN		3.5	í	0.9	
	N	1	15	1	15	
	SD	-	0.89	9	0.33	

LAKE : MINK

TWP : WILBERFORCE COUNTY : RENFREW

ID NUMBER : 18-3690-006-01

CENTER OF EAST END

CENTER OF WEST END

SAMPLE DATE (HH/DD/YY)		SECONI DEFTH (METERS)			;		(HM/DD/YY)	1	SECCHI DEPTH (METERS)	1		I.v
07/20/88	;	3.8	,	2.0	-+	i	07/20/88	1	3.8	1	2.0	
08/23/88	1	3.7	1	1.0	1	;	08/23/88	į	3.7	1 4	0.7	
10/10/88	1	4,3	į	1.6	1	1	10/10/99	I I	4.3	1	3.0	
MEAN	1	3.9	!	1.9		•	 MEAN	,	3.9	-+	1.9	•
MAX	:	4.3	1	2.6	:		MAY	,	4.3		3.0	
MIN	1	3.7	1	1.0	:		MIN	1	3.7		C. ~	
K	1	2	ŀ	3	:		N	:	2	1	3	
5.		0.31	1	0.21			SD	:	0.32		1.15	

HISTORICAL RECORD

ì	SAMPLE I	ATE	SECOHI	DEELY	CHLOROPHYLL	Å
	(YEAR)	;	(MET	ERS1	(US/L)	
+	1973 +	!	3.	4 !	1.8	
	1975	1	3.	8 :	1.7	
2	1976		3.	£ :	- 7	
î	1977	1	3.	5	2.2	
ł	1978	11	4.	† †	3.0	
ì	1979	1	4.	0 1	2.1	
ŀ	1980	1	4.	4	5.2	
ŀ	1981		3.	0	3.8	
ŀ	1982 (1.	7 1	2.7	
	1984	1	2.	3	4.7	
ŧ	1985	+	3.	Ē	1.0	
1	1396		5.	E .	1.8	
	1987		3.	3	2.5	
1	1988		3.	9	1.9	
	×=/	45	3.	£ ;	ī. S	
	TAI	1	4.	2	2.3	
	HI	1	^ ·	1	1.5	
	h.		14		1.4	
	SD		0.	40	1.07	

NOTE: • Based on less then & readings. ** Recreational laxes 1 diuges.

LAKE : MOIRA : EAST BASIN

TWP : HUNTINGTON COUNTY : HASTINGS

ID NUMBER : 17-0026-002-01

WATERSHED AREA: 596.00 sq.km SHORELINE : 14.70 km.

SURFACE AREA : 511.0 ha. COTTAGES : MAX DEPTH : 11.00 m. RESORTS : VOLUME : mill cu. m. % CROWN LAND : 0

EAST BASIN

HISTORICAL RECORD

+		+		+		-+
	SAMPLE DATE (MM/DD/YY)				CHLOROPHYLL A	1
	05/30/88	!	4.0		2.2	-+
	06/13/88	ŀ	3.2	ŀ	5.4	- 1
	06/19/88	ļ	2.4	i	5.6	ł
	06/27/88	1	2.0	ŀ	5.0	- 1
	07/08/88	į	2.4	ł	0.4	- 1
	07/13/88	1	2.4	ì	10.0	8
	07/22/88	i	2.1	1	5.0	1
	07/28/88	1	2.1	1	2.1	1
	08/11/88	ı	3.4	1	4.5	ŀ
	08/29/88	ŀ	2.9	i	16.0	1
	09/12/88	1	2.1		12.0	ì
		+		+		-+
		1		1		ţ
	******	1	4.0	ě	16.0	1
		i		;	0.4	- 1
	п	ŀ		î	11	1
	SD	1	0.65	1	4.66	1
		÷		+		-+

LAKE : MOIRA : WEST BASIN

0.34 ! 9.03

TWP : HUNTINGTON

ID NUMBER : 17-0026-003-01

COUNTY : HASTINGS

MAX DEPTH : 7.30 m. RESORTS : VOLUME : 7.47 mill cu. m. % CROWN LAND : 0

WEST BASIN

SD

HISTORICAL RECORD

							+-			. + -		+		
+ 11 11	******		SECCHI DEPTH (METERS)	1	CHLOROPHYLL (UG/L)	A	;	S	AMPLE DATE (YEAR)	-	SECCHI DEPT (METERS)	H :	CHLDRDPHYLL (UG/L)	A
+	06/15/88	+	2.1	+	2.6		+-	-	1972 **	+-	1.1	+-	39.0	
	06/21/88	i	2.0	1	4.5		i		1973 ##	i	1.6	i	15.6	
:	07/04/88	į	1.5	1	5.3		1		1974	ŀ	1.7	- 1	13.8	
1	07/13/88	i	1.8	;	11.0		1		1979	1	1.9	- {	9.8	
	07/19/88	i	1.5	1	8.2		t		1983	;	1.8	- 1	6.9	
	07/28/88	i	1.4	i	15.0		1		1984	1	2.0	- }	16.5	
	08/02/88	i	1.2	i	19.0		}		1986	1	1.5	- 1	9.5	
	08/09/88	1	1.1	1	12.0		1		1987	1	1.8	1	11.5	
	08/18/88	1	1.1	i	31.0		1		1988	ŀ	1.4	- 1	15.4	
	08/24/88	i	1.2	ŀ	18.0		+-			+-		+-		
	08/30/88	1	1.2	1	22.0				MEAN	1	1.6	1	15.3	
	09/07/88	i	1.2	ŀ	26.0				MAX	1	2.0	1	39.0	
i	09/14/88	1	1.2	1	25.0				MIN	ì	1.1	ž.	6.9	
ŀ		+		+					N	1	9	- 1	9	
	MEAN	ŧ	1.4	į	15.4				SD	1	0.28	i i	9.45	
	MAX	ŀ	2.1	ł	31.0					+-		+-		
	HIN	i	1.1	ŀ	2.6									
	N	1	13	1	13				NOTE:	ŧ	Based on 1	255	then 6 readi	ng

LAKE : MOSQUE

TWP : MILLER, CLARENDON

COUNTY : FRONTENAC

WATERSHED AREA: 6.21

SURFACE AREA : 138.0 : 34.10 MAX DEPTH

: 9.7 VOLUME

sq.km ha. m.

mill cu. m.

SHORELINE : 13.20 km.

ID NUMBER: 18-3430-017-01

COTTAGES : 43 RESORTS : 1 (3) % CROWN LAND : 65

NORTH BASIN

: SAMPLE DATE ! SECCHI DEPTH : CHLOROPHYLL A :

! (MM/DD/YY) ! (METERS) ! (UG/L) ! <u>_____</u> 07/02/88 : 4.9 : 0.2 : | 07/02/88 | 5.2 | 0.8 | 0.8 | 08/06/88 | 4.7 | 0.2 | 0.2 | 0.9 | 09/02/88 | 4.6 | 1.7 | 09/25/88 | 4.6 | 1.7 | 09/02/88 | 4.6 | 2.6 | 09/02/88 | 4.6 | 0.2 | 09/02/88 | 0.6 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 |

> MEAN 1 4.8 1 1.2 1 MAX 1 5.2 1 2.6 1 MIN : 4.6 : 0.2 : N : 6 : 6 SD : 0.24 : 0.96

> > +-----

4-----

SOUTH BASIN

: SAMPLE DATE : SECCHI DEPTH : CHLOROPHYLL A : ! (MM/DD/YY) ! (METERS) ! (UG/L) ! +-----

1 07/02/88 1 4.6 1 0.4 1 07/22/88 1 5.0 1 0.5 1 08/06/88 1 4.6 1 0.4 1 09/02/88 1 4.6 1 1 10/08/88 1 4.3 1 1.0 2.6 +-----

MEAN : 4.6 : 1.0 MAX : 5.0 : 2.6 MIN : 4.3 : 0.4 N : 5 : 5 SD : 0.25 : 0.94 +------

HISTORICAL RECORD-N&S BASINS

: SAMPLE DATE : SECCHI DEPTH : CHLOROPHYLL A : : (YEAR) : (METERS) : (UG/L) : 2.7 2.5 1 5.5 1978 2.5 1979 1 5.6 2.1 1 1980 ** | 6.0 2.4 1 1981 | 5.6 . 2.4 5.0 1982 2.1 . 5.4 | 1 5.2 | 1 1983 1.4 1984 2.7 1985 1 4.9 1.8 1 1986 ** 1 4.5 1.9 1987 1 5.1 1.3 1 1988 | 4.7 | 1.1

> 2.7 MIN : 4.6 1.1 N 13 13 SD : 0.49 : 0.54

NOTE: * Based on less then 6 readings.

** Recreational lakes included.

LAKE : MOSQUE

TWP : MILLER, CLARENDON COUNTY : FRONTENAC

sq.km WATERSHED AREA : 6.21 SHORELINE : 13.20 km.

COTTAGES : 43 RESORTS : 1 (3) SURFACE AREA : 138.0 ha. MAX DEPTH : 34.10 m. VOLUME : 9.7 mill cu. m. % CROWN LAND : 65

WEST BASIN

HISTORICAL RECORD

ID NUMBER: 18-3430-017-01

SAMPLE DATE (MM/DD/YY)		SECCHI DEPTH (METERS)	1	CHLOROPHYLL (UG/L)	A	{ !	1	SAMPLE (YEA		: SI	ECCHI DEPTH (METERS)	1	CHLDRDPHYLL (UG/L)	A
	-+					+	+			+	(1121210)	-+		
07/02/88	1	4.1	ì	0.5		1	1	1976	**	1	4.8	1	6.9	
07/22/88	1	4.0	!	1.3		1	1	1977		1	3.9	1	4.3	
08/06/88	ł	4.0	ŀ	0.7		1	1	1978		1 2	4.5	1	5.6	
09/02/88	1	4.0	1	2.0		1	- 1	1979		t I	4.6	ł	4.8	
09/25/88	!	3.7	į	2.6		1	1	1980	±	1 2	5.1	1	3.9	
10/08/88	1	3.7	1	3.7		1	- 1	1981		1	4.5	1	2.5	
	-+		+-			+	1	1982		1	4.0	1	2.0	
MEAN	1	3.9	1	1.8		1	- 1	1983		1	4.2	1	2.1	
MAX	1	4.1	1	3.7		1	8	1984		1	4.6	i	3.0	
MIN	1	3.7	ŀ	0.5		1	1	1985		ŀ	3.7	i	3.1	
N	1	6	ţ	6		T 2	- 1	1986		1	3.8	ì	2.4	
SD	i	0.17	1	1.22		į.	1	1987		1	4.3	i i	1.3	
	+		+-			+	1	1988			3.9	1	1.8	
							*	M	EAN	!	4.3	1	3.4	
								H	ΑX	1	5.1	1	6.9	
								H	IN	1	3.7	1	1.3	
								N		!	13	1	13	
								S	D	1	0.43	1	1.65	

LAKE : MUSKRAT

TWP : WESTMEATH, ROSS

COUNTY : RENFREW

WATERSHED AREA: 481.00 sq.km SHORELINE: 34.00 km.

SURFACE AREA : 1202.0 ha. COTTAGES : 132 + 21 HOUSE

MAX DEPTH : 64.00 m. RESURTS : 5 (357)
VOLUME : 213.2 mill cu. m. % CROWN LAND : 0

MID - LAKE

HISTORICAL RECORD

	+		+		+
SAMPLE DA	TE :	SECCHI DEPTH	: CH	LOROPHYLL	A 1
(MM/DD/Y	Y)	(METERS)	1	(U6/L)	!
07/07/8	+ 8 :	2.9	·+ !		+
07/13/8		3.5	1	2.4	1
07/27/8	8 :	3.4	1	3.2	- 1
08/02/8	8 ;	3.5	;	7.9	1
08/10/8	8 ;	3.0	;	14.0	- 1
08/18/8	8 :	2.7	!		1
08/23/8	8 :	2.9	1	4.8	- 1
08/31/8	8 ;	2.7	1	20.0	- 1
	+		+		+
MEAN	1	3.1	1	8.7	1
MAX	1	3.5	1	20.0	4
MIN	- 1	2.7	t i	2.4	- 1
N	ľ	8	1	6	- 1
SD	1	0.34	1	6.95	- 1
	+		+		+

NOTE: * Based on less then 6 readings. ** Recreational lakes included.

+----

ID NUMBER: 18-4810-002-01

LAKE : NORWAY

TWP : BAGOT, BLYTHFIELD

COUNTY : RENFREW

WATERSHED AREA: 14.40 sq.km SHORELINE: 12.90 km.

 SURFACE AREA
 : 271.0
 ha.
 COTTAGES
 : 124

 MAX DEPTH
 : 36.60
 m.
 RESORTS
 : 0

 VOLUME
 : 25.38
 mill cu. m.
 % CROWN LAND : 99

SOUTHEAST END

HISTORICAL RECORD

!	SAMPLE DATE (MM/DD/YY)		ECCHI DEPTH (METERS)	1	CHLOROPHYLL (UG/L)	A :	SAMPLE DATE ((YEAR)	0200112 221 1	CHLOROPHYLL (UG/L)	A
į.	06/14/88	:	4.9	1	0.7	1	1 1978 ++ 1	4.8	2.4	
1	07/27/88	1	5.6	1	2.7	- 1	1979 :	4.7	2.5	
1	08/07/88	!		1	5.5	1	1 1981 + 1	5.1	1.5	
1	08/11/88	1	5.2	1	1.2	1	1982 + 1	4.9	1.4	
ŀ	08/22/88	;	4.9	1	3.2	- 1	1 1983 ;	5.1	1 3.3	
1	09/02/88	1	5.2	1	3.3	1	1984 # 1	4.E	5.0	
1	09/15/88	t i	5.3	i		- 1	1 1985 ** 1	5.4	1.6	
İ	10/20/88	1	5.2	i	2.2	1	1 1986 + 1	5.1	2.7	
1	10/27/88	1	5.0	1	1.7	- 1	1 1987 :	5.4	1.5	
1	11/17/88	:	4.3	1	2.0	!	1988 ;	5.1	2.5	
-	MEAN	;	5.1	1	2.5	1	MEAN :	5.0	1 2.4	
	XAH	1	5.8	1	5.5	1	MAX I	5.4	5.0	
	HIN	1	4.3	1	0.7	1	MIN :	4.6	1.4	
	N	}	9	1	9	1	N I	10	10	
	SD	!	0.40	1	1.42	7 8	SD :	0.28	1.10	

NCTE: * Based on less then 6 readings.
** Recreational lakes included.

ID NUMBER : 18-3490-028-01

LAKE : OPINICON

ID NUMBER: 12-0004-016-01 TWP : BEDFORD, SOUTH CROSBY, STORRINGTON

COUNTY : FRONTENAC, LEEDS

sq.km SHORELINE : 52.00 km. WATERSHED AREA: 580.00 ha. COTTAGES : 120 (1971)
RESORTS : 6 (104) SURFACE AREA : 785.0 MAX DEPTH : 9.15

mill cu. m. % CROWN LAND : 0 : 38.61 VOLUME

BETWEEN SNAKE & HUCKLEBERRY ISLANDS

SD : 0.89 : 2.00 :

HISTORICAL RECORD

SA	MPLE DATE	ŀ	SECCHI DEPTH	ŀ	CHLOROPHYLL	A :	1	SAMPLE DATE	1	SECCHI DEPTH	!		A
(MH/DD/YY)	1	(METERS)	1	(U6/L)	1	!	(YEAR)	1	(METERS)	!	(U6/L)	
	05/29/88	ì	4.9	1	1.3	1	1	1971 **	1	2.9	!	4.1	
	06/12/88	1	3.7	1	1.8	1	ì	1975 **	1	3.0	1	4.7	
	06/19/88	1	3.7	1	1.8	ž	ŀ	1977	1	2.8	1	3.9	
	06/27/88	ł	4.0	ŀ	3.5	1	3	1978	3	3.0	ŀ	5.4	
	07/03/88	!	3.0	1	2.1	ŀ	1	1979	1	3.3	ŀ	5.6	
	07/10/88	1	4.4	1	0.7	1	1	1980	1	3.2	1	5.8	
	07/18/88	ì	5.2	1	1.3	ŀ	1	1981	1	3.2	ţ	4.7	
	07/25/88	ì	4.6	1	2.3	1	1	1982	ŝ	3.1	1	4.1	
	08/01/88	1	3.7	1	2.7	- {	i	1983	1	3.2	1	3.3	
	08/07/88	1	4.1	1	3.8	-	1	1984 **	1	3.1	1	3.9	
	08/14/88	1	2.9	ļ	3.7	1	1	1985	1	3.1	i	3.8	
	08/21/88	1	2.3	1	4.3	1	ŀ	1986 **	1	3.1	ţ	5.5	
	08/31/88	1	2.9	i	7.6	1	1	1987	1	3.3	ŧ	3.7	
	09/06/88	1	2.0	1	7.7	-	ł	1986	ì	3.6	ŀ	3.4	
	09/11/88	Î	2.7	ŀ	4.7	ŀ	+-		+-		+-		-
	09/18/88	1	3.5	1	3.9	- [MEAN	1	3.1	1	4.4	
	09/24/88	î	3.5	1	3.9	1		HAX	į	3.6	ŀ	5.8	
		+		+-		+		HIN	ì	2.8	ŀ	3.3	
	MEAN	1	3.6	1	3.4	1		N	-	14	1	14	
	HAX	1	5.2	1	7.7	1		SD	i i	0.20	1	0.86	
	HIN	1	2.0	9	0.7	1			+-		+-		-
	N	1	17	į	17	1							

LAKE : OTTER ID NUMBER : 18-0033-024-01

TWP : BASTARD, SOUTH ELMSLEY, SOUTH BURGESS, KITLEY

COUNTY : LEEDS

WATERSHED AREA: 46.55 sq.km SHORELINE : 20.1 km.

 SURFACE AREA
 : 602.0
 ha.
 COTTAGES
 : 29

 MAX DEPTH
 : 36.60
 m.
 RESORTS
 : 6

 VOLUME
 : 60.46
 mill cu. m.
 % CROWN LAND
 : 1

 COTTAGES : 291 + 5 HO RESORTS : 6 (214) : 291 + 5 HOUSES

STATION	2
---------	---

	SAMPLE DATE	ŀ	SECCHI DEPTH	CHLOROPHYLL A
	(HH/DD/YY)	3	(METERS)	(U6/L)
-	05/29/88	+	2.9	2.0
	06/05/88	1	3.0	2.3
	06/12/88	1	2.7	2.7
	07/03/88	1	4.3	0.8
	07/31/88	ľ	2.9	2.0
	08/07/88	ļ	2.9	1.6
	08/16/88	ŀ	3.0	2.1
	08/27/88	ŀ	2.7	2.4
	09/03/88	1	3.0	1.5
	09/10/88	1	2.9	1.1
_	MEAN	ŀ	3.0	1.9
	MAX	1 4	4.3	2.7
	MIN	1	2.7	0.8
	N	1	10	10
	SD	1	0.46	0.60

STATION 1 - FRAYN ROAD

	SAMPLE DATE	ì	SECCHI DEPTH	1	CHLOROPHYLL	Á
	(HH/DD/YY)	į	(METERS)	1	(UG/L)	
_	06/13/88	1	2.9	+	1.5	
	06/24/88	1	4.9	1	0.9	
	07/03/88	1	5.0	li è	1.0	
	07/07/88	į	4.4	1	1.2	
	07/13/88	į	3.5	ŀ	2.0	
	07/19/88	ł	2.9	ł	2.3	
	07/26/88	1	2.7	į	2.9	
	08/03/88	1	3.5	1	1.7	
	08/17/88	1	3.5	1	2.4	
-	MEAN	1	3.7	;	1.8	
	HAX	ŀ	5.0	1	2.9	
	HIN	ŀ	2.7	ŧ	0.9	
	N	ı	9	ŀ	9	
	SD	1	0.87	1	0.69	

HISTORICAL RECORD

į	SAMPLE	DATE	1	SECCHI DEPTH	1	CHLOROPHYLL	A :
1	(YEA)	(3)	1	(METERS)	1	(US/L)	-
!	1975	**	;	3.4	1	2.4	
ì	1976		ł	3.1	1	3.8	- 1
1	1977		Į į	3.0	1	3.2	- 1
1	1978		ł	3.3	1	3.0	-
1	1979		ŧ	3.1	1	3.4	- 1
ŀ	1980		i	2.7	1	3.4	- 1
ì	1981	++	ł	3.1	į.	3.2	- 1
į	1982	**	I.	3.1	ŀ	2.2	
ı	1983		1	3.2	1	2.1	
ŀ	1984		1	3.0	1	3.2	
1	1985		î	3.0	1	2.3	
í í	1986		1	2.9	1	3.4	
1	1987		1	2.7	ì	2.7	
1	1988		1	3.4	li li	1.8	5
Ψ.	ME	AN	1	3.1	1	2.9	
	H/	X	l l	3.4	2	3.8	1
	HI	N	1	2.7	1	1.8	1
	N		1	14	1 0	14	8
	SI)	1	0.22	1	0.61	- 1

NOTE: . Based on less then 6 readings.

LAKE : DTTY

ID NUMBER : 18-0033-025-01 TWP : NORTH BURGESS, NORTH ELMSLEY

COUNTY : LANARK

sq.km WATERSHED AREA: 47.9

SHORELINE : 35.4 km.
COTTAGES : 336 + 41 HOUSE
RESORTS : 3 (27) SURFACE AREA : 625 ha.

MAX DEPTH : 27.4 m. RESORTS : 3 VOLUME : 56.41 mill cu. m. % CROWN LAND : 0

SITE A SITE B

	SAMPLE DATE (MM/DD/YY)		SECCHI DEPTH (METERS)	1 (CHLOROPHYLL A (UG/L)	5 5	: :	GAMPLE DATE (MM/DD/YY)		SECCHI DEPTH (METERS)	-	CHLOROPHYLL /
_	06/20/88	1	3.4	1	1.2	1	-	06/20/88	-+	3.4	1	1.7
	06/27/88	1	4.0	l l	2.4	1	1	06/27/88	1	4.3	ŀ	2.4
	07/04/88	1	5.8	ŀ	0.7	1	1	07/04/88	1	5.0	1	0.8
	07/11/88	1	6.1	1	2.3	8	1	07/11/88	ŀ	5.8	ł	1.3
	07/18/88	1	5.8	1	1.4	1	1	07/18/88	1	5.2	1	2.4
	07/25/88	ŀ	5.8	ŀ	1.2	1	!	07/25/88	i	5.5	ŀ	1.8
	08/02/88	1	4.9	1	1.4	1	!	08/02/88	1	4.9	;	1.5
	08/08/88	į.	4.3	1	2.5	1	1	08/08/88	ŧ	3.7	ŀ	3.6
	08/18/88	1		1	2.5	ŧ	1	08/15/88	ŧ		ŧ	3.5
	08/22/88	ŀ	4.0	į	2.6	1	1	08/22/88	į	3.0	1	1.7
	08/29/88	1	5.2	ŀ	1.9	1	1	08/29/88	1	4.9	i	1.6
	09/06/88	1	4.6	1	1.9	1	1	09/06/88	1	4.3	1	2.4
	MEAN		4.9	-	1.8	1	Ţ	MEAN	;	4.5	1	2.1
	MAX	1	6.1	ŀ	2.6	1		MAX	ļ	5.8	ŀ	3.6
	HIN	1	3.4	1	0.7	1		MIN	1	3.0	1	0.8
	N	1	11	1	12	1		N	1	11	ŀ	12
	SD	8	0.91	1	0.64	1		SD	1	0.89	1	0.84

LAKE: DTTY ID NUMBER: 18-0033-025-01

TWP : NORTH BURGESS, NORTH ELMSLEY

COUNTY : LANARK

WATERSHED AREA: 47.9 sq.km SHORELINE: 35.4 km.

SURFACE AREA : 625 ha. COTTAGES : 336 + 41 HOUSE

MAX DEPTH : 27.4 m. RESORTS : 3 (27)

VDLUME : 56.41 mill cu. m. % CRDWN LAND : 0

HISTORICAL RECORD

SAMPLE DATE	1	SECCHI DEPTH	CHLOROPHYLL A	
(YEAR)	1	(METERS)	(UG/L)	
1971 **	-+	3.2	3.3	
1973 **	ł	4.1	2.9	-
1974 **	1	4.1	3.0	Ì
1975 **	1	4.4	3.2	1
1976	1	4.5	2.7	1
1977	1	4.0	2.5	
1978	- 1	4.2	3.2	
1979	- 1	4.4	3.2	-
1980	÷	4.5	4.1	I
1981	- [3.9	3.3	1
1982	- 1	4.7	3.3	1
1983	-	4.5	2.0	-
1984	f	4.1	4.2	-
1985	ŀ	4.7	2.4	-
1986	- }	4.2	3.4	-
1987	1	4.1	2.1	-
1988	1	4.7	2.0	
 MEAN	-+-	4.3	3.0	
MAX	1	4.7	4.2	
MIN	-	3.2	2.0	
N	1	17	17	
SD	1	0.38	0.65	

LAKE : PAUGH

TWP : BURNS. SHERWOOD

COUNTY : RENFREW

sq.km WATERSHED AREA: 75.00

SHORELINE : 18.00 km.
COTTAGES : 77
RESORTS : 1 (7) SURFACE AREA : 713.0 ha. MAX DEPTH : 51.80 VOLUME : 100 mill cu. m. % CROWN LAND : 80

WEST END

HISTORICAL RECORD

+-		+		+				+	_		-+		+-		+
1	SAMPLE DATE (MM/DD/YY)		ECCHI DEPTH (METERS)	1	CHLOROPHYLL (UG/L)	A		1		SAMPLE DATE (YEAR)	1	(METERO)	1	CHLOROPHYLL /	A :
!	05/23/88	1	6.6	1	0.6			:		1977 **	1	5.4	1	1.5	1 1
-	05/29/88 07/17/88	1	6.5	1	0.4			!		1980 1981	1	5.2 5.3	1	2.2	1 2
4	08/09/88	1	6.4	1	1.0			1		1982	1 1	5.2	1	1.4	- 1
; +-	09/18/88	i +	5.6 	i -+	1.1		ŀ	i [1983 ** 1984 **	1	5.3 4.8	i	1.4	i
	MEAN	i	6.3	E L	0.7	1		1		1985 **	2	4.7	1	1.3	1 6
	MAX		6.6	1	1.1			1		1986 #	1 6	5.0	1	1.9	3 2
	HIN N	i !	5.6 5	E 8	0.4 5	1		;		1987 1988 *	1	5.6 6.3	1	1.4 0.7	1
	SD	! 	0.42	1	0.30			+	-	MEAN	+	5.3	+-	1.6	+
		,		7						MAX	1	6.3	1	2.2	- 1
										HIN N	1	4.7 10	1	0.7 10	- 1
										SD	1	0.45	î Î	0.43	L L

NOTE: * Based on less then & readings. ** Recreational lakes included.

ID NUMBER: 18-3690-009-01

LAKE : PIKE

TWP : NORTH BURGESS, NORTH CROSBY

COUNTY: LANARK, LEEDS

SHORELINE : 22.10 km.
COTTAGES : 143 (1974)
RESORTS : 2 (38) sq.km WATERSHED AREA: 60.00 SURFACE AREA : 316.0 ha.

MAX DEPTH : 32.60 m. RESURTS : 2 VOLUME : 26.58 mill cu. m. % CROWN LAND : 0

CENTRE

HISTORICAL RECORD

ID NUMBER: 18-0033-028-01

SAMPLE DATE (MM/DD/YY)		SECCHI DEPTH (METERS)	1	(UG/L)	A :
05/01/88	1	4.0	1	3.8	1
05/22/88	1	5.3	1	1.1	- 1
06/12/88	!	6.1	ł	0.4	- 1
07/03/88	1	6.7	1	0.7	- 1
07/19/88	1	6.1	1	0.9	1
08/01/88	1	6.7	ŀ	1.0	1
08/21/88	1	4.9	1	2.5	-1
09/05/88	i	4.9	1	3.3	1
09/18/88	f	4.4	ļ	4.1	1
	-+-		+-		+
MEAN	1	5.5	1	2.0	- 1
MAX	ì	6.7	ŀ	4.1	1
HIN	1	4.0	1	0.4	1
N	;	9	1	9	1
SD	1	0.99	1	1.45	1
	+-		-+-		+

LAKE : RED HORSE : EAST BASIN

TWP : REAR OF LEEDS & LANSDOWNE

COUNTY : LEEDS

WATERSHED AREA: 335.00 sq.km

SHORELINE : 12.90 km.
COTTAGES : 24
RESORTS : 1 (16)

 SURFACE AREA
 : 135.0
 ha.
 COTTAGES
 : 24

 MAX DEPTH
 : 37.00
 m.
 RESORTS
 : 1

 VOLUME
 : 15.55
 mill cu. m.
 % CROWN LAND
 : 0

EAST BASIN

HISTORICAL RECORD

١.		٠.					-+					+-		+-		-+
	SAMPLE DATE	i	SECCHI DEPTH	-	CHLOROPHYLL	Ā	i	1	SAMPL	Ε	DATE	1	SECCHI DEPTH	1	CHLOROPHYLL A	1
	(MM/DD/YY)	ŀ	(METERS)	1	(UG/L)		1	1	(YE	AR	()	1	(METERS)	!	(UG/L)	1
	05/14/88	† ·	2.7	-	3.0		- +	- 1	197	5	++	1	3.8	!	5.6	1
	05/21/88	f	2.9	į	1.8		1	1	198	1	++	ŀ	2.8	1	7.8	1
	05/28/88	î	2.9	1	1.4		1	- 1	198	2	++	ì	2.7	ŀ	4.7	ŧ
1	06/18/88	ł	4.9	ļ	0.8		1	- 1	198	3	++	1	3.7	1	3.9	9
1	06/23/88	î	4.3	ŀ	2.9		1	- 1	198	4	++	ŀ	3.0	1	7.4	9
1	06/25/88	î	3.8	ł	1.9		1	1	198	5		1	3.8	1	4.0	1
1	07/06/88	8	4.3	ì	1.9		1	- !	198	6		;	3.5	:	4.3	3
3	07/11/88	1	4.3	ł	1.4		1	- 1	198	7		i	3.6	1	2.9	3
l	07/15/88	ì	4.6	ŀ	1.0		1	1	198	8		ŀ	3.9	1	2.0	1
1	08/04/88	ŀ	2.7	ŀ	1.1		1	+				+-		+-		-+
1	08/15/88	ł	4.3	1	2.6		1			ME	AN	1	3.4	!	4.7	1
	08/31/88	i	4.0	i	4.3		1			MA	X	ŀ	3.9	1	7.8	1
1	09/10/88	1	4.0	ł	3.4		į,			ĦI	IN	¦	2.7	ŀ	2.0	1
8	09/24/88	12	4.1	ŀ	1.9		1			N		ŧ	9	ŀ	9	1
i	10/01/88	ŀ	3.4	î	1.8		1			SI)	ŀ	0.46	1	1.92	1
	10/08/88	1	4.9	1	1.4		-					+		+-		-+
	MEAN	1	3.9	1	2.0		1			NC	TE:	,	Based on les	s	then 6 reading	gs.
	MAX	1	4.9	ŀ	4.3		1					+	Recreational	1	akes included	
	HIN	ŀ	2.7	:	0.8		ŀ									
	N	ŀ	16	ł	16		1									
	SD	8	0.75	;	0.96		1									

ID NUMBER: 12-0017-020-01

LAKE : RED HORSE : WEST BASIN TWP : REAR OF LEEDS & LANSDOWNE

COUNTY : LEEDS

sq.km WATERSHED AREA: 330.00

SHORELINE : 13.80 km.
COTTAGES : 18
RESORTS : 0 SURFACE AREA : 167.0 MAX DEPTH : 37.00 ha. MAX DEPTH m. VOLUME : 15.07 mill cu. m. % CROWN LAND : 0

WEST BASIN

HISTORICAL RECORD

	MPLE DATE	: SECCHI DEPTH	: CHI UBUBHAI I	
2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	HH/DD/YY)		1 CHECKOLITE	∟ A i
		(METERS)	(U6/L)	1
	AC /10 /00	+	+	+
: (06/18/88	3.5	1	i
: (07/04/88	1 3.8	1.1	1
: (07/11/88	1 4.3	2.0	1
} (07/24/88	3.2	5.2	1
1 (OB/01/88	1 2.9	2.0	- 1
	08/07/88	4.0	3.0	- 1
	08/21/88	3.7	2.1	1
1 (08/29/88	4.6	2.8	1
: (09/07/8B	4.3	1 4.3	- 1
: (09/18/88	1 4.0	1 5.5	1
: (09/27/88	3.7	1 4.4	
	10/05/88	5.2	2.3	
	10/14/88	4.3	3.9	
·				
	MEAN	4.0		
		4.0	3.2	i
	MAX	1 5.2	1 5.5	
	HIN	2.9	1.1	1
	N	13	12	- 1

+-----+ NOTE: # Based on less then 6 readings. ** Recreational lakes included.

ID NUMBER: 12-0017-013-01

LAKE : SAINT ANDREW

ID NUMBER: 17-0035-006-01

TWP : HINCHINBROOKE COUNTY: FRONTENAC

SHORELINE : 7.60 km.
COTTAGES : 20 (1983)
RESORTS : 0 WATERSHED AREA: 2.80 sq.km SURFACE AREA : 79.0 ha.

MAX DEPTH : 15.80 m. mill cu. m. % CROWN LAND : 0 : 5.05 VOLUME

UPPER LAKE

HISTORICAL RECORD

+						
	SAMPLE DATE	i	SECCHI DEPTH	į	CHLOROPHYLL	A
1	(MM/DD/YY)	i	(METERS)	f	(U6/L)	
+	05/28/88	+	2.9	+	7.9	
		i	2.6	ì	7.9	
		1	2.6	i	4.4	
		1	2.6	1 2	5.1	
	07/10/88	1	3.2	i	2.8	
	07/17/88	1	3.2	1	4.5	
	07/23/88	1	2.7	ł	5.5	
	08/06/88	ł	2.6	1	4.4	
	08/21/88	į	2.3	1	5.0	
	08/29/88	1	2.3	1	6.3	
	09/05/88	1	2.6	į	3.3	
	09/10/88	1	2.6	1	2.0	
	09/18/88	1	2.9	1	2.8	
ŀ		+		+		
	MEAN	ŀ	2.7	į	4.8	
	HAX	1	3.2	1	7.9	
	HIN	1	2.3	ł	2.0	
	N	t	13	i	13	
	SD	i	0.28		1.84	

LAKE : SAINT PETER, LAKE

TWP : MCLURE

COUNTY : HASTINGS

CENTER

HISTORICAL RECORD

_		- 4 -		+		 ÷
	SAMPLE DATE (MM/DD/YY)		SECCHI DEPTH (METERS)			1
_	07/02/88	1	4.8	!		8
	07/31/88	ŀ	3.8	ì	1.5	3
	09/03/88	i	6.1	i	1.1	1
	09/19/88	ţ	5.5	ŀ	2.4	1
		+		+		 +
	MEAN	1	5.0	1	1.7	1
	MAX	Î	6.1	ş	2.4	1
	MIN	1	3.8	į	1.1	1
	N	1	4	i	4	1
	SD	į	1.01	1	0.54	1
		+		+		 +

NOTE: * Based on less then 6 readings. ** Recreational lakes included.

SD : 0.52 : 0.57 :

ID NUMBER: 18-3490-031-01

LAKE : SALMON TROUT

TWP : MONTEAGLE

ID NUMBER: 18-3490-032-01

COUNTY : HASTINGS

WATERSHED AREA: 9.25 SURFACE AREA : 100.0

sq.km ha.

SHORELINE : 7.90 km.
COTTAGES : 70

MAX DEPTH : 14.00 VOLUME : 3.8

RESORTS

: 0

mill cu. m. % CROWN LAND: 21

CENTER

HISTORICAL RECORD

	07/12/88 07/19/88 08/03/88 08/18/88 08/29/88 09/27/88 10/24/88 MEAN MAX MIN N		3.5 5.5 5.3 4.9 4.3 2.9 4.1 	2.6 1.5 2.8 4.0 7.5 5.1 12.0 7.1 4.7 12.0 1.1 10 3.36			1977 ** 1978 1979 1980 1981 1982 1983 1984 1985 1986 1987 1988
	07/12/82 07/19/88 08/03/88 08/18/88 08/29/88 09/27/88 10/24/88 MEAN MAX MIN		3.5 5.5 5.3 4.9 4.3 2.9 4.1 4.3 5.5 2.9	1.5 2.8 4.0 7.5 5.1 12.0 17.1 12.0 14.7 12.0			1978 1979 1980 1981 1982 1983 1984 1985 1986
	07/12/88 07/19/88 08/03/88 08/18/88 08/29/88 09/27/88 10/24/88 MEAN		3.5 5.5 5.3 4.9 4.3 2.9 4.1	1.5 2.8 4.0 7.5 5.1 12.0 17.1			1978 1979 1980 1981 1982 1983 1984 1985
	07/12/88 07/19/88 08/03/88 08/18/88 08/29/88 09/27/88 10/24/88		3.5 5.5 5.3 4.9 4.3 2.9	1.5 2.8 4.0 7.5 5.1 12.0	:		1978 1979 1980 1981 1982 1983 1984
	07/12/88 07/19/88 08/03/88 08/18/88 08/29/88 09/27/88		3.5 5.5 5.3 4.9 4.3 2.9	1.5 2.8 4.0 7.5 5.1 12.0		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1978 1979 1980 1981 1982 1983
	07/12/88 07/19/88 08/03/88 08/18/88 08/29/88	1 1 1 1 1	3.5 5.5 5.3 4.9	1.5 2.8 4.0 7.5 5.1			1978 1979 1980 1981 1982
	07/12/88 07/19/88 08/03/88 08/18/88		3.5 5.5 5.3 4.9	1.5 2.8 4.0 7.5	;		1978 1979 1980
	07/12/88 07/19/88 08/03/88	1 1 1	3.5 5.5 5.3	1.5 2.8 4.0	1		1978 1979
:	07/12/88 07/19/88	1 1 1	3.5 5.5	1.5	1	;	1978
:	07/12/88	1	3.5	1.5	1	1	
1		i	3.7	2.6	1	}	
1	06/27/88		3.7			- 1	1976 **
i i	06/06/88	1	4.7	3.0	1		1975 +
+	05/16/88	-+-	4.1	1.1	:	1	1974
1	(HH/DD/YY)	!	(METERS)	(U6/L)	:	- 1	(YEAR)
: S			SECCHI DEPTH				

SAMPLE DAT	E : S	ECCHI DEP	TH :	CHLOROPHYLL A	1
(YEAR)	1	(METERS)	1	(U6/L)	
1974	+	3.7	+- 	2.1	
1975 #	1	3.0	- 1	11.9	
1976 **	1	3.4	- 1	9.9	
1977 **	1	3.8	1	6.1	
1978	ŧ	4.2	- 1	7.5	
1979	t	3.2	- 1	11.1	
1980	1	3.3	- }	17.6	
1981	1	3.5	- 1	5.6	
1982	1	3.7	- 1	3.6	
1983	1	3.9	1	4.7	
1984	- 1	3.6	- 1	4.1	
1985	-	3.3	t i	9.8	
1986	!	3.6	1	5.7	
1987	1	4.2	- ;	4.8	
1988	 4	4.3		4.7	
MEAN		3.6	1	7.3	
XAK	- 1	4.3	1	17.6	
HIN	1	3.0	1	2.1	
N	1	15	i	15	
SD	- 1	0.39	1	4.07	

sq.km

LAKE : SAND

TWP : SOUTH CROSBY

COUNTY : LEEDS

WATERSHED AREA: 7.32

SURFACE AREA : 732.0

MAX DEPTH : 14.30 VOLUME : 37.81

ha. m -

SHORELINE : 51.50 km.

ID NUMBER : 12-0004-017-01

COTTAGES : 110 RESORTS : 3 (36)

mill cu. m. % CROWN LAND : 0

HISTORICAL RECORD

	SAMPLE DATE	1	SECCHI DEPTH	ľ	CHLOROPHYLL	A	
	(MM/DD/YY)	:	(METERS)	1	(U6/L)		
	05/24/88	1	5.5	1	0.5		
	05/31/88	ł	6.1	1	0.8		
	06/07/88	ł	6.7	į	0.7		
	06/14/88	1	6.1	1	0.3		
	06/21/88	ì	5.2	i	0.3		
	06/28/88	i	4.9	1	1.3		
	07/05/88	ł	4.6	ŀ	1.5		
	07/12/88	1	5.5	1	0.3		
	07/19/88	ì	4.9	1	1.8		
	07/26/BB	ì	4.6	1	2.0		
	08/02/88	1	4.3	ļ	1.6		
	08/09/88	1	3.0	į	2.7		
	08/15/88	1	2.7	ŀ	3.6		
	08/24/88	į	3.0	ŀ	2.4		
	09/01/88	i	3.0	1	5.7		
	09/06/88	i	3.0	ŀ	5.7		
	09/13/88	ŀ	2.7	1	6.6		
	09/21/88	i	2.7	;	5.9		
	09/28/88	1	2.6	ŝ	6.1		
	10/06/88	1	2.7	ì	8.1		
	10/11/88	ŀ	2.4	ŀ	8.0		
	10/19/88	i	2.7	1	6.5		
	10/25/88	1	3.0	ŀ	8.1		
	11/01/88	ì	3.0	!	6.5		
-	MEAN	+	4.0	+	3.6		•
	MAX	1	6.7	1	3.6 B.1		
	HIN	1	2.4		0.3		
	N N	-	24	1	24		
	SD	1	1.37	;	2.85		

	SAMPLE DATE	t	SECCHI DEPTH	ŀ	CHLOROPHYLL	A
	(YEAR)	1	(METERS)	î	(U6/L)	
 !	1971 ##	-+- !	2.9	+	2.5	
	1975 **	1	3.7	1	5.7	
	1980	ţ	3.0	ŀ	7.2	
	1983	1	2.7	1	3.3	
	1984	ł	2.B	ŧ	5.2	
	1985	ŀ	3.4	î	5.1	
	1986	1	3.0	1	4.5	
	1988	1	4.0	ŀ	3.6	
	1987	1	3.5	ŀ	3.0	
	MEAN	+-	3.2	+	4.5	
	MAX	ŀ	4.0	i	7.2	
	HIN	1	2.7	ŀ	2.5	
	N	1	9	i	9	
	SD	i	0.45	i	1.50	

NOTE: + Based on less then 6 readings.

** Recreational lakes included.

LAKE : SHABOMEKA

TWP : BARRIE

COUNTY : FRONTENAC

ID NUMBER: 18-3430-034-01

SHORELINE : 13.70 km.

WATERSHED AREA: 40.90 sq.km SURFACE AREA: 268.0 ha. SHORELING COTTAGES : 10 : 104 MAX DEPTH : 32.00 m. : 33.19 mill cu. m. % CROWN LAND : 50 VOLUME

CENTRE

HISTORICAL RECORD

1	SAMPLE DATE (MM/DD/YY)		SECCHI DEPTH (METERS)	1 1	CHLOROPHYLL A (UG/L)	-	: SAMPL		ATE	SECCHI DEPI (METERS)	H :	CHLOROPHYLL (UG/L)
	05/23/88	+-	4,8	+-	2.5	+	1 197	44		5.1		2.7
	05/31/88	1	5.0	1		:	198			5.1	:	3.8
	06/07/88	1	4.9	1	2.8	ŀ	198		1	4.4	!	3.2
	06/14/88	1	5.2	1	1.4	1	198	+	1	4.8	1	2.1
	06/22/88	1	5.0	1	1.6	1	1 198	}	1	5.2	5	3.2
	06/27/88	1	5.7	i	1.1	1	1 198	i		4.3	1	2.5
	07/03/88	1	6.2	į	1.2	1	198)	1	4.5	1	2.4
	07/11/88	1	6.0	1	1.6	:	198		1	4.9	1 4	2.5
	07/17/88	1	5.5	1	1.1	1	198	}		5.2	E å	2.0
	07/25/88	ŀ	6.3	1	1.7	1	+				+	
	08/02/88	1	5.7	1	1.2	1	1	EAI	N :	4.8	- 1	2.7
	08/07/88	ŀ	5.6	1	0.8	1		{AX		5.2	- 1	3.8
	08/16/88	ľ	5.5	ł	2.2	1		!IN		4.3	i	2.0
	08/21/88	1	4.8	ŧ	1.8	}		ĺ	1	9	1	9
	08/28/88	1	4.9	ŀ	3.0	1		D		0.36	- 1	0.58
	09/07/88	1	4.6	1	2.4	1			•			
	09/11/88	1	4.8	-	2.5	1						
	09/18/88	8	5.2	ì	2.7	1		IOTI				then 6 read
	09/25/88	1	4.7 .	1	3.3	ŧ			+	# Recreation	al	lakes include
	10/05/88	1	4.3	-	2.8	-						
	MEAN	E I	5.2	1	2.0	1						
	MAX	ŀ	6.3	1	3.3	1						
	MIN	8	4.3	1	0.8	!						

N : 20 : 19 : SD : 0.55 : 0.76 : LAKE : SILVER

TWP: OSO, SOUTH SHERBROOKE COUNTY: FRONTENAC, LANARK

ID NUMBER : 18-3430-027-01

VDLUME : 24.91 mill cu. m. % CROWN LAND : 10

HISTORICAL SUMMARY

+-			SECCHI DEPTH	+		A	-+	+	-		1	SECCHI DEPTH	+-	CHLOROPHYLL	Α
i	(MM/DD/YY)	i	(METERS)	i	(U6/L)		i			(YEAR)	i	(METERS)	1	(U6/L)	
† ·	05/06/88	-+	3.9	-7	1.9	_	1	:	_	1975 ++	!	3.7	+-	2,5	
į	05/16/88	ŀ	3.8	1	1.5		1	i		1977	i	3.5		2.4	
!	05/29/88	1	4.2	1	1.2		5			1978	į	3.5	i	2.7	
ŀ	06/08/88	t	5.0	1	1.0		1	1		1979 ++	i	4.0	į	2.7	
1	06/17/88	1	4.7	1	1.6		1	i		1980	i	3.4	1	3.6	
1	07/04/88	1	3.4	Į,	1.4		1	i		1981	į	3.6	į	3.0	
1	07/10/88	E d	2.9	ŀ	1.7		1	i		1982	i	4.1	i	2,4	
i	07/18/88	ŀ	2.3	1	2.6		1			1983	į	3.9	1	2.0	
ŀ	07/27/88	ŧ	2.9	1	1.6		1 1			1984	i	3.4	1	3.0	
1	08/03/88	ı	3.3	í	1.1		1	1		1985	į	3.7	1	2.3	
1	08/09/88	ŀ	3.4	1	1.5		1			1986	1	4.3	į	3.2	
ì	08/18/88	ļ	3.2	1	3.1		1	1		1987	į	4.8	1	2.4	
i	09/01/88	;	3.4	1	1.7		1	i		1988	i	3.8	1	1.8	
1	09/15/88	1	4.5	į	2.2		1	+	_		+-		+-		
í	09/26/88	1	4.8	I	2.0		1			MEAN	1	3.8	1	2.6	
ŀ	10/03/B8	1	4.7	1	1.7		}			MAX	1	4.8	1	3.6	
ì	10/15/88	1	4.6	ŀ	3.0		1			HIN	1	3.4	1	1.8	
+-		-+		+			-+			N	1	13	1	13	
	MEAN	1	3.B	1	1.B		1			SD	1	0.40	1	0.49	
	MAX	1	5.0	1	3.1		1				+-		+-		
	HIN	1	2.3	1	1.0		1								
	N	1	17	:	17		1			NOTE .	1	Raced on les	c	then E readi	D.C

0.B0 ; 0.61

NOTE: + Based on less then E readings. ++ Recreational lakes included. LAKE : SKOOTAMATTA : UPPER LAKE (W.B)

ID NUMBER: 17-0026-005-01

TWP : ANGLESEA

COUNTY : LENNOX & ADDINGTON

MAX DEPTH : 29.30 m. RESORTS : 0 VOLUME : 4.33 mill cu. m. % CROWN LAND : 0

UPPER BASIN

HISTORICAL RECORD

SAMPLE DATE (MM/DD/YY)		SECCHI DEPTH (METERS)		CHEOROPHYEL A (UG/L)	1	:	5	AMPLE DATE (YEAR)	1	SECCHI DEPTH (METERS)	-	CHLDROPHY (UG/L)
06/17/88	1	2.9	1	3.1	1			1974 **	1	4.2	1	3.0
06/24/88	- [3.2	1	1.0	1	:		1975 **	ŧ	3.7	1	5.2
07/05/88	- {	3.8	i	0.7	1	;		1980 #	1	3.7	į	3.2
07/16/88	1	3.8	ł	0.4	1	1		1982 #	1	4.0	1	3.4
07/25/88	1	4.1	1	0.2	1	1		1983	ŀ	3.4	ŀ	1.5
07/31/88	1	4.1	ł	0.6	1	1		1984	1	3.3	ţ	3.0
08/19/88	1	4.7	;	0.8	!	:		1985	1	3.5	i	2.3
09/02/88	- {	4.4	Į.	1.3	1	1		1986	ţ	3.0	ļ	2.4
09/15/98	1	4.4	i	1.9	1	i		1987	ŀ	3.6	1	1.5
	-+-		+		+	1		1988	l	3.9	1	1.1
MEAN	1	3.9	ł	1.1	!	+			-+		-+	
HAX	1	4.7	ì	3.1	1			HEAN	1	3.6	l l	2.7
HIN	-	2.9	1	0.2	1			HAX	1	4.2	i	5.2
N	1	9	1	9	1			MIN	i	3.0	î	1.1
SD	1	0.58	ŀ	0.90	1			N	1	10	j	10
	+-		+		+			SD	1	0.35	3	1.20

NOTE: # Based on less then & readings. ## Recreational lakes included. LAKE: SOUTH ID NUMBER: 12-0017-019-01

TWP : FRONT & REAR OF LEEDS & LANSDOWNE

COUNTY : LEEDS

WATERSHED AREA: 38.91 sq.km SHORELINE : 10.94 km.

SURFACE AREA : 220.0 ha. COTTAGES : 17 + 1 HOUSE MAX DEPTH : 14.63 m. RESORTS : 0

VOLUME : 11.73 mill cu. m. % CROWN LAND : 1

MOUTH OF WILLOW BROOK

HISTORICAL RECORD

	SAMPLE DATE	i	SECCHI DEPTH	i	CHLOROPHYLL	Α	
	(MM/DD/YY)	1	(METERS)	!	(UG/L)		
•	07/22/88	;	4.3	4	5.5		1
	07/29/88	1	3.4	ţ	8.6		1
	08/05/88	1	2.1	1	5.9		1
	08/11/88	I	1.2	1	11.0		
l	08/18/88	1	1.4	į	16.0		1
	08/25/88	ŀ	1.5	ł	18.0		
	09/01/88	1	1.4	1	24.0		
	09/08/88	1	1.2	ŧ	32.0		
	09/15/88	1	1.1	1	49.0		
	09/23/88	1	0.8	1	57.0		1
1	09/29/88	1	0.8	ł	40.0		
	10/06/88	!	1.5 .	1	17.0		1
	MEAN	;	1.7	-	23.7		1
	MAX	Į.	4.3	1	57.0		9
	MIN	1	0.8	!	5.5		1
	N	1	12	1	12		-
	SD	;	1.07	ŀ	17.21		1

	SAMPLE DATE (YEAR)		SECCHI DEPTH (METERS)		CHLOROPHYLL (UG/L)	A i
T 21 12 12 14 14 14 14 14 1	1981 ** 1982 ** 1983 ** 1984 ** 1986 1987		2.1 1.5 2.1 2.0 1.3 1.5	T	8.9 13.5 8.0 8.2 17.5 12.2 23.7	
•	MEAN MAX MIN N SD	1 1 1	1.7 2.1 1.3 7 0.33	* +-	13.1 23.7 8.0 7 5.78	

NOTE: * Based on less then 6 readings.
** Recreational lakes included.

LAKE : STEENBURG

TWP : TUDOR, LIMERICK COUNTY : HASTINGS

sq.km WATERSHED AREA: 21.50

SHORELINE : 13.70 km.
COTTAGES : 203
RESORTS : 0 SURFACE AREA : 277.0 ha. MAX DEPTH : 20.10 m. mill cu. m. % CROWN LAND : 0 VOLUME : 15.62

CENTER

HISTORICAL RECORD

with .				-+		+	**	
			SECOHI DEPTH (METERS)			A :	:	S
+		-+-		- 4		+	4.	
,	07/26/88	1	4.0	1	0.3			
+		- +-		-+		+	1	
							:	

5	SAMPLE	DATE	1	SECONI DEPTH	i	CHLOROPHYLL A
	(YEAR	?)	1	(METERS)	1	(U6/L)
	1976	+ +		4.5	1	2.4
	1977		1	4.7	1	3.0
	1978		1	4.3	ł	3.0
	1979		I	4.5	٠	3.0
	1983		1	4.3	1	2.4
	1984		ŧ	3.9	1	3.6
	1985	ŧ	1	4.2		2.1
	1936			3.8	1	3.1
	1987		1	3.9	1	1.7
	1985	÷	1	4.0	1	0.3
	H	EAN	;	4.2	!	2.6
	8	ΑX	1	4.7	1	3.6
		IN	I	3.8	1	0.3
	N			10	:	10
	3	D	ő	0.33	1	0.98

ID NUMBER : 17-0021-011-01

NOTE: * Based on less then & readings. ** Recreational lakes included.

LAKE : STOCO

TWP : HUNGERFORD COUNTY : HASTINGS ID NUMBER : 17-0026-008-01

VOLUME : 19.93 mill cu. m. % CROWN LAND : 0

NORTHEAST END

HISTORICAL RECORD

+ ***	SAMPLE DATE (MM/DD/YY)		SECCHI DEPTH (METERS)	1	CHLOROPHYLL A (UG/L)			-	SAMPLE DATE (YEAR)	+ : :	SECCHI DEPTH (METERS)	+ ::	CHLOROPHYLL A	,
1	07/17/88	-	1.0	1	4.1	- 1			1972 ##	1	1.3	1	9.0	
1	07/24/88	ŀ	1.8	1	10.0	1	1		1973 **	1	1.5	ł	22.5	
1	08/01/88	I 1	1.5	1	11.0	1	1		1974 ##	1	2.4	ŀ	5.8	
1	08/07/88	1	1.2	1	23.0		1		1975 **	3	2.0	1	20.1	
1	08/14/88	î	1.1	1	32.0	1	1		1984 **	1	1.2	1	26.1	
i	08/22/88	ř	1.2	1	15.0	-	1		1985	1	1.6	1	10.0	
1	08/28/88	ŀ	1.2	i	22.0	1	1		1986 *	ļ	2.1	1	12.9	
1	09/05/88	ì	1.4	1	15.0	1	i i		1987 *	ş	2.1	1	4.9	
į	09/11/88	1	1.2	1	2€.0		1		1988	1	1.5	ŀ	16.9	
ŀ	09/18/88	î	1.6	1	20.0	1	+	-		+		+		-
į	09/25/88	1	1.8	i i	12.0	1			HEAN	ŀ	1.7	9	14.2	
1	10/02/88	ŀ	1.5	1	19.0	1			MAX	i	2.4	ì	26.1	
ì	10/10/88	1	2.0	ŀ	13.0	1			HIN	1	1.2	Î	4.9	
1	10/17/88	ì	1.7	1	20.0	į	Ť		N	1	9	8	9	
ł	10/23/88	i	1.7	ł	18.0	1			SD	1	0.42	ł	7.55	
1	10/30/88	1	1.8	1	11.0	:				+-	***************************************	+-		-
*	MEAN	†" 	1.5	!	16.9	- +			NOTE :		Based on les	5	then 6 readin	9
	MAX	1	2.0	1	32.0	2				+	Recreational		lakes included	
	MIN	1	1.0	1	4.1	0								

N 1 16 1 16 1 SD 1 0.30 1 6.96

LAKE : SYDENHAM

TWP : LOUGHBOROUGH COUNTY : FRONTENAC

ID NUMBER: 06-0180-003-01

WATERSHED AREA: 49.00 sq.km

SHORELINE : 42.00 km.
COTTAGES : 152
RESORTS : 2 (51) SURFACE AREA : 451.0
MAX DEPTH : 37.00 ha. m. mill cu. m. % CROWN LAND : 0 : 32.05 VOLUME

100 METERS OFF NORTH SHORE

HISTORICAL RECORD

+		-+-		-+		-+
1 (AMPLE DATE	1	SECCHI DEPTH	1	CHLOROPHYLL A	1
	(MM/DD/YY)	1	(METERS)	ŀ	(UG/L)	8
		+-		-+		-+
	06/16/88	i	5.3	3	2.1	1
	06/27/88	;	5.6	1		i
	07/15/88	1	5.8	1	6.6	1
1	07/21/88	t	5.2	1	4.7	l l
1	08/03/88	1	4.0	1	3.2	- 1
	08/22/88	1	4.9	1	5.1	1
	09/07/88	1	5.2	1	5.5	1
1	09/26/88	1	5.2	1	4.0	1
à 3	10/11/88	į	4.9	1	4.9	1
1	10/31/88	1	4.0	1	6.0	- {
į I	11/22/88	1	3.7	-	8.6	- {
+		-+		-+		-+
	HEAN	1	4.9	ţ	5.1	1
	MAX	1	5.8	1	8.6	- 1
	HIN	1	3.7	1	2.1	
	N	1	11	1	10	
	n.					

+----+

NOTE: + Based on less then & readings. ** Recreational lakes included.

LAKE : TAIT ID NUMBER: 18-3490-036-01

TWP : DUNGANNON COUNTY : HASTINGS

WATERSHED AREA: 1.4 sq.km

SHORELINE : 3.2 km.
COTTAGES : 33 SURFACE AREA : 20.7 MAX DEPTH : 5.5 VOLUME : 0.639 ha. m. RESORTS

mill cu. m. % CROWN LAND : 0

CENTRE OF LAKE

KELLYS BAY

+ 11 11 .	SAMPLE DATE (MM/DD/YY)		SECCHI DEPTH (METERS)	;	CHLOROPHYLL (UG/L)	A :		E DATE DD/YY)		SECCHI DEFTH (METERS)	-+	CHLOROPHYLL A	4 :
1	07/19/88	1	5.0	1	0.9	:	: 07/	19/88	1	5.2	8	0.8	1
į	07/28/88	į	4.3	1	0.8	1	: 07/	28/83	i	4.0	1	1.0	- 1
1	08/04/88	1	4.3	1	0.7	1	: 08/	11/88	1	4.4	1	1.5	\$ 0
1	08/11/88	1	4.0	1	1.7	1	: 08/	16/88	ì	4.9	1	1.1	- 1
9 4	08/16/88	1	4.3	į	2.1	-	: 03/	30/39	1	4.3	1	3.8	- 1
1	08/30/88	1	4.6	1	1.5	1	: 09/	13/88	1	4.3	ł	1.3	- 1
1	09/13/88	1	4.8	1	1.0	- 1	: 09/	21/88	1	4.9	1	1.4	3 2
į	09/21/88	1	4.1	1	1.0	- 1	+		-+-		-+		+
÷		+-		-+		+		MEAN	ļ	4.6	i	1.2	1
	MEAN	ŀ	4.4	1	1.2	f		XAH	1	5.2	;	1.6	1 3
	MAX	1	5.0	1	2.1	1		HIN	i	4.0	1	0.8	- 1
	MIN	1	4.0	1	0.7	1		N	1	7	1	7	1
	N	1	8	8	8	1		SD	1	0.43	1	0.29	- }
	SD	1	0.32	1	0.50	1			+		-+		+

HISTORICAL RECORD

	SECCHI DEPTH	
1971 1972 1973 1988	3.7 5.6 4.1 4.5	3.0 1.4 2.3 1.2
MEAN MAX MIN N SO	4.5 5.6 3.7 4 0.82	2.0 ; 3.0 ; 1.2 ; 4 ; 0.83 ;

LAKE : THIRTEEN ISLAND ID NUMBER: 17-0035-015-01

TWP: BEDFORD, HINCHINBROOKE, LOUGHBOROUGH, PORTLAND

COUNTY : FRONTENAC

WATERSHED AREA: 40.00 SHORELINE : 13.80 km. sq.km

SURFACE AREA : 132.0 ha. COTTAGES : 60 MAX DEPTH : 25.90 RESORTS : 2 (4) VOLUME : 6.63 mill cu. m. % CROWN LAND : 0

CENTER

HISTORICAL RECORD

1	SAMPLE DATE (MM/DD/YY)	1 5 5	SECCHI DEPTH (METERS)		CHLOROPHYLL (UG/L)	A	1
1	05/01/88	1	3.3	1	1.6		
ī	05/08/88	3	3.3	į	2.2		
1	05/15/88	ł	4.0	1	0.9		
1	05/23/88	ŧ	4.3	ŀ	0.8		
1	05/29/88	Ī	4.3	ì	1.2		
1	06/05/88	1	4.0	i	1.0		
i	06/12/88	ł	4.0	ŀ	3.1		
i	06/19/88	!	4.0	3	1.5		
	06/26/88	1	4.0	1	1.1		
1	07/03/88	;	4.3	ł	0.1		
1	07/10/88	1	4.3	1	1.0		1
1	07/17/88	1	4.3	ŀ	1.3		1
1	07/24/88	î L	4.3	1	2.9		1
l	08/01/88	ľ	4.3	î	1.5		1
l	08/07/88	ļ	4.0	į	4.0		
	08/14/88	ľ	4.3	;	1.8		
	08/20/88	ł	4.0	ŀ	3.5		1
	08/28/88	1	4.0	1	4.4		
	09/05/88	1	4.0	ŀ	3.1		1
	09/11/88	ŀ	4.0	0	3.4		1
	09/18/88	ŀ	4.0	1	4.9		1
	09/25/88	1	4.3	ŀ	5.4		1
	10/02/88	!	4.3	i	5.7		1
	10/10/88	ŧ	4.0	ľ	7.4		1
	10/30/88	1	3.7	! +-	7.2		
	MEAN	!	4.1	1	2.8		0
	MAX	ŀ	4.3	1	7.4		1
	MIN	3	3.3	1	0.1		1
	N	1	25	1	25		1
	SD	ŀ	0.29	1	2.05		1

A :	CHLOROPHYLL	SECCHI DEPTH :	SAMPLE DATE :	ì
2	(UG/L)	(METERS) !	(YEAR) :	1
:	4.2	4.3	1975 ** ;	1
- 1	3.4	3.3	1983	ì
1	4.3	3.8	1984 ** }	1
- 1	3.7	3.5	1985 :	ī
1	6.7	3.3	1986 :	ŀ
- 1	4.1	3.4	1987 :	i
- 1	2.8	4.1	1988	1
	4.2	3.7	MEAN :	+-
1	6.7	4.3	HAX :	
- 1	2.8	3.3	MIN :	
- 1	7	7 :	N :	
- 1	1.23	0.40 ;	SD :	

NOTE: * Based on less then 6 readings.

** Recreational lakes included.

LAKE : TROY

TWP : SOUTH CROSBY

COUNTY : LEEDS

ID NUMBER : 12-0004-019-01

VOLUME : 2.74 mill cu. m. % CROWN LAND : 0

CENTER

HISTORICAL RECORD

GAMPLE DATE (MM/DD/YY)		HI DEPTH	1 0	HLOROPHYLL (UG/L)	A :	:	S	AMPLE DATE (YEAR)	; s	ECCHI DEPT (METERS)	H :	CHLOROPHYLL (UG/L)	. A
05/23/88	1	3.4	1	2.5				1975 **	1	2.1	-	9.3	
05/29/88	1	3.7	1	1.8	1	!		1977	1	1.7	- 1	10.4	
06/05/88	1	3.4	1	0.9	:	:		1978	1	1.9	1	11.1	
06/12/88	;	3.0	1	1.1	1	;		1979	1	2.0	9 2	12.0	
06/19/88	1	4.6	1	1.1	1	1 2		1980	1	2.3	1	10.1	
07/03/88	1	3.8	1	2.4	1	1		1981	1	2.3	1	6.3	
07/10/88	;	4.3	ł i	3.0	:	1		1982	1	2.4	- 1	8.4	
07/17/88	1	4.3	1	3.9	1	1		1983	!	2.0	4	10.7	
07/27/88	1	3.3	1	7.1	ž t	1		1984	1	2.4	- }	8.0	
08/14/88	}	2.3	!	9.3	1	8 1		1985	Į.	2.6	- 1	8.5	
08/21/88	1	1.5	1	11.0	!	1		1986	l I	1.9	1	13.5	
09/18/88	}	1.5	1	13.0	1	1		1987	1	3.4	- 1	3.2	
	+		-+		+	:		1988	1	3.3	1	4.8	
MEAN	!	3.3	1	4.8	1	+			+		+		
MAX	Į.	4.6	1	13.0	1			MEAN	1	2.3	- 1	8.9	
HIN	1	1.5	1	0.9	1			MAX	1	3.4	1	13.5	
N	1	12	1	12	1			HIN	ŀ	1.7	1	3.2	
SD	1	1.03	1	4.24	- 1			N	1	13	1	13	
	+		-+		+			SD	1	0.52	- 1	2.89	

NOTE: * Based on less then 6 readings.
** Recreational lakes included.

LAKE : TWIN SISTER : EAST BASIN

| 06/07/88 | 3.2 | 2.6 | 06/12/88 | 3.8 | 1.0

3.5

3.6

3.5

+-----

MEAN : 3.6 : 3.7 MAX : 4.1 : 8.0

17

0.39 :

1 2.6

: 06/16/88 : 3.8

1 06/26/88 1 3.7

07/04/88 : 4.1

: 07/19/88 : 3.5

: 07/30/88 : 3.5

: 08/04/88 : 3.8

1 08/08/88 : 3.8

: 08/16/88 : 4.1

1 08/30/88 1 3.2

: 09/06/88 : 3.8

10/09/88 ; 2.6

1 09/28/88 1 3.0

07/13/88 :

1 07/24/88 1

1 08/23/88 1

MIN

N

SD

TWP : MARMORA

COUNTY : HASTINGS

WATERSHED AREA: 6.90 sq.km SHORELINE : 4.40 km.

HISTORICAL RECORD

 SURFACE AREA
 : 51.0
 ha.
 COTTAGES
 : 20

 MAX DEPTH
 : 8.54
 m.
 RESORTS
 : 0

 VOLUME
 : 1.74
 mill cu. m.
 % CROWN LAND : 0

EAST BASIN

+	-+		+			-+	+
: SAMPLE DATE	1	SECCHI DEPTH	1	CHLOROPHYLL	A	ŀ	: SAMPLE DATE :
(MM/DD/YY)	1	(METERS)	ŧ	(U6/L)		:	(VEAD)

1 1.9

8.0

1.9

1 2.6

2.4

1 4.2

1 0.6

: 0.8

1 6.0

1 6.5

1 0.4

1 7.0

: 5.0

: 5.3

: 0.4

17

2.51

6.3

9	SAMPLE DAT	TE I S	ECCHI DEPI	TH 1 C	HLOROPHYLI	. A :
	(YEAR)		(METERS)	1	(U6/L)	1
	1980 **		3.9		5.2	
	1981 #	i i	3.5	ŀ	5.0	1
	1982	- 1	3.4	ì	2.2	1
	1983	1	3.5	2	3.3	1
ì	1984	- 1	3.8	1	5.0	1
	1985	- 1	3.6	ł	4.7	
	1986	1	3.4	- 1	4.0	1
ŀ	1987	1	3.0	1	6.0	- 1
	1988	1	3.6	1	3.7	1
	MEAN	·+	3.5	+	4.3	
	MAX	1	3.9	- 1	6.0	
	HIN	1	3.0	- 1	2.2	:
	N	:	9	1	9	1
	SD		0.26	1	1.16	

ID NUMBER: 17-0021-012-01

NOTE: * Based on less then 6 readings. ** Recreational lakes included. LAKE : TWIN SISTER : WEST BASIN ID NUMBER : 17-0021-013-01

TWP : MARMORA

COUNTY : HASTINGS

WATERSHED AREA : 8.70 SURFACE AREA : 35.0 MAX DEPTH : 13.40 sq.km SHORELINE : 3.20 km. ha. COTTAGES : 21 m. RESORTS : 0

m. RESORTS : 0
mill cu. m. % CROWN LAND : 0 VOLUME : 1.96

WEST BASIN

HISTORICAL RECORD

SAMPLE DAT (MM/DD/YY			:	CHLOROPHYLL A (UG/L)	1	:	SAMPLE DATE (YEAR)	1	SECCHI DEPTH (METERS)	-	CHLOROPHYLL (UG/L)	A	1
05/07/88	1	2.6	3 1	3.2		1	1977	1	3.6	1	2.9		
05/23/88	1	3.0	1	1.4	!	- 1	1980 ##	ŀ	3.9	1	4.3		
05/29/88	1	3.2	1	1.3	1	!	1981	1	4.4	1	2.9		
06/19/88	- }	3.4	1	1.9	1	- 1	1982	1	3.6	ŀ	3.3		
07/03/88	- 1	3.0	i	1.2	1		1983	1	3.5	ł	2.5		
07/17/88	- 1	3.4	1	1.1	1	1	1984	1	3.5	i	4.7		
07/23/88	- 1	4.0	1	1.2	1	- 1	1985	1	3.8	1	5.3		
08/01/88	- 1	4.0	1	0.9	1	1	1986	ļ	3.0	i	3.7		
08/07/88	1	3.8	ì	1.9	1	1	1987	ŀ	3.3	ì	4.6		
08/15/88	!	3.7	i	2.8	-		1988	ŀ	3.5	1	1.8		
08/21/88	,	4.0	ł	2.8	į.	+	 	+-		+			-
09/18/88	- 1	3.8	ŀ	1.9	1		HEAN	ŀ	3.6	1	3.6		
10/09/88	- 1	3.4	1	2.4	1		MAX	ł	4.4	!	5.3		
	+		-+-		+		MIN	î	3.0	1	1.8		
MEAN	1	3.5	1	1.8	1		N	1	10	1	10		
HAX	- 1	4.0	1	3.2	1		SD	1	0.37	1	1.11		
MIN	- 1	2.6	1	0.9	1			+-		+			
N	1	13	1	13	ŀ								
SD	- 1	0.45	1	0.75	1		NOTE :	4	Based on les	S	then 6 readi	ng	1

LAKE : WOLLASTON

TWP : WOLLASTON COUNTY : HASTINGS

ID NUMBER: 17-0021-014-01

VOLUME : 34.67 mill cu. m. % CROWN LAND : 12

VARIOUS LOCATIONS

HISTORICAL RECORD

SAMPLE DATE (MM/DD/YY)	: SECCHI DEPTH : (METERS)	(110.0.)
07/05/88 07/12/88 07/18/88 07/25/88 08/02/88 08/08/88 08/23/88 09/03/88	4.7 4.0 1 3.9 1 4.3 4.6 1 5.2 1 4.6 1 5.6	1.1 1.4 1.6 1.9 1.1 1.4 0.5
MEAN MAX MIN N	4.6 : 5.6 : 3.9 : 8	1.3 1.9 0.5 8

NOTE: * Based on less then 6 readings.

^{**} Recreational lakes included.

LAKE : WEST ID NUMBER : 06-0163-001-01

TWP : HALLOWELL

COUNTY : PRINCE EDWARD

WATERSHED AREA: 119.00 sq.km cuprace area: 502.0 ha. SHORELINE : 12.20 km.

COTTAGES : 82 + 104 F

RESORTS : 22 (139)

: 82 + 104 HOUSES

 MAX DEPTH
 : 4.60
 m.
 RESORTS
 : 2:

 VOLUME
 : 9.94
 mill cu. m.
 % CROWN LAND : 1

NORTH OF SHEBA ISLAND

NORTH AND SOUTH BASINS

							+		+		-+-		+
1	SAMPLE DATE (MM/DD/YY)		SECCHI DEPTH (METERS)	1 1	CHLOROPHYLL (UG/L)	A	SAMPLE (YEA)			HI DEPTH ETERS)	1	CHLOROPHYLL (UG/L)	A I
+	08/29/88	+	1.1	+	16.0		1980	++	+ ; ;	2.2	-+- ;	6.5	+
į	09/12/88	1	0.8	i	5.4		1983		1	1.2	1	5.0	1
1		1	0.8	i	10.0		: 1984		1	1.4	1	B.1	- 1
į	09/29/88	1	0.8	i	5.3		; 1985	ŧŧ	1 :	1.0	ł	11.6	1
i	10/03/88	!	0.7	ŀ	15.0	-	1986	Ħ	1 :	1.5	1	9.3	3 8
ł	10/19/88	1	0.6	i	13.0	1	1987	ŧŧ	1 :	1.5	1	4.5	1
1	10/26/88	1	0.6	;	18.0	į	1988		} (0.7	1	11.2	1
1	10/31/88	ŧ	0.5	1	14.0		+		+		-+-		+
ļ	11/22/88	ł	0.5	ŀ	6.0	- 1	H	EAN	1 :	1.4	1	8.0	8
ł	12/05/88	ł	0.5	ŀ	9.0	1	n.	A X	1 :	2.2	1	11.6	3
÷		+		+			H.	IN	1 (0.7	1	4.5	1
	MEAN	ł	0.7	į	11.2	- 1	N		1	7	1	7	1
	MAX	1	1.1	1	18.0	- 1	Si)	; (0.47	1	2.84	- 1
	MIN	1	0.5	;	5.3	- 1			+		-+-		+
	N	1	10	1	10	1							
	0.0		0.10		4 63		MI	TE .	£ 0.0	nd no 1 n		then C manda	

SD : 0.19 : 4.67 : NDTE: # Based on less then 6 readings. ## Recreational lakes included.





